

Road Restrictions 5/21/2024

There are 242 restrictions.

ROAD RESTRICTIONS

Interstate Routes

I-5 NB Exit 125 off-ramp to Garden Valley Blvd (Roseburg)

Effective **March 18, 2024**, the I-5 northbound Exit 125 off-ramp to Garden Valley Boulevard will be closed Sunday through Thursday nights between the hours of 8 PM & 6 AM. The estimated completion date for this work is **June 21, 2024**.

I-5 NB on-ramp from Garden Valley Blvd (Roseburg)

Effective **March 31, 2024**, the I-5 northbound on-ramp from Garden Valley Boulevard will be closed Sunday through Thursday nights between the hours of 8 PM & 6 AM. The estimated completion date for this work is **June 21, 2024**.

I-5 NB MP 126.00 to MP 126.80 (Roseburg) -- NEW --

Effective June 5, 2024, this section of I-5 northbound will be restricted to 18 feet 00 inches in width at night between the hours of 6 PM & 7 AM. Loads over 18 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information. The estimated completion date for this work is June 6, 2024.

I-5 NB on-ramp from Edenbower Blvd EB (Roseburg) -- NEW --

Effective June 5, 2024, the I-5 northbound on-ramp from Edenbower Boulevard Eastbound will be closed at night between the hours of 6 PM & 7 AM. The estimated completion date for this work is June 6, 2024.

I-5 NB MP 174.76 to MP 187.89 (Goshen) -- UPDATE --

Effective **May 28, 2024**, this section of I-5 northbound will be intermittently restricted to 14 feet 00 inches in width Sunday through Thursday nights between the hours of 7 PM & 6 AM. Mobile homes with eaves are allowed provided the base width does not exceed 14 feet 00 inches in width. Loads over 14 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information. The estimated completion date for this work is **June 17, 2024**.

I-5 NB & SB Exit 176 on- and off-ramps to/from Saginaw Rd (Goshen) -- UPDATE --

Effective **May 28, 2024**, the I-5 northbound and southbound Exit 176 on- and off-ramps to/from Saginaw Road will be intermittently closed Sunday through Thursday nights between the hours of 7 PM & 6 AM. The estimated completion date for this work is **May 30, 2024**.

I-5 SB MP 177.50 to MP 176.50 (Creswell) -- NEW --

Effective June 3, 2024, this section of I-5 southbound will be restricted to 13 feet 6 inches in width at night between the hours of 7 PM & 6 AM. Loads over 13 feet 6 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information. The estimated completion date for this work is June 4, 2024.

I-5 NB & SB on- and off-ramps to Gettings Creek Rest Area (Goshen) -- UPDATE --

Effective **May 28, 2024**, the I-5 northbound and southbound on- and off-ramps to/from Gettings Creek will be intermittently closed Sunday through Thursday nights between the hours of 7 PM & 6 AM. The estimated completion date for this work is **May 30, 2024**.

I-5 NB & SB Exit 182 on- and off-ramps to/from Creswell/Cloverdale Rd (Goshen) -- UPDATE --

Effective **May 30, 2024**, the I-5 northbound and southbound Exit 182 on- and off-ramps to/from Creswell/Cloverdale Road will be intermittently closed Sunday through Thursday nights between the hours of 7 PM & 6 AM. The estimated completion date for this work is **June 3, 2024**.

I-5 SB MP 184.24 (Goshen)

Effective **May 19, 2024**, this section of I-5 southbound will be restricted to 16 feet 5 inches in height Sunday through Thursday nights between the hours of 7 PM & 6 AM. Loads over 16 feet 5 inches in height may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information. The estimated completion date for this work is **June 17, 2024**.

I-5 NB MP 184.24 (Goshen) -- UPDATE --

Effective **May 28, 2024**, this section of I-5 northbound will be intermittently restricted to 16 feet 10 inches in height Sunday through Thursday nights between the hours of 7 PM & 6 AM. Loads over 16 feet 10 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information. The estimated completion date for this work is **June 17, 2024**.

I-5 SB MP 186.00 to MP 185.00 (Creswell) -- NEW --

Effective June 4, 2024, this section of I-5 southbound will be restricted to 13 feet 6 inches in width at night between the hours of 7 PM & 6 AM. Loads over 13 feet 6 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information. The estimated completion date for this work is June 5, 2024.

I-5 NB Exit 186 off-ramp to Dillard Access Rd (Goshen) -- UPDATE --

Effective **June 3, 2024**, the I-5 northbound Exit 186 off-ramp to Dillard Access Road will be intermittently closed Sunday through Thursday nights between the hours of 7 PM & 6 AM. The estimated completion date for this work is **June 5, 2024**.

I-5 SB MP 187.89 to MP 174.76 (Goshen)

Effective **May 19, 2024**, this section of I-5 southbound will be restricted to 14 feet 00 inches in width Sunday through Thursday nights between the hours of 7 PM & 6 AM. Mobile homes with eaves are allowed provided the base width does not exceed 14 feet 00 inches in width. Loads over 14 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information. The estimated completion date for this work is **June 17, 2024**.

I-5 NB Exit 189 off-ramp to 30th Ave/McVay Hwy/OR225 (Eugene)

Effective June 23, 2024, the I-5 northbound Exit 189 off-ramp to 30th Avenue/McVay Highway/OR225 will be closed Sunday through Thursday nights between the hours of 9 PM & 5 AM. The estimated completion date for this work is June 25, 2024.

I-5 NB on-ramp from McVay Hwy/OR225/Franklin Blvd (Eugene)

Effective June 23, 2024, the I-5 northbound on-ramp from McVay Highway/OR225/Franklin Boulevard will be closed Sunday through Thursday nights between the hours of 9 PM & 5 AM. The estimated completion date for this work is June 25, 2024.

I-5 NB MP 191.00 to MP 191.80 (Eugene)

Effective June 23, 2024, this section of I-5 northbound will be restricted to 14 feet 00 inches in width Sunday through Thursday nights between the hours of 9 PM & 5 AM. Mobile homes with eaves are

allowed provided the base width does not exceed 14 feet 00 inches in width. Loads over 14 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information. The estimated completion date for this work is June 25, 2024.

I-5 NB Exit 191 on- and off-ramps to/from Glenwood Blvd (Eugene)

Effective June 23, 2024, the I-5 northbound Exit 191 on- and off-ramp to/from Glenwood Boulevard will be closed Sunday through Thursday nights between the hours of 9 PM & 5 AM. The estimated completion date for this work is June 25, 2024.

I-5 SB MP 191.80 to MP 191.00 (Eugene)

Effective June 23, 2024, this section of I-5 southbound will be restricted to 14 feet 00 inches in width Sunday through Thursday nights between the hours of 9 PM & 5 AM. Mobile homes with eaves are allowed provided the base width does not exceed 14 feet 00 inches in width. Loads over 14 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information. The estimated completion date for this work is June 25, 2024.

I-5 SB on-ramp from Glenwood Blvd (Eugene)

Effective June 23, 2024, the I-5 southbound on-ramp from Glenwood Boulevard will be closed Sunday through Thursday nights between the hours of 9 PM & 5 AM. The estimated completion date for this work is June 25, 2024.

I-5 SB Exit 194A off-ramp to I-105/OR126 EB (Eugene) -- UPDATE --

Effective **June 2, 2024**, the I-5 southbound Exit 194A off-ramp to I-105/OR126 eastbound will be closed Sunday through Thursday nights between the hours of 7 PM & 5:30 AM. The estimated completion date for this work is **June 9, 2024**.

I-5 NB Exit 194B off-ramp to I-105/OR126 WB (Eugene) -- UPDATE --

Effective **June 2, 2024**, the I-5 northbound Exit 194B off-ramp to I-105/OR126 westbound will be closed Sunday through Thursday nights between the hours of 7 PM & 5:30 AM. The estimated completion date for this work is **June 9, 2024**.

I-5 SB Exit 194B off-ramp to I-105/OR126 WB (Eugene) -- UPDATE --

Effective **June 2, 2024**, the I-5 southbound Exit 194B off-ramp to I-105/OR126 westbound will be closed Sunday through Thursday nights between the hours of 7 PM & 5:30 AM. The estimated completion date for this work is **June 9, 2024**.

I-5 NB MP 203.55 to MP 216.92 (Coburg)

Effective June 2, 2024, this section of I-5 northbound will be restricted to 12 feet 00 inches in width Sunday through Thursday nights between the hours of 8 PM & 5:30 AM. Loads over 12 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information. The estimated completion date for this work is August 31, 2024.

I-5 NB Exit 209 off-ramp to Diamond Hill Road (Coburg)

Effective June 9, 2024, the I-5 northbound Exit 209 off-ramp to Diamond Hill Road will be closed Sunday through Thursday nights between the hours of 8 PM & 5:30 AM. The estimated completion date for this work is June 11, 2024.

I-5 NB Exit 209 on-ramp from Diamond Hill Rd (Coburg)

Effective **June 10, 2024**, the I-5 northbound Exit 209 on-ramp from Diamond Hill Rd will be closed Sunday through Thursday nights between the hours of 8 PM & 5:30 AM. The estimated completion date

for this work is June 12, 2024.

I-5 NB & SB MP 250.32 to MP 251.09 (Salem)

Effective **May 12, 2024**, this section of I-5 northbound and southbound will be restricted to 16 feet 00 inches in width Sunday through Thursday nights between the hours of 9 PM & 5 AM. Loads over 16 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information. The estimated completion date for this work is May 31, 2024.

I-5 NB & SB Exit 252 on- and off-ramps to/from Kuebler Blvd (Salem)

Effective **May 12, 2024**, the I-5 northbound and southbound Exit 252 on- and off-ramps to/from Kuebler Boulevard will be intermittently closed Sunday through Thursday nights between the hours of 9 PM & 5 AM. The estimated completion date for this work is **May 22, 2024**.

I-5 NB Exit 253 off-ramp to OR22/OR99E and I-5 SB Exit 253 on-ramp from OR22/OR99E (Salem)

Effective **May 19, 2024**, the I-5 northbound Exit 253 off-ramp to OR22/OR99E and I-5 southbound Exit 253 on-ramp from OR22/OR99E will be closed Sunday through Thursday nights between the hours of 9 PM & 5 AM. The estimated completion date for this work is **May 21, 2024**.

I-5 SB Exit 278 off-ramp to Ehlen Rd (Aurora) -- NEW --

Effective June 24, 2024, the I-5 southbound Exit 278 off-ramp to Ehlen Road will be closed at all hours. The estimated completion date for this work is June 30, 2024.

I-5 NB Exit 278 on-ramp from Ehlen Rd (Aurora) -- NEW --

Effective July 8, 2024, the I-5 northbound Exit 278 on-ramp from Ehlen Road will be closed at all hours. The estimated completion date for this work is July 14, 2024.

I-5 NB on-ramps from Kruse Way/SW Haines St/OR99W/SW Barbur Blvd/SW Capitol Hwy/SW Spring Garden St (Portland) -- NEW --

Effective June 28, 2024, the I-5 northbound on-ramps from Kruse Way/SW Haines Street/OR99W/SW Barbur Boulevard/SW Capitol Highway/Spring Garden Street will be closed during the weekend, Friday at 9 PM through Monday at 5 AM. The estimated completion date for this work is July 1, 2024.

I-5 SB Exit 294 on- and off-ramps to/from OR99W/Barbur Blvd) (Tigard)

Effective June 7, 2024, the I-5 southbound Exit 294 on- and off-ramps to/from OR99W/Barbur Boulevard will be closed Sunday through Thursday nights between the hours of 9 PM & 5 AM, Friday nights between the hours of 9 PM & 6 AM, and Saturday nights between the hours of 9 PM & 7 AM. The estimated completion date for this work is June 9, 2024.

I-5 NB & SB MP 294.05 to MP 297.31 (Portland) -- NEW --

Effective June 28, 2024, this section of I-5 northbound and southbound will be closed during the weekend, Friday at 9 PM through Monday at 5 AM. The estimated completion date for this work is July 1, 2024.

I-5 SB on-ramp from I-405 SB/S Harbor Dr (Portland) -- NEW --

Effective June 28, 2024, the I-5 southbound on-ramp from I-405 southbound/S Harbor Drive will be closed during the weekend, Friday at 9 PM through Monday at 5 AM. The estimated completion date for this work is July 1, 2024.

I-5 SB off-ramp to the Morrison St Bridge (Portland)

On May 24, 2024, the I-5 southbound off-ramp to the Morrison Street Bridge will be closed at night between the hours of 8 PM & 11:59 PM for the Portland Rose Festival.

I-5 SB Exit 302A off-ramps to Broadway/Weidler Street/Moda Center (Portland) -- NEW --

On Saturday, June 8, the I-5 southbound Exit 302A off-ramps to Broadway/Weidler Street/Moda Center will be closed between the hours of 8:00 AM and 1:00 PM for the Portland Rose Festival Grand Floral Parade.

I-5 NB Exit 302A off-ramps to Broadway/Weidler Street/Moda Center (Portland) -- NEW --

On Saturday, June 8, the I-5 northbound Exit 302A off-ramps to Broadway/Weidler Street/Moda Center will be closed between the hours of 7:30 AM and 1:00 PM for the Portland Rose Festival Grand Floral Parade.

I-5 NB MP 308.00 to MP 308.38 (Interstate Bridge - Portland)

Effective June 15, 2024, this section of I-5 northbound will be closed nightly between the hours of 11 PM and 7 AM. The estimated completion date for this work is June 16, 2024.

I-5 NB MP 308.00 to MP 308.38 (Interstate Bridge - Portland)

Effective **May 22, 2024**, this section of I-5 northbound will be restricted to 12 feet 00 inches in width at night between the hours of 10:30 PM & 5 AM. Loads over 12 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information. The estimated completion date for this work is **May 24, 2024**.

I-5 NB MP 308.00 to MP 308.38 (Interstate Bridge - Portland) -- NEW --

Effective June 22, 2024, this section of I-5 northbound will be closed nightly between the hours of 11 PM and 7 AM. The estimated completion date for this work is June 23, 2024.

I-82 SB MP 0.00 to MP 1.00 (Hermiston) -- NEW --

Effective June 4, 2024, this section of I-82 southbound will be restricted to 12 feet 00 inches in width at night between the hours of 9 PM & 5 AM. Loads over 12 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information. The estimated completion date for this work is June 5, 2024.

I-82 SB MP 10.00 to MP 9.00 (Hermiston)

Effective May 23, 2024, this section of I-82 southbound will be restricted to 12 feet 00 inches in width at night between the hours of 9 PM & 5 AM. Loads over 12 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information. The estimated completion date for this work is May 24, 2024.

I-82 SB MP 10.00 to MP 11.00 (Hermiston) -- NEW --

Effective June 3, 2024, this section of I-82 southbound will be restricted to 12 feet 00 inches in width at night between the hours of 9 PM & 5 AM. Loads over 12 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information. The estimated completion date for this work is June 4, 2024.

I-82 SB off-ramp to I-84 EB (Hermiston)

Effective June 5, 2024, the I-82 southbound off-ramp to I-84 eastbound will be closed between the hours

of 10 PM & 4 AM. The estimated completion date for this work is June 6, 2024.

I-84 WB Off-ramp to Convention Center & Moda Center (Portland) -- NEW --

On Saturday, June 8, the I-84 westbound off-ramps to the Convention & Moda Center will be closed between the hours of 7:00 AM and 1:00 PM for the Portland Rose Festival Grand Floral Parade.

I-84 WB Exit 1 off-ramp to Lloyd Center (Portland) -- NEW --

On Saturday, June 8, the I-84 westbound Exit 1 off-ramp to the Lloyd Center will be closed between the hours of 6:30 AM and 1:00 PM for the Portland Rose Festival Grand Floral Parade.

I-84 EB Exit 7 off-ramp to Halsey St (Portland)

Effective May 22, 2024, the I-84 eastbound Exit 7 off-ramp to Halsey Street will be closed at all hours. The estimated completion date for this work is May 29, 2024.

I-84 WB on-ramp from 2nd St (The Dalles)

Effective **March 11, 2024**, the I-84 westbound on-ramp from 2nd Street will be closed at all hours. The estimated completion date for this work is **May 20, 2024**.

I-84 EB & WB MP 170.00 to MP 172.00 (Hermiston) -- NEW --

Effective May 30, 2024, this section of I-84 eastbound and westbound will be restricted to 12 feet 00 inches in width at night between the hours of 9 PM & 5 AM. Loads over 12 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information. The estimated completion date for this work is May 31, 2024.

I-84 EB MP 178 to MP 180 (Hermiston)

Effective May 20, 2024, this section of I-84 eastbound will be restricted to 12 feet 00 inches in width at night between the hours of 9 PM & 5 AM. The estimated completion date for this work is May 21, 2024.

I-84 WB MP 179.43 (Hermiston)

Effective May 22, 2024, this section of I-84 westbound will be restricted to 17 feet 6 inches in height between the hours of 9 PM & 5 AM. The estimated completion date for this work is May 23, 2024.

I-84 WB Exit 179 off-ramp to I-82 NB (Hermiston)

Effective June 6, 2024, the I-84 westbound, Exit 179, off-ramp to I-82 northbound, will be closed between the hours of 10 PM & 4 AM. The estimated completion date for this work is June 7, 2024.

I-84 WB MP 179 to MP 180 (Hermiston)

Effective May 22, 2024, this section of I-84 westbound will be restricted to 12 feet 00 inches in width at night between the hours of 9 PM & 5 AM. The estimated completion date for this work is May 23, 2024.

I-84 WB on-ramp from Westland Rd (Hermiston)

Effective June 6, 2024, the I-84 westbound on-ramp from Westland Rd, will be closed between the hours of 10 PM & 4 AM. The estimated completion date for this work is June 7, 2024.

I-84 WB MP 181.00 to MP 179.00 (Hermiston)

Effective May 21, 2024, this section of I-84 westbound will be restricted to 12 feet 00 inches in width at

night between the hours of 9 PM & 5 AM. The estimated completion date for this work is May 22, 2024.

I-84 EB & WB MP 187.00 (Hermiston) -- NEW --

Effective May 29, 2024, this section of I-84 eastbound and westbound will be restricted to 12 feet 00 inches in width at night between the hours of 9 PM & 5 AM. Loads over 12 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information. The estimated completion date for this work is May 30, 2024.

I-84 EB & WB MP 211.00 to MP 213.00 (Hermiston) -- NEW --

Effective May 28, 2024, this section of I-84 eastbound and westbound will be restricted to 12 feet 00 inches in width at night between the hours of 9 PM & 5 AM. Loads over 12 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information. The estimated completion date for this work is May 29, 2024.

I-84 EB & WB MP 285.45 to MP 286.30 (North Powder)

Effective April 29, 2024, this section of I-84 eastbound and westbound will be restricted to 17 feet 00 inches in width at all hours. Loads over 17 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information. The estimated completion date for this work is September 30, 2024.

I-84 EB & WB MP 335.40 to MP 337.30 (Baker City)

Effective June 3, 2024, this section of I-84 eastbound and westbound will be restricted to 16 feet 00 inches in width at all hours. The estimated completion date for this work is June 10, 2024.

I-84 EB & WB MP 350.00 to MP 356.00 (Huntington)

Effective April 1, 2024, this section of I-84 eastbound and westbound will be restricted to 17 feet 00 inches in width at all hours. The estimated completion date for this work is October 11, 2024.

I-84 EB & WB MP 359.50 to MP 365.00 (Huntington)

Effective April 1, 2024, this section of I-84 eastbound and westbound will be restricted to 18 feet 00 inches in width at all hours. Loads over 18 feet 00 inches in width and up to 26 feet 00 inches in width, can take Exit 362, and re-enter I-84 to avoid the restricted area. The estimated completion date for this work is July 20, 2024.

I-84 EB & WB MP 359.50 to MP 365.00 (Huntington)

Effective July 20, 2024, this section of I-84 eastbound and westbound will be restricted to 14 feet 00 inches in width at all hours. Loads over 14 feet 00 inches in width and up to 26 feet 00 inches in width, can take Exit 362, and re-enter I-84 to avoid the restricted area. The estimated completion date for this work is October 11, 2024.

I-105/OR126 WB Exit 4A off-ramp to I-5 SB (Eugene) -- UPDATE --

Effective **June 2, 2024**, the I-105/OR126 westbound Exit 4A off-ramp to I-5 southbound will be closed Sunday through Thursday nights between the hours of 7 PM & 5:30 AM. The estimated completion date for this work is **June 9, 2024**.

I-105/OR126 EB & WB MP 3.50 to MP 4.00 (Eugene) -- UPDATE --

Effective **June 2, 2024**, this section of I-105/OR126 EB & WB will be restricted to 14 feet 00 inches in width Sunday through Thursday nights between the hours of 7 PM & 5:30 AM. Mobile homes with eaves are allowed provided the base width does not exceed 14 feet 00 inches in width. Loads over 14 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit

for information. The estimated completion date for this work is **June 9, 2024.**

I-205 NB MP 8.82 to MP 9.60 (Oregon City)

Effective **May 13, 2024**, this section of I-205 northbound will be restricted to 12 feet 00 inches in width at night between the hours of 10 PM & 5 AM. Loads over 12 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information. The estimated completion date for this work is **May 17, 2024.**

I-205 NB & SB MP 8.82 to MP 9.30 (Oregon City)

Effective May 13, 2024, this section of I-205 northbound and southbound will be restricted to 12 feet 00 inches in width at night between the hours of 10 PM & 5 AM. Loads over 12 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information. The estimated completion date for this work is May 17, 2024.

I-205 NB Exit 9 off-ramp to OR99E (Oregon City)

Effective **June 3, 2024**, the I-205 northbound Exit 9 off-ramp to OR99E will be closed Monday through Thursday nights between the hours of 10 PM & 5 AM. The estimated completion date for this work is **June 5, 2024.**

I-205 SB Exit 9 off-ramp to OR99E (Oregon City) -- UPDATE --

Effective **June 3, 2024**, the I-205 southbound Exit 9 off-ramp to OR99E will be closed Monday through Thursday nights between the hours of 10 PM & 5 AM. The estimated completion date for this work is **June 7, 2024.**

I-205 SB MP 9.56 to MP 8.83 (West Linn)

Effective June 3, 2024, this section of I-205 southbound will be restricted to 12 feet 00 inches in width Monday through Thursday nights between the hours of 10 PM & 5 AM. Loads over 12 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information. The estimated completion date for this work is June 7, 2024.

I-405 NB Exit 2A off-ramp to Salmon St & Providence Park (Portland) -- NEW --

On Saturday June 1, 2024 the I-405 northbound Exit 2A off-ramp to Salmon Street/Providence Park will be closed between the hours of 5 PM and 12 AM (midnight) for the Annual Starlight Parade.

U.S. Routes

US20 EB MP 13.39 to MP 13.08 (Lebanon)

On May 31, 2024, this section of US20 eastbound will be closed between the hours of 11:30 AM & 4:30 PM for the Lebanon Strawberry Festival.

US20 EB & WB MP 13.08 to MP 15.10 (Lebanon)

On June 1, 2024, this section of US20 eastbound and westbound will be restricted to 8 feet 6 inches in width between the hours of 7 AM & 1 PM for the Lebanon Strawberry Festival.

US20 EB & WB MP 13.14 to MP 13.33 (Lebanon)

On December 7, 2024, this section of US20 eastbound and westbound will be closed at night between the hours of 5 PM & 6 PM for the Holidays in the Park event.

US20 WB MP 49.87 to MP 50.81 (Philomath)

Effective March 28, 2024, this section of US20 westbound will be restricted to 14 feet 00 inches in width at all hours. Mobile homes with eaves are allowed provided the base width does not exceed 14 feet 00 inches in width. Loads over 14 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information. The estimated completion date for this work is August 30, 2024.

US20 EB MP 49.87 to MP 50.81 (Philomath)

Effective April 22, 2024, this section of US20 eastbound will be restricted to 14 feet 00 inches in width at all hours. Mobile homes with eaves are allowed provided the base width does not exceed 14 feet 00 inches in width. Loads over 14 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information. The estimated completion date for this work is August 30, 2024.

US20 WB MP 50.14 to MP 50.15 (Philomath) -- UPDATE --

Effective **June 6, 2024**, this section of US20 westbound will be restricted to 9 feet 00 inches in width at night between the hours of 7 PM & 6 AM. Loads over 9 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information. The estimated completion date for this work is **June 7, 2024**.

US20 EB & WB MP 92.75 to MP 93.15 (Sisters)

Effective May 24, 2024, this section of US20 eastbound and westbound will be restricted to 14 feet 00 inches in width at all hours. Mobile homes with eaves are allowed provided the base width does not exceed 14 feet 00 inches in width. Loads over 14 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information. The estimated completion date for this work is July 30, 2024.

US20 EB & WB MP 92.28 to MP 92.94 (Sisters)

On Saturday, June 8, 2024, this section of US20 eastbound and westbound will be closed between the hours of 9:30 AM & 10:30 AM for the Sisters Rodeo.

US20 MP 99.94 EB & WB (Sisters)

Effective November 28, 2017, this section of US20 eastbound and westbound is restricted to 14 feet 00 inches in width. Mobile homes with eaves are allowed provided the base width does not exceed 14 feet 00 inches in width. Loads wider than 14 feet 00 inches in width, may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information.

US26 EB & WB MP 8.10 to MP 8.71 (Little Humbug Creek Bridge - Necanicum)

Effective **May 13, 2024**, this section of US26 eastbound and westbound will be restricted to 12 feet 00 inches in width at all hours beginning Monday at 6 AM through Friday at 12 PM (noon). The estimated completion date for this work is **May 17, 2024**.

US26 EB & WB MP 8.10 to MP 8.71 (Little Humbug Creek Bridge - Necanicum)

Effective **June 10, 2024**, this section of US26 eastbound and westbound will be restricted to 12 feet 00 inches in width at all hours beginning Monday at 6 AM through Friday at 12 PM (noon). The estimated completion date for this work is **June 14, 2024**.

US26 EB & WB MP 18.20 to MP 19.50 (Prineville)

On Saturday, June 22, 2024, this section of US26 eastbound and westbound will be closed between the hours of 9 AM & 1 PM for the Crooked River Roundup Parade.

US26 WB MP 32.47 to MP 30.43 (Cherryville)

Beginning Friday August 23, 2024, at 5 AM, US26 westbound between MP 32.47 and MP 30.43 (east of Portland, in the Cherryville area), will be restricted to 12 feet 00 in width between the hours of 5:00 AM and 7:45 PM for the Hood To Coast Relay.

US26 EB Exit 57 on- and off-ramps to/from Glencoe Rd/North Plains (Hillsboro)

Effective June 2, 2024, the US26 eastbound Exit 57 on- and off-ramps to/from Glencoe Road/North Plains will be closed Sunday through Thursday nights between the hours of 9 PM & 5 AM; Friday nights between the hours of 9 PM & 7 AM; and Saturday nights between the hours of 9 PM & 8 AM. The estimated completion date for this work is June 5, 2024.

US26 EB & WB MP 57.00 to MP 62.34 (Hillsboro)

Effective April 1, 2024, this section of US26 eastbound and westbound will be restricted to 12 feet 00 inches in width at night, half an hour after sunset to half an hour before sunrise. The estimated completion date for this work is July 31, 2024.

US26 WB Exit 57 on- and off-ramps to/from Glencoe Rd/North Plains (Hillsboro)

Effective June 2, 2024, the US26 westbound Exit 57 on- and off-ramps to/from Glencoe Road/North Plains will be closed Sunday through Thursday nights between the hours of 9 PM & 5 AM; Friday nights between the hours of 9 PM & 7 AM; and Saturday nights between the hours of 9 PM & 8 AM. The estimated completion date for this work is June 5, 2024.

US26 EB Exit 59 on- and off-ramps to/from Jackson School Rd (Hillsboro) -- UPDATE --

Effective **May 30, 2024**, the US26 eastbound Exit 59 on- and off-ramps to/from Jackson School Road will be closed Sunday through Thursday nights between the hours of 9 PM & 5 AM; Friday nights between the hours of 9 PM & 7 AM; and Saturday nights between the hours of 9 PM & 8 AM. The estimated completion date for this work is **May 31, 2024**.

US26 WB Exit 59 on- and off-ramps to/from Jackson School Rd (Hillsboro)

Effective June 2, 2024, the US26 westbound Exit 59 on- and off-ramps to/from Jackson School Road will be closed Sunday through Thursday nights between the hours of 9 PM & 5 AM; Friday nights between the hours of 9 PM & 7 AM; and Saturday nights between the hours of 9 PM & 8 AM. The estimated completion date for this work is June 5, 2024.

US26 EB Exit 61 on and off-ramps to/from Brookwood Pkwy/Helvetia Rd (Hillsboro) -- UPDATE --

Effective **June 6, 2024**, the US26 eastbound Exit 61 on- and off-ramps to/from Brookwood Parkway/Helvetia Road will be closed Sunday through Thursday nights between the hours of 9 PM & 5 AM; Friday nights between the hours of 9 PM & 7 AM; and Saturday nights between the hours of 9 PM & 8 AM. The estimated completion date for this work is **June 7, 2024**.

US26 EB MP 60.90 to MP 62.34 (Hillsboro)

Effective June 9, 2024, this section of US26 eastbound will be closed Sunday through Thursday nights between the hours of 10 PM & 4:30 AM; Friday and Saturday nights between the hours of 10 PM & 4:30 AM. The estimated completion date for this work is June 12, 2024.

US26 WB Exit 61A on- and off-ramps to/from Brookwood Pkwy/Helvetia Rd (Hillsboro)

Effective June 2, 2024, the US26 westbound Exit 61A on- and off-ramps to/from Brookwood Parkway/Helvetia Road will be closed Sunday through Thursday nights between the hours of 9 PM & 5 AM; Friday nights between the hours of 9 PM & 7 AM; and Saturday nights between the hours of 9 PM & 8 AM. The estimated completion date for this work is June 5, 2024.

US26 WB Exit 61B off-ramp to Helvetia Rd (Hillsboro)

On Saturday, June 1, 2024, the US26 westbound Exit 61B off-ramp to Helvetia Road will be closed from 7:30 a.m. to 1 p.m. for the Helvetia Half Marathon.

US26 EB on-ramp from Brookwood Pkwy & Exit 62 off-ramp to Cornelius Pass Rd/OR127 (Hillsboro)

Effective June 12, 2024, the US26 eastbound on-ramp from Brookwood Parkway & Exit 62 off-ramp to Cornelius Pass Road/OR127 will be closed Sunday through Thursday nights between the hours of 10 PM & 4:30 AM; Friday and Saturday nights between the hours of 10 PM & 4:30 AM. The estimated completion date for this work is June 15, 2024.

US26 WB on-ramp from Cornelius Pass Rd/OR127 (Hillsboro)

Effective June 2, 2024, the US26 westbound on-ramp from Cornelius Pass Road/OR127 will be closed Sunday through Thursday nights between the hours of 9 PM & 5 AM; Friday nights between the hours of 9 PM & 7 AM; and Saturday nights between the hours of 9 PM & 8 AM. The estimated completion date for this work is June 5, 2024.

US26 WB MP 62.34 to MP 60.90 (Hillsboro)

Effective June 12, 2024, this section of US26 westbound will be closed Sunday through Thursday nights between the hours of 10 PM & 4:30 AM; Friday and Saturday nights between the hours of 10 PM & 4:30 AM. The estimated completion date for this work is June 15, 2024.

US26 WB on-ramp from Cornelius Pass Rd/OR127 & Exit 61A off-ramp to BrookWood Pkwy (Hillsboro)

Effective June 12, 2024, the US26 westbound on-ramp from Cornelius Pass Road/OR127 and Exit 61A off-ramp to Brookwood Parkway will be closed Sunday through Thursday nights between the hours of 10 PM & 4:30 AM; Friday and Saturday nights between the hours of 10 PM & 4:30 AM. The estimated completion date for this work is June 15, 2024.

US26 EB Exit 62 off-ramp to Corenelius Pass Rd/OR127 (Hillsboro)

Effective June 2, 2024, the US26 eastbound Exit 62 off-ramp to Cornelius Pass Road/OR127 will be closed Sunday through Thursday nights between the hours of 9 PM & 5 AM; Friday nights between the hours of 9 PM & 7 AM; and Saturday nights between the hours of 9 PM & 8 AM. The estimated completion date for this work is June 5, 2024.

US26 EB & WB MP 70.70 to MP 85.25 (Warm Springs)

Effective June 2, 2024, this section of US26 eastbound and westbound will be restricted to 10 feet 00 inches in width Sunday through Thursday nights between the hours of 7 PM & 7 AM. Loads over 10 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information. The estimated completion date for this work is August 30, 2024.

US30/Adams Ave NB & SB MP 1.65 to MP 1.91 (La Grande) -- NEW --

On Saturday June 1, 2024, this section of US30 northbound and southbound will be closed between the hours of 11 AM and 1 PM for the Touch a Truck Event.

US30 WB MP 12.5 to MP 12.7 (Scappoose)

Beginning Friday, August 23, 2024, at 2:45 AM, US30 westbound between MP 12.5 and MP 12.7 (south of Scappoose) will be restricted to 14 feet 00 in width for the Hood To Coast Relay. The estimated completion date is August 24, 2024 at 3 AM.

US30 (Historic Columbia River Hwy 100) EB & WB MP 14.5 to MP 22 (Bridal Veil)

Effective January 25, 2024, this section of US30 (Historic Columbia River Hwy 100) eastbound and westbound will be closed at all hours. This restriction is due to the weather related hazardous conditions, ODOT maintenance crews are working to remove and restore this section of the highway, but it remains closed to the public until further notice.

US97 NB & SB MP 133.50 to MP 135.90 (Bend)

Effective August 15, 2023 this section of US97 northbound and southbound will be intermittently restricted to 14 feet 00 inches in width Sunday through Friday nights between the hours of 8 PM & 6 AM. Mobile homes with eaves are allowed provided the base width does not exceed 14 feet 00 inches in width. Loads over 14 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information. The estimated completion date for this work is **September 30, 2024**.

US97 NB & SB MP 133.50 to MP 135.90 (Bend)

Effective August 15, 2023 this section of US97 northbound and southbound will be intermittently restricted to 23 feet 00 inches in width at all hours. Loads over 23 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information. The estimated completion date for this work is **June 30, 2024**.

US97 NB on-ramp from Empire Ave (Bend)

Effective March 25, 2024, the US97 northbound on-ramp from Empire Avenue will be closed nightly between the hours of 10 PM & 5 AM. The estimated completion date for this work is **July 6, 2024**.

US97 NB & SB MP 272.58 to MP 273.37 (Klamath Falls)

Effective July 8, 2024, this section of US97 northbound and southbound will be closed at all hours. The estimated completion date for this work is August 19, 2024.

US101 NB & SB MP 4.91 (New Young's Bay Bridge - Astoria)

Beginning **June 13, 2024**, this section of US101 northbound and southbound will be closed between the hours of 9 PM and 6 AM, for a night for routine maintenance. The estimated completion date for this work is **June 14, 2024**.

US395 NB & SB MP 143.22 to MP 143.55 (Lakeview) -- NEW --

On Monday, June 3, 2024, this section of US395 northbound and southbound will be closed between the hours of 9:15 AM and 10:00 AM for the Graduation Parade.

OR Routes

OR22 EB Exit 12 off- and on-ramps to/from Golf Club Road

Effective July 24, 2024, the OR22 eastbound Exit 12 off- and on-ramps, to/from Golf Club Rd, will be closed between the hours of 7:00 AM and 5:30 PM. The estimated completion date for this work is July 26, 2024.

OR22 EB & WB MP 39.55 to MP 46.00 (Detroit)

Effective April 1, 2024, this section of OR22 eastbound and westbound will be restricted to 10 feet 00 inches in width Sunday through Thursday nights, half an hour after sunset to half an hour before sunrise. Loads over 10 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information. The estimated completion date for this work is November 1, 2024.

OR35 EB & WB MP 57.47 to MP 57.68 (Government Camp)

Effective July 8, 2024, this section of OR35 eastbound and westbound will be restricted to 14 feet 6 inches in width at all hours. The estimated completion date for this work is August 22, 2024.

OR47 NB off-ramp to US26 WB (Banks) -- NEW --

Effective June 19, 2024, the OR47 northbound off-ramp to US26 westbound will be closed between the hours of 7 AM & 7 PM. The estimated completion date for this work is June 19, 2024.

OR47 NB off-ramp to US26 EB (Banks) -- NEW --

Effective June 17, 2024, the OR47 northbound off-ramp to US26 eastbound will be closed between the hours of 7 AM & 7 PM. The estimated completion date for this work is June 17, 2024.

OR47 SB MP 80.96 (Banks) -- NEW --

Effective June 17, 2024, this section of OR47 southbound will be closed between the hours of 7 AM & 7 PM. The estimated completion date for this work is June 17, 2024.

OR47 SB on-ramp from US26 WB (Banks) -- NEW --

Effective June 17, 2024, the OR47 southbound on-ramp from US26 westbound will be closed between the hours of 7 AM & 7 PM. The estimated completion date for this work is June 17, 2024.

OR47 NB MP 82.60 to MP 80.33 (Banks) -- NEW --

Effective June 19, 2024, this section of OR47 northbound will be closed between the hours of 7 AM & 7 PM. The estimated completion date for this work is June 19, 2024.

OR47 MP 88.05 NB & SB (Forest Grove)

Effective September 27, 2016, this section of OR47 northbound and southbound is restricted to 14 feet 00 inches in width and/or 135 feet 00 inches in overall length. Mobile homes with eaves are allowed provided the base width does not exceed 14 feet 00 inches in width. Loads wider than 14 feet and/or 135 feet overall length may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information.

OR58 EB & WB MP 13.07 to MP 13.56 (Lowell)

Effective July 8, 2024, this section of OR58 eastbound and westbound will be restricted to 14 feet 00 inches in width Monday through Friday between the hours of 6 AM & 7 PM. Mobile homes with eaves are allowed provided the base width does not exceed 14 feet 00 inches in width. Loads over 14 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information. The estimated completion date for this work is July 17, 2024.

OR58 EB & WB MP 37.50 to MP 38.50 (Oakridge)

Effective June 3, 2024, this section of OR58 eastbound and westbound will be restricted to 10 feet 00 inches in width Sunday through Thursday nights between the hours of 7 PM & 6 AM. Loads over 10 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information. The estimated completion date for this work is June 7, 2024.

OR58 WB MP 56.10 to MP 55.96 (Salt Creek Tunnel - Oakridge)

Effective May 20, 2024, this section of OR58 westbound will be restricted to 14 feet 00 inches in width between the hours of 7 AM & 6 PM. Mobile homes with eaves are allowed provided the base width does not exceed 14 feet 00 inches in width. Loads over 14 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information. The estimated completion

date for this work is May 22, 2024.

OR82 EB & WB MP 2.29 to MP 2.41 (Island City)

On Saturday, June 1, 2024, this section of OR82 eastbound and westbound will be closed between the hours of 11 AM & 12 PM (noon) for the Hog Wild Days Parade.

OR99 NB & SB MP 10.70 to MP 10.90 (Rogue River)

Effective May 14, 2024, this section of OR99 northbound and southbound will be closed at all hours. The estimated completion date for this work is [May 21, 2024](#).

OR99 NB & SB MP 11.20 to MP 11.40 (Rogue River)

Effective [May 21, 2024](#), this section of OR99 northbound and southbound will be closed at all hours. The estimated completion date for this work is [May 25, 2024](#).

OR99E SB off-ramp to I-205 SB (Oregon City)

Effective June 3, 2024, the OR99E southbound off-ramp to I-205 southbound will be closed Monday through Thursday nights between the hours of 10 PM & 5 AM. The estimated completion date for this work is June 7, 2024.

OR99E NB off-ramp to I-205 NB (Oregon City)

Effective September 30, 2023, the OR99E Northbound off-ramp to I-205 northbound will be restricted to 18 feet 00 inches in width at all hours. Loads over 18 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information. The estimated completion date for this work is [September 30, 2024](#).

OR99E NB & SB MP 18.97 to MP 20.13 (Halsey)

Effective June 19, 2023, this section of OR99E northbound and southbound will be restricted to 10 feet 00 inches in width at all hours. Loads over 10 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information. The estimated completion date for this work is February 16, 2024.

OR99E NB & SB MP 20.35 to MP 21.86 (Canby)

Effective March 15, 2024, this section of OR99E northbound and southbound will be restricted to 14 feet 00 inches in width at all hours. Mobile homes with eaves are allowed provided the base width does not exceed 14 feet 00 inches in width. Loads over 14 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information. The estimated completion date for this work is October 31, 2024.

OR99E NB & SB MP 20.50 to MP 20.75 (Canby)

Effective June 17, 2024, this section of OR99E northbound and southbound will be restricted to 10 feet 00 inches in width at all hours. The estimated completion date for this work is July 17, 2024.

OR99 NB & SB MP 108.76 to MP 109.76 (Junction City)

Effective May 31, 2024, this section of OR99 northbound and southbound will be closed at night between the hours of 5 PM & 9:30 PM for the Junction 4 Junction Event. The estimated completion date for this event is June 1, 2024.

OR126 EB & WB MP 0.22 to MP 13.50 (Redmond)

Effective May 7, 2024, this section of OR126 eastbound and westbound will be restricted to 11 feet 00 inches in width Sunday through Thursday nights, half an hour after sunset to half an hour before sunrise. The estimated completion date for this work is October 31, 2024.

OR126 EB & WB MP 40.18 to MP 40.70 (Rainbow)

Effective April 29, 2024, this section of OR126 eastbound and westbound will be restricted to 18 feet 00 inches in width at all hours. The estimated completion date for this work is September 23, 2024.

OR131 EB & WB MP 7.49 (Tillamook)

Effective May 22, 2024, this section of OR131 eastbound and westbound will be closed between the hours of 7 AM & 5 PM. The estimated completion date for this work is May 24, 2024.

OR140 EB & WB MP 56.92 to MP 58.75 (Klamath Falls)

Effective June 19, 2023, this section of OR140 eastbound and westbound will be restricted to 14 feet 00 inches in width Monday through Friday between the hours of 6 AM & 7 PM. Mobile homes with eaves are allowed provided the base width does not exceed 14 feet 00 inches in width. Loads over 14 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information. The estimated completion date for this work is **October 10, 2025**.

OR140 EB & WB MP 56.92 to MP 58.75 (Klamath Falls)

Effective June 19, 2023, this section of OR140 eastbound and westbound will be restricted to 16 feet 6 inches in height Monday through Friday between the hours of 6 AM & 7 PM. Loads over 16 feet 6 inches in height may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information. The estimated completion date for this work is **October 10, 2025**.

OR141 (Hall Blvd) NB & SB MP 4.25 to MP 4.50 (Tigard)

Effective **March 4, 2024**, this section of OR141 (Hall Boulevard) will be closed at all hours. The estimated completion date for this work is **November 10, 2024**.

OR164 NB & SB MP 5.60 to MP 6.12 (Jefferson) -- NEW --

On Saturday, June 22, 2024, this section of OR164 northbound and southbound will be closed between 10 AM and 11 AM. This closure is necessary for the Hero's Day Parade.

OR203/OR237 (Main St) NB & SB MP 16.03 to MP 16.71 (Union)

On Friday, June 7, 2024, this section of OR203/OR237 (Main Street) northbound and southbound will be closed between the hours of 12 PM (noon) and 4 PM for the Eastern Oregon Livestock Show Parade.

OR213 NB & SB MP 7.25 to MP 8.45 (Portland)

Effective January 31, 2024, this section of OR213 northbound and southbound will be intermittently restricted to 14 feet 00 inches in width at all hours. Mobile homes with eaves are allowed provided the base width does not exceed 14 feet 00 inches in width. Loads over 14 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information. The estimated completion date for this work is July 18, 2024.

OR213 NB & SB MP 7.25 to MP 8.45 (Portland)

Effective **March 11, 2023**, this section of OR213 northbound and southbound will be intermittently restricted to 10 feet 00 inches in width Sunday through Thursday nights between the hours of 7 PM & 7 AM, **Friday and Saturday nights between the hours of 8 PM and 8 AM**. Loads over 10 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information. The estimated completion date for this work is **August 30, 2024**.

OR217 SB Exit 2B on- and off-ramps to/from Allen Blvd (Beaverton)

Effective January 1, 2022, the OR217 southbound Exit 2B on- and off-ramps to/from Allen Boulevard will be intermittently restricted to 14 feet 00 inches in width at all hours. Loads over 14 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information. The estimated completion date for this project is **August 28, 2024**.

OR217 SB Exit 4A off-ramp to Hall Blvd (Beaverton)

Effective January 24, 2022, the OR217 southbound Exit 4A off-ramp to Hall Boulevard will be intermittently restricted to 14 feet 00 inches in width at all hours. Loads over 14 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information. The estimated completion date for this project is **July 12, 2024**.

OR217 SB on-ramp from Hall Blvd (Beaverton)

Effective January 19, 2022, the OR217 southbound on-ramp from Hall Boulevard will be intermittently restricted to 14 feet 00 inches in width at all hours. Loads over 14 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information. The estimated completion date for this project is **July 19, 2024**.

OR217 SB on-ramp from Hall Blvd (Tigard)

Effective July 18, 2024, the OR217 southbound on-ramp from Hall Boulevard will be closed Sunday through Thursday nights between the hours of 11 PM and 5 AM, Friday night between the hours of 12 AM and 6 AM, and Saturday night between the hours of 12 AM and 8 AM. The estimated completion date for this work is July 24, 2024.

OR217 SB Exit 4B on- and off-ramps to/from OR210/Scholls Ferry Rd (Beaverton)

Effective January 19, 2022, the OR217 southbound Exit 4B on- and off-ramps to/from OR210/Scholls Ferry Road will be intermittently restricted to 14 feet 00 inches in width at all hours. Loads over 14 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information. The estimated completion date for this project is **July 8, 2024**.

OR217 SB on-ramp from OR210/Scholls Ferry Rd (Tigard)

Effective July 18, 2024, the OR217 southbound on-ramp from Scholls Ferry Road will be closed Sunday through Thursday nights between the hours of 11 PM and 5 AM, Friday night between the hours of 12 AM and 6 AM, and Saturday night between the hours of 12 AM and 8 AM. The estimated completion date for this work is July 24, 2024.

OR217 NB Exit 5 on-ramp from Greenburg Rd (Tigard)

Effective **August 15, 2023**, the OR217 northbound Exit 5 on-ramp from Greenburg Road will be intermittently restricted to 14 feet 00 inches in width at all hours. Mobile homes with eaves are allowed provided the base width does not exceed 14 feet 00 inches in width. Loads over 14 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information. The estimated completion date for this work is **July 12, 2024**.

OR217 SB on-ramp from Greenburg Rd (Beaverton)

Effective January 26, 2022, the OR217 southbound on-ramp from Greenburg Road will be intermittently restricted to 14 feet 00 inches in width at all hours. Loads over 14 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information. The estimated completion date for this project is **July 8, 2024**.

OR217 NB Exit 5 off-ramp to Greenburg Rd (Tigard)

Effective November 4, 2022, the OR217 northbound Exit 5 off-ramp to Greenburg Road will be restricted to 14 feet 00 inches in width at all hours. Mobile homes with eaves are allowed provided the base width does not exceed 14 feet 00 inches in width. The estimated completion date for this work is **July 12, 2024.**

OR217 SB MP 6.00 to MP 5.00 (Tigard)

Effective July 18, 2024, this section of OR217 southbound will be closed Sunday through Thursday nights between the hours of 11 PM and 5 AM, Friday night between the hours of 12 AM and 6 AM, and Saturday night between the hours of 12 AM and 8 AM. The estimated completion date for this work is July 24, 2024.

OR217 SB on-ramp from Greenburg Rd (Tigard)

Effective July 18, 2024, the OR217 southbound on-ramp from Greenburg Road will be closed Sunday through Thursday nights between the hours of 11 PM and 5 AM, Friday night between the hours of 12 AM and 6 AM, and Saturday night between the hours of 12 AM and 8 AM. The estimated completion date for this work is July 24, 2024.

OR217 SB Exit 6 off-ramp to OR99W (Tigard)

Effective November 4, 2022, the OR217 southbound Exit 6 off-ramp to OR99W will be restricted to 14 feet 00 inches in width at all hours. Mobile homes with eaves are allowed provided the base width does not exceed 14 feet 00 inches in width. The estimated completion date for this work is **July 12, 2024.**

OR217 NB & SB Exit 6 on- and off-ramps to/from OR99W (Tigard)

Effective June 7, 2024, the OR217 northbound and southbound Exit 6 on- and off-ramps to/from OR99W will be closed Sunday through Thursday nights between the hours of 9 PM & 5 AM, Friday nights between the hours of 9 PM & 6 AM, and Saturday nights between the hours of 9 PM & 7 AM. The estimated completion date for this work is June 9, 2024.

OR217 NB on-ramp from OR99W NB & SB (Tigard)

Effective July 25, 2024, the OR217 northbound on-ramp from OR99W northbound and southbound will be closed Sunday through Thursday nights between the hours of 11 PM and 5 AM, Friday night between the hours of 12 AM and 6 AM, and Saturday night between the hours of 12 AM and 8 AM. The estimated completion date for this work is July 31, 2024.

OR217 NB MP 5.00 to MP 6.00 (Tigard)

Effective July 25, 2024, this section of OR217 northbound will be closed Sunday through Thursday nights between the hours of 11 PM and 5 AM, Friday night between the hours of 12 AM and 6 AM, and Saturday night between the hours of 12 AM and 8 AM. The estimated completion date for this work is July 31, 2024.

OR217 NB on-ramp from 72nd Ave (Tigard)

Effective July 25, 2024, the OR217 northbound on-ramp from 72nd Avenue will be closed Sunday through Thursday nights between the hours of 11 PM and 5 AM, Friday night between the hours of 12 AM and 6 AM, and Saturday night between the hours of 12 AM and 8 AM. The estimated completion date for this work is July 31, 2024.

OR219 NB & SB MP 2.50 to MP 5.45 (Hillsboro)

Effective June 24, 2024, this section of OR219 northbound and southbound will be intermittently closed between the hours of 7 AM & 7 PM. Oversize loads may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information. The estimated completion date for this work is June 26, 2024.

OR569 EB on-ramp from Prairie Rd (Eugene)

Effective April 8, 2024, the OR569 eastbound on-ramp from Prairie Road will be closed Sunday through Thursday nights between the hours of 7 PM & 5 AM. The estimated completion date for this work is June 28, 2024.

OR569 WB Exit 7A off-ramp to Prairie Rd (Eugene)

Effective April 8, 2024, the OR569 westbound Exit 7A off-ramp to Prairie Rd will be closed Sunday through Thursday nights between the hours of 8 PM & 5 AM. The estimated completion date for this work is June 28, 2024.

OR569 WB on-ramp from NW Expressway (Eugene)

Effective April 8, 2024, the OR569 westbound on-ramp from NW Expressway will be closed Sunday through Thursday nights between the hours of 8 PM & 5 AM. The estimated completion date for this work is June 28, 2024.

OR569 EB Exit 7 off-ramp to NW Expressway (Eugene)

Effective April 8, 2024, the OR569 eastbound Exit 7 off-ramp to NW Expressway will be closed Sunday through Thursday nights between the hours of 7 PM & 5 AM. The estimated completion date for this work is June 28, 2024.

Lifted Restrictions

I-5 NB MP 11.44 to MP 19.00 (Ashland)

Effective **May 12, 2024**, this section of I-5 northbound will be intermittently restricted to 15 feet 9 inches in height Sunday through Thursday nights between the hours of 7 PM & 7 AM. Loads over 15 feet 9 inches in height may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information. The estimated completion date for this work is **May 17, 2024**.

I-5 NB & SB MP 11.44 to MP 19.00 (Ashland)

Effective **May 12, 2024**, this section of I-5 northbound and southbound will be restricted to 14 feet 00 inches in width Sunday through Thursday nights between the hours of 7 PM & 7 AM. Mobile homes with eaves are allowed provided the base width does not exceed 14 feet 00 inches in width. Loads over 14 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information. The estimated completion date for this work is **May 17, 2024**.

I-5 SB MP 23.14 to MP 23.00 (Medford)

Effective May 5, 2024, this section of I-5 southbound will be restricted to 14 feet 00 inches in width Sunday through Thursday nights between the hours of 8 PM & 6 AM. Mobile homes with eaves are allowed provided the base width does not exceed 14 feet 00 inches in width. Loads over 14 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information. The estimated completion date for this work is May 10, 2024.

I-5 SB MP 29.75 to MP 29.50 (Medford)

Effective April 28, 2024, this section of I-5 southbound will be restricted to 16 feet 00 inches in width Sunday through Thursday nights between the hours of 8 PM & 6 AM. Loads over 16 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information. The estimated completion date for this work is **May 17, 2024**.

I-5 NB MP 29.50 to MP 29.75 (Medford)

Effective April 22, 2024, this section of I-5 northbound will be restricted to 16 feet 00 inches in width

Monday through Thursday nights between the hours of 8 PM & 6 AM. Loads over 16 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information. The estimated completion date for this work is May 4, 2024.

I-5 SB Exit 233 on-ramp from US20 (Albany)

Effective Sunday, May 12, 2024, the I-5 southbound Exit 233 on-ramp from US20 will be restricted to 10 feet 00 inches in width between the hours of 5 AM & 7 PM. The estimated completion date for this emergency work is May 12, 2024.

OR99W NB MP 100.68 to MP 101.08 (Monroe)

On Saturday, May 18, 2024, this section of OR99W northbound, between Ash St and Orchard St will be closed between the hours of 10 AM and 11 AM, for the Monroe Logging Festival Parade.

OR130 EB & WB MP 3.23 to MP 7.55 (Pacific City)

Effective May 13, 2024, this section of OR130 eastbound and westbound will be closed between the hours of 8 AM & 5 PM. The estimated completion date for this work is May 14, 2024.

OR217 SB MP 2.00 to MP 4.00 (Beaverton)

Effective **May 10, 2024**, this section of OR217 southbound will be restricted to 15 feet 00 inches in width during the weekend, Friday at 9 PM through Monday at 5 AM. The estimated completion date for this work is **May 13, 2024**.

OR217 SB on-ramp from Denney Rd (Beaverton)

Effective May 10, 2024, the OR217 southbound on-ramp from Denney Road will be closed during the weekend, Friday at 9 PM through Monday at 5 AM. The estimated completion date for this work is May 13, 2024.

BRIDGE RESTRICTIONS

Interstate Routes

I-5 MP 78.11 Speaker Rd crossing over I-5 (Canyonville)

Effective March 12, 2021, Speaker Rd crossing over I-5 is restricted to 21,500 lbs. single axle; 43,000 lbs. tandem axle; Weight Table 3.

I-5 MP 151.81 Wilson Rd crossing over I-5 (Yoncalla)

Wilson Rd crossing over I-5 is restricted to the following weights: 20,000 lbs. single axle, 34,000 lbs. tandem axle, 105,500 lbs. GVW., Weight Table 2 for divisible loads; 21,500 lbs. single axle, 43,000 lbs. tandem axle, 98,000 lbs. GVW., Weight Table 3 for non-divisible loads.

I-84 EB Exit 41 to Eagle Creek (Eagle Creek Bridge)

Effective June 18, 2020, the I-84 EB Exit 41 ramp over Eagle Creek is restricted to 20,000 lbs. single axle, 34,000 lbs. tandem axle, 105,500 lbs. GVW, Weight Table 2. This restriction is NOT on the I-84 mainline.

I-84 Frontage Road MP 253.45 (Five Points Creek - Hilgard)

Effective September 29, 2022, the I-84 State Frontage Road crossing Five Points Creek on the the north side of the interstate is restricted to the following weights: 23 tons for Type 3 Vehicles (3 axle single-unit trucks); 23 tons for SU4 (4 axle single-unit trucks); 24 tons for SU5 (5 axle single-unit trucks); 26 tons for SU6 & SU7 (6 and 7 axle single-unit trucks); 40 tons for Type 3S2 (truck tractor/semitrailer); 40 tons

for Type 3-3 (truck and trailer). This bridge is also restricted to the following weights: 20,000 lbs. single axle; 34,000 lbs. tandem axle; 80,000 lbs. GVW; Weight Table 1 for combinations. This bridge is NOT on the I-84 mainline.

I-84 MP 280.53 McCanse Rd crossing over I-84 (west of Baker City)

Effective March 5, 2018, McCanse Rd crossing over I-84 is restricted to 20,000 lbs. single axle, 34,000 lbs. tandem axle - 105,500 lbs. GVW, Weight Table 2 for divisible loads; 21,500 lbs. single axle, 43,000 lbs. tandem axle - 98,000 lbs. GVW, Weight Table 3 for non-divisible loads. Non-divisible loads exceeding these weights may cross the bridge if they stop traffic/straddle the centerline and are the only vehicle on the bridge when crossing. Certified flaggers are required to stop traffic.

I-84 MP 291.65 Charles Green Ln crossing over I-84 (west of Baker City)

Effective March 5, 2018, Charles Green Ln crossing over I-84 is restricted to 20,000 lbs. single axle, 34,000 lbs. tandem axle - 105,500 lbs. GVW, Weight Table 2 for divisible loads; 21,500 lbs. single axle, 43,000 lbs. tandem axle - 98,000 lbs. GVW, Weight Table 3 for non-divisible loads. Non-divisible loads exceeding these weights may cross the bridge if they stop traffic/straddle the centerline and are the only vehicle on the bridge when crossing. Certified flaggers are required to stop traffic.

I-84 MP 295.67 Culley Ln crossing over I-84 (west of Baker City)

Effective March 5, 2018, Culley Ln crossing over I-84 is restricted to 20,000 lbs. single axle, 34,000 lbs. tandem axle - 105,500 lbs. GVW, Weight Table 2 for divisible loads; 21,500 lbs. single axle, 43,000 lbs. tandem axle - 98,000 lbs. GVW, Weight Table 3 for non-divisible loads. Non-divisible loads exceeding these weights may cross the bridge if they stop traffic/straddle the centerline and are the only vehicle on the bridge when crossing. Certified flaggers are required to stop traffic.

I-405 MP 1.97 SW Taylor St crossing over I-405 (Portland)

Effective June 18, 2020, SW Taylor Street crossing over I-405 is restricted to 20,000 lbs. single axle, 34,000 lbs. tandem axle, 105,500 GVW, Weight Table 2.

U.S. Routes

US26 WB Connector Road to OR99W (Barbur Blvd) SB MP 0.58 (crossing US26 and Grover St - Portland)

Effective September 29, 2022, the US26 WB State Connector Road crossing over US26 EB and Grover Street is restricted to the following weights: 36 tons for SU7 (7 axle single-unit trucks). This bridge is not on the US26 mainline.

US26 MP 8.22 (Little Humbug Creek Bridge - Necanicum Jct)

Effective October 23, 2020, US26 crossing Little Humbug Creek Bridge at MP 8.22 is restricted to the following weights: 28 tons for SU5 vehicles (5 axle single-unit trucks); 29 tons for SU6 vehicles (6 axle single-unit trucks); 31 tons for SU7 (7 axle single-unit trucks).

US26 MP 115.58 (North Unit Canal Bridge - Madras)

Effective February 5, 2019, US26 crossing North Unit Canal Bridge at MP 115.58 is restricted to the following weights: 30 tons for SU5 vehicles (5 axle single-unit trucks); 33 tons for SU6 vehicles (6 axle single-unit trucks); 36 tons for SU7 (7 axle single-unit trucks).

US30 (Historic Columbia River Hwy) MP 0.03 (Sandy River Bridge - Troutdale)

Effective September 29, 2022, US30 (Historic Columbia River Highway) crossing the Sandy River Bridge is restricted to the following weights: 20 tons for Type 3 Vehicles (3 axle single-unit trucks); 20 tons for SU4, SU5, SU6 & SU7 (4 to 7 axle single-unit trucks); 24 tons for Type 3S2 (truck tractor/semitrailer) and Type 3-3 (truck and trailer). This bridge is also restricted to the following weights: 20,000 lbs. single

axle; 34,000 lbs. tandem axle; 80,000 lbs. GVW; Weight Table 1 for combinations.

US30 (Historic Columbia River Hwy) MP 11.93 (Latourell Creek Bridge - east of Corbett)

Effective June 18, 2020, US30 (Historic Columbia River Hwy) crossing Latourell Creek Bridge at MP 11.93 is restricted to the following weights: 27 tons for SU5 (5 axle single-unit truck); 28 tons for SU6 & SU7 vehicles (6 and 7 axle single-unit trucks).

US30 (Historic Columbia River Hwy) MP 13.14 (Shepperd's Dell Bridge)

Effective September 29, 2022, US30 (Historic Columbia River Hwy) crossing Youngs Creek (Shepperd's Dell) Bridge is restricted to the following weights: 18 tons for Type 3 Vehicles (3 axle single-unit trucks); 17 tons for SU4 (4 axle single-unit trucks); 19 tons for SU5, SU6 & SU7 (5 to 7 axle single-unit trucks); 28 tons for Type 3S2 (truck tractor/semitrailer); 35 tons for Type 3-3 (truck and trailer). This bridge is also restricted to the following weights: 20,000 lbs. single axle; 34,000 lbs. tandem axle; 80,000 lbs. GVW; Weight Table 1 for combinations.

US30 (Historic Columbia River Hwy) MP 17.68 (West Multnomah Falls Bridge)

Effective March 12, 2021, US30 (Historic Columbia River Hwy) crossing West Multnomah Falls Bridge is restricted to 11 tons for all vehicles.

US30 (Historic Columbia River Hwy) MP 18.21 (East Multnomah Falls Bridge)

Effective March 12, 2021, US30 (Historic Columbia River Hwy) crossing East Multnomah Falls Bridge is restricted to 20,000 lbs. single axle; 34,000 lbs. tandem axle; Weight Table 2.

US30 (Historic Columbia River Hwy) MP 20.39 (Horsetail Creek Bridge)

US30 (Historic Columbia River Hwy) crossing Horsetail Creek Bridge is restricted to 20,000 lbs. single axle, 34,000 lbs. tandem axle, Weight Table 1.

US30 MP 23.15 (Honeyman Creek Bridge - west of Scappoose)

Effective June 9, 2020, US30 crossing the Honeyman Creek Bridge at MP 23.15 is restricted to 16 tons on the inside and center lanes. Loads exceeding 16 tons must use the right lane on the bridge when crossing.

US30 MP 30.42 (Bridge of the Gods - Cascade Locks)

Effective September 29, 2022, Bridge of the Gods at US30 MP 30.42 is restricted to the following weights: 25 tons Type 3 Vehicles (3 axle single-unit trucks); 25 tons SU4 (4 axle single-unit trucks); 27 tons SU5 & SU6 (5 and 6 axle single-unit trucks); 28 tons SU7 (7 axle single-unit trucks); 40 tons Type 3S2 (truck tractor/semitrailer); 40 tons Type 3-3 (truck and trailer). This bridge is also restricted to the following weights: 20,000 lbs. single axle; 34,000 lbs. tandem axle; 80,000 lbs. GVW; Weight Table 1 for combinations. This bridge belongs to the Port of Cascade Locks.

US30 (Historic Columbia River Hwy) MP 57.28 (Rock Creek Bridge - Mosier)

Effective December 17, 2019, US30 (Historic Columbia River Hwy) crossing Rock Creek Bridge at MP 57.28 is restricted to the following weights: 29 tons for SU5 vehicles (5 axle single-unit trucks); 31 tons for SU6 vehicles (6 axle single-unit trucks); 34 tons for SU7 (7 axle single-unit trucks).

US30 (Historic Columbia River Hwy) MP 57.84 (Mosier Creek Bridge - Mosier)

Effective December 17, 2019, US30 (Historic Columbia River Hwy) crossing Mosier Creek Bridge at MP 57.28 is restricted to the following weights: 36 tons for SU7 (7 axle single-unit trucks).

US101 MP 0.00 to MP 3.33 (Astoria-Megler/Columbia River Bridge - Astoria)

Effective September 19, 2021, US101 crossing the Astoria-Megler/Columbia River Bridge is restricted to the following weights for non-divisible loads: 21,500 lbs. single axle, 43,000 lbs. tandem axle, 204,800 lbs. GVW, other group axle weights shown in Weight Table 4; 24,000 lbs. single axle, 48,000 lbs. tandem axle, 174,400 GVW, other group axle weights shows in Weight Table 5 (requires minimum of 9 axles and 4 consecutive sets of tandem axles to qualify for Weight Table 5). The estimated completion date for this project is November 30, 2024.

US101 Business MP 4.78 (Lewis & Clark River Bridge - Astoria)

US101 Business crossing Lewis & Clark River Bridge is restricted to 20,000 lbs. single axle, 34,000 lbs. tandem axle, 80,000 lbs. GVW, Weight Table 1.

US101 Business MP 6.89 (Old Youngs Bay Bridge - Astoria)

Effective July 1, 2020, US101 Business crossing the Old Youngs Bay Bridge is restricted to the following weights: 25 tons SU4 & SU5 (4 and 5 axle single unit trucks); 26 tons SU6 & SU7 (6 and 7 axle single-unit trucks); 20,000 single axle, 34,000 lbs. tandem axle, 80,000 lbs. GVW., Weight Table 1 for combinations.

US101 MP 77.53 (West Beaver Creek Bridge - Beaver)

Effective October 23, 2020, US101 crossing West Beaver Creek Bridge at MP 77.53 is restricted to the following weights: 28 tons for SU5 vehicles (5 axle single-unit trucks); 29 tons for SU6 vehicles (6 axle single-unit trucks); 30 tons for SU7 (7 axle single-unit trucks).

US101 MP 79.61 (Beaver Creek Bridge - Beaver)

Effective January 4, 2019, US101 crossing Beaver Creek Bridge at MP 76.61 is restricted to the following weights: 28 tons for SU5 vehicles (5 axle single-unit trucks); 29 tons for SU6 vehicles (6 axle single-unit trucks); 30 tons for SU7 (7 axle single-unit trucks).

US101 MP 80.32 (Beaver Creek Bridge - Beaver)

Effective September 29, 2022, US101 crossing Beaver Creek Bridge at MP 80.32 is restricted to the following weights: 26 tons for SU5 & SU6 (5 to 6-axle single-unit trucks); 27 tons SU7 (7 axle-single-unit trucks). This bridge is also restricted to the following weights: 20,000 lbs. single axle; 34,000 lbs. tandem axle; 80,000 lbs. GVW; Weight Table 1 for combinations.

US101 MP 141.67 (Yaquina Bay Bridge - Newport)

Effective March 1, 2013, the Yaquina Bay Bridge in Newport is restricted to 20,000 lbs. single axle, 34,000 lbs. tandem axle - 105,500 lbs. GVW, Weight Table 2 for divisible loads; 21,500 lbs. single axle, 43,000 lbs. tandem axle - 98,000 lbs. GVW, Weight Table 3 for non-divisible loads. Non-divisible loads exceeding these weights (up to Weight Table 5) may cross the bridge if they stop traffic/straddle the centerline and are the only vehicle on the bridge when crossing. Certified flaggers are required to stop both northbound and southbound traffic. The rolling stop method is not allowed.

US101 MP 190.98 (Siuslaw River Bridge - Florence)

Effective March 17, 2003, the Siuslaw River Bridge is restricted to 20,000 lbs. single axle, 34,000 lbs. tandem axle, 105,500 lbs. GVW., Weight Table 2 for divisible loads; 21,500 lbs. single axle, 43,000 lbs. tandem axle - 98,000 lbs. GVW. Weight Table 3 for non-divisible loads.

US101 MP 311.40 (Reinhart Creek Bridge - south of Port Orford)

Effective March 1, 2017, US101 crossing the Reinhart Creek Bridge is restricted to 20,000 lbs. single axle, 34,000 lbs. tandem axle - 105,500 lbs. GVW, Weight Table 2 for divisible loads; 21,500 lbs. single axle, 43,000 lbs. tandem axle - 98,000 lbs. GVW, Weight Table 3 for non-divisible loads. Non-divisible loads exceeding these weights may cross the bridge if they stop oncoming traffic and straddle the

centerline. Certified flaggers are required to stop oncoming traffic.

US101 MP 326.47 (Connector Road Bridge - Gold Beach)

Effective January 14, 2019, US101 crossing Connector Road Bridge at MP 326.47 is restricted to the following weights: 28 tons for SU5 vehicles (5 axle single-unit trucks); 29 tons for SU6 vehicles (6 axle single-unit trucks); 32 tons for SU7 vehicles (7 axle single-unit trucks).

OR Routes

OR22 MP 1.47 (Cedar Creek Bridge - west of Dolph)

Effective January 4, 2019, OR22 crossing Cedar Creek Bridge at MP 1.47 is restricted to the following weights: 29 tons for SU5 and SU6 vehicles (5 and 6 axle single-unit trucks); 31 tons for SU7 (7 axle single-unit trucks).

OR22 MP 5.81 (Alder Creek Bridge - west of Dolph)

Effective January 4, 2019, OR22 crossing Alder Creek Bridge at MP 5.81 is restricted to the following weights: 29 tons for SU5 and SU6 vehicles (5 and 6 axle single-unit trucks); 31 tons for SU7 (7 axle single-unit trucks).

OR22 MP 7.19 (Buck Creek Bridge - west of Dolph)

Effective January 4, 2019, OR22 crossing Buck Creek Bridge at MP 7.19 is restricted to the following weights: 29 tons for SU5 and SU6 vehicles (5 and 6 axle single-unit trucks); 34 tons for SU7 (7 axle single-unit trucks).

OR22 MP 7.32 (Alder Creek Bridge - west of Dolph)

Effective January 4, 2019, OR22 crossing Alder Creek Bridge at MP 7.32 is restricted to the following weights: 30 tons for SU5 vehicles (5 axle single-unit trucks); 33 tons for SU6 vehicles (6 axle single-unit trucks); 36 tons for SU7 (7 axle single-unit trucks).

OR22 MP 10.49 (Louie Creek Bridge - Dolph)

OR22 crossing Louie Creek Bridge is restricted to 21,500 lbs. single axle, 43,000 lbs. tandem axle, Weight Table 3 only.

OR22 MP 10.66 (Louie Creek Bridge - Dolph)

OR22 crossing Louie Creek Bridge is restricted to 21,500 lbs. single axle, 43,000 lbs. tandem axle, Weight Table 3 only.

OR27 MP 1.90 (Irrigation Ditch - Prineville)

Effective September 29, 2022, OR27 crossing Irrigation Ditch at MP 1.90 is restricted to the following weights: 19 tons for Type 3 Vehicles (3 axle single-unit trucks); 17 tons for SU4 & SU5 (4 and 5 axle single-unit trucks); 18 tons for SU6 (6 axle single-unit trucks); 19 tons for SU7 (7 axle single-unit trucks); 27 tons Type 3S2 (truck tractor/semitrailer); 36 tons Type 3-3 (truck and trailer). This bridge is also restricted to the following weights: 20,000 lbs. single axle; 34,000 lbs. tandem axle; 80,000 lbs. GVW; Weight Table 1 for combinations.

OR27 MP 2.88 (Irrigation Ditch - Prineville)

Effective September 29, 2022, OR27 crossing Irrigation Ditch at MP 2.88 is restricted to the following weights: 19 tons for Type 3 Vehicles (3 axle single-unit trucks); 17 tons for SU4 & SU5 (4 and 5 axle single-unit trucks); 18 tons for SU6 (6 axle single-unit trucks); 19 tons for SU7 (7 axle single-unit trucks); 27 tons Type 3S2 (truck tractor/semitrailer); 36 tons Type 3-3 (truck and trailer). This bridge is also restricted to the following weights: 20,000 lbs. single axle; 34,000 lbs. tandem axle; 80,000 lbs. GVW;

Weight Table 1 for combinations.

OR27 MP 4.62 (Irrigation Ditch - Prineville)

Effective September 29, 2022, OR27 crossing Irrigation Ditch at MP 4.62 is restricted to the following weights: 19 tons for Type 3 Vehicles (3 axle single-unit trucks); 17 tons for SU4 & SU5 (4 and 5 axle single-unit trucks); 18 tons for SU6 (6 axle single-unit trucks); 19 tons for SU7 (7 axle single-unit trucks); 27 tons Type 3S2 (truck tractor/semitrailer); 36 tons Type 3-3 (truck and trailer). This bridge is also restricted to the following weights: 20,000 lbs. single axle; 34,000 lbs. tandem axle; 80,000 lbs. GVW; Weight Table 1 for combinations.

OR27 MP 27.23 (Bear Creek Bridge - south of Prineville)

Effective May 27, 2021, OR27 crossing Bear Creek Bridge is restricted to the following weights: 34 tons for SU6 vehicles (6 axle single-unit trucks); 35 tons for SU7 (7 axle single-unit trucks).

OR35 (I-84 Connector Road) crossing Columbia River (White Salmon Bridge - Hood River)

Effective September 29, 2022, OR35/I-84 State Connector Road crossing the Columbia River on White Salmon Bridge is restricted to the following weights: 24 tons for Type 3 Vehicles (3 axle single-unit trucks); 22 tons for SU4 (4 axle single-unit trucks); 24 tons for SU5 (5 axle single-unit trucks); 25 tons for SU6 & SU7 (6 and 7 axle single-unit trucks); 32 tons for Type 3S2 (truck tractor/semitrailer) & Type 3-3 (truck and trailer). This bridge is also restricted to the following weights: 20,000 lbs. single axle; 34,000 lbs. tandem axles; 80,000 lbs. GVW; Weight Table 1 for combinations. This bridge belongs to Port of Hood River.

OR43 MP 11.43 (Willamette River Arch Bridge - Oregon City)

Effective September 29, 2022, OR43 crossing the Willamette River Arch Bridge is restricted to the following weights: 25 tons for Type 3 Vehicles (3 axle single-unit trucks); 23 tons for SU4 (4 axle single-unit trucks); 25 tons for SU5 (5 axle single-unit trucks); 26 tons for SU6 & SU7 (6 and 7 axle single-unit trucks); 40 tons Type 3S2 (truck tractor/semitrailer); 40 tons for Type 3-3 (truck and trailer). This bridge is also restricted to the following weights: 20,000 lbs. single axle; 34,000 lbs. tandem axle; 80,000 lbs. GVW; Weight Table 1 for combinations.

OR47 MP 61.28 (Nehalem River Bridge - Vernonia)

Effective September 29, 2022, OR47 crossing Nehalem River Bridge at MP 61.28 is restricted to the following weights: 23 tons for SU4 (4 axle single-unit trucks); 26 tons for SU5 (5 axle single-unit trucks); 29 tons for SU6 & SU7 (6 and 7 axle single-unit trucks). This bridge is also restricted to the following weights: 20,000 lbs. single axle; 34,000 lbs. tandem axle; 105,500 lbs. GVW; Weight Table 2 for combinations. Non-divisible loads exceeding these weights may cross the bridge if they stop traffic/straddle the centerline and are the only vehicle on the bridge when crossing. Certified flaggers are required to stop traffic. The rolling stop method is not allowed.

OR47 MP 64.60 (Beaver Creek Bridge - south of Vernonia)

Effective September 23, 2019, OR47 crossing Beaver Creek Bridge at MP 64.60 is restricted to the following weights: 31 tons for SU6 vehicles (6 axle single-unit trucks); 32 tons for SU7 (7 axle single-unit trucks).

OR47 MP 86.34 (West Fork Dairy Creek Bridge - north of Forest Grove)

Effective March 21, 2022, OR47 crossing West Fork Dairy Creek Bridge at MP 86.34 is restricted to the following weights: 28 tons for SU5 & SU6 (5 and 6 axle single-unit trucks); 29 tons for SU7 (7 axle single-unit trucks).

OR53 MP 5.98 (Jack Horner Creek Bridge)

Effective September 23, 2019, OR53 crossing Jack Horner Creek Bridge at MP 5.98 is restricted to the following weights: 26 tons for SU4 (4 axle single-unit trucks); 29 tons for SU5 and SU6 vehicles (5 and 6 axle single-unit trucks); 31 tons for SU7 (7 axle single-unit trucks).

OR53 MP 17.76 NB & SB (Nehalem River Bridge - Nehalem)

Effective May 27, 2021, OR53 crossing Nehalem River Bridge is restricted to 20,000 single axle, 34,000 lbs. tandem axle, 105,500 lbs. GVW, Weight Table 2 for combinations; 34 tons for SU7 (7 axle single-unit trucks).

OR86 MP 40.64 (Eagle Creek Bridge - Richland)

Effective October 20, 2016, all single-trip permit holders over continuous trip permit weights must stop all traffic, straddle centerline, and be the only vehicle on bridge when crossing.

OR99W MP -0.36 (Steel Bridge - Portland)

Effective October 28, 2019, OR99W crossing the Steel Bridge in Portland is restricted to the following weights: 20,000 lbs. single axle, 34,000 lbs. tandem axle, Weight Table 2 & for Non-Divisible Loads 21,500 lbs. single axle, 43,000 lbs. tandem axle, 98,000 lbs. GVW, Weight Table 3.

OR99 SB MP -0.13 (Rogue River Bridge - Grants Pass)

Effective March 24, 2021, the Rogue River (Caveman) Bridge is restricted to Weight Table 3 weights. All single-trip permits over Weight Table 3 must stop traffic, straddle centerline, and be the only vehicle on the bridge when crossing.

OR99W (Pacific Hwy) MP 1.41 (Arthur Street Bridge - Portland)

OR99W crossing Arthur Street Bridge at MP 1.41 is restricted to the following weights: 33 tons for SU6 (6 axle single-unit trucks); and 34 tons for SU7 (7 axle single-unit trucks).

OR99W MP 3.25 (Newbury St Viaduct - Portland)

Effective September 29, 2022, OR99W crossing over Newbury Street Viaduct at MP 3.25 is restricted to the following weights: 20 tons for Type 3 vehicles (3 axle single-unit trucks); 18 tons for SU4 (4 axle single-unit trucks); 20 tons for SU5 (5 axle single-unit trucks); 23 tons for SU6 & SU7 (6 and 7 axle single-unit trucks); 30 tons for Type 3S2 (truck tractor/semitrailer); 40 tons for Type 3-3 (truck and trailer). This bridge is also restricted to the following weights: 20,000 lbs. single axle; 34,000 lbs. tandem axle; 80,000 lbs. GVW; Weight Table 1 for combinations.

OR99 MP 14.39 (Wagner Creek Bridge - Talent)

Effective September 29, 2022, OR99 crossing Wagner Creek Bridge is restricted to the following weights: 21 tons for Type 3 Vehicles (3 axle single-unit trucks); 19 tons SU4 (4 axle single-unit trucks); 20 tons for SU5 & SU6 (5 and 6 axle single-unit trucks); 22 tons for SU7 (7 axle single-unit trucks); 31 tons Type 3S2 (truck tractor/semitrailer); 40 tons Type 3-3 (truck and trailer). This bridge is also restricted to the following weights: 20,000 lbs. single axle; 34,000 lbs. tandem axle; 80,000 lbs. GVW; Weight Table 1 for combinations.

OR99E MP 29.09 (Willamette River Bridge - Harrisburg)

Effective March 20, 2023, OR99E crossing the Willamette River Bridge at Harrisburg is restricted to the following weights: 36 tons SU7 (7 axle single-unit trucks); 20,000 lbs. single axle, 34,000 lbs. tandem axle, 105,500 GVW, Weight Table 2.

OR104 Spur MP 4.62 (Skipanon River Bridge - Warrenton)

Effective September 29, 2022, OR104 Spur crossing the Skipanon River Bridge is restricted to 19 tons for

Type 3 Vehicles (3 axle single-unit trucks); 28 tons for Type 3S2 (truck tractor/ semitrailer) and 32 tons for Type 3-3 (truck and trailer). This bridge is also restricted to the following weights: 20,000 lbs. single axle; 34,000 lbs. tandem axle; 80,000 lbs. GVW; Weight Table 1 for combinations.

OR120 (Swift Hwy / Portland Rd) MP 0.38 (Columbia Slough Bridge - Portland)

Effective September 29, 2022, OR120 (Swift Hwy / Portland Rd) crossing Columbia Slough Bridge is restricted to the following weights: 18 tons Type 3 Vehicles (3 axle single-unit trucks); 18 tons SU4, SU5, SU6, & SU7 (4 to 7 axle single-unit trucks); 28 tons Type 3S2 (truck tractor/ semitrailer); 35 tons Type 3-3 (truck and trailer). This bridge is also restricted to the following weights: 20,000 lbs. single axle; 34,000 lbs. tandem axle; 80,000 lbs. GVW; Weight Table 1 for combinations.

OR126 Right-of-Way MP 15.19 (Knowles Creek Bridge, east of Mapleton)

Effective December 1, 2015, all vehicles must be centered on the bridge when crossing. This bridge is NOT on the OR126 mainline.

OR130 (Little Nestucca Hwy) MP 3.23 (Panther Creek Bridge)

Effective March 17, 2022, OR130 (Little Nestucca Hwy) crossing Panther Creek Bridge at MP 3.23 is restricted to the following weights: 23 tons for SU4 vehicles (4 axle single-unit trucks); 25 tons for SU5 & SU6 vehicles (5 and 6 axle single-unit trucks); 29 tons for SU7 (7 axle single-unit trucks).

OR130 (Little Nestucca Hwy) MP 3.60 (Squaw Creek Bridge)

Effective October 23, 2020, OR130 crossing Squaw Creek Bridge at MP 3.60 is restricted to the following weights: 25 tons for SU4 vehicles (4 axle single-unit trucks); 26 tons for SU5 and SU6 vehicles (5 and 6 axle single-unit trucks); 29 tons for SU7 (7 axle single-unit trucks).

OR130 (Little Nestucca Hwy) MP 3.82 (Austin Creek Bridge)

OR130 (Little Nestucca Hwy) crossing Austin Creek Bridge is restricted to 20,000 lbs. single axle, 34,000 lbs. tandem axle, 105,500 lbs. GVW., Weight Table 2.

OR130 (Little Nestucca Hwy) MP 4.15 (Little Nestucca River Bridge)

Effective July 18, 2022, OR130 (Little Nestucca Hwy) crossing Little Nestucca River Bridge at MP 4.15 is restricted to the following weights: 23 tons for SU4 (4 axle single-unit trucks), 25 tons for SU5 (5 axle single-unit trucks), 27 tons for SU6 & SU7 (6 and 7 axle single-unit trucks).

OR130 (Little Nestucca Hwy) MP 4.76 (Bear Creek Bridge)

OR130 (Little Nestucca Hwy) crossing Bear Creek Bridge is restricted to 20,000 lbs. single axle, 34,000 lbs. tandem axle, 105,500 lbs. GVW., Weight Table 2.

OR164 (Jefferson Hwy) MP 6.24 (Santiam River Bridge - Jefferson)

OR164 crossing the Santiam River Bridge is restricted to 20,000 lbs. single axle, 34,000 lbs. tandem axle, 105,500 lbs. GVW. Weight Table 2 for divisible loads; 21,500 lbs. single axle, 43,000 lbs. tandem axle, 98,000 lbs. GVW., Weight Table 3 for non-divisible loads.

OR219 MP 23.46 (Willamette River Bridge - south of Newberg)

OR219 crossing Willamette River Bridge is restricted to 20,000 lbs. single axle, 34,000 lbs. tandem axle, 105,500 lbs. GVW., Weight Table 2 for divisible loads; 21,500 lbs. single axle, 43,000 lbs. tandem axle, 98,000 lbs. GVW., Weight Table 3 for non-divisible loads.

OR223 MP 10.11 (Little Luckiamute River Bridge - south of Dallas)

Effective November 29, 2018, OR223 crossing Little Luckiamute River Bridge at MP 10.11 is restricted to the following weights: 28 tons for SU5 and SU6 vehicles (5 and 6 axle single-unit trucks); 29 tons for SU7 (7 axle single-unit trucks).

OR224 MP 49.91 (Clackamas River Bridge - Ripplebrook)

Effective October 28, 2019, OR224 crossing Clackamas River Bridge at MP 49.91 is restricted to the following weights: 28 tons for SU5 and SU6 vehicles (5 and 6 axle single-unit trucks); 29 tons for SU7 (7 axle single-unit trucks).

OR245 MP 3.42 (Burnt River Bridge - Unity Dam)

Effective September 29, 2022, OR245 crossing Burnt River Bridge is restricted to the following weights: 23 tons for SU4 (4 axle single-unit trucks); 24 tons for SU5 & SU6 (5 and 6 axle single-unit trucks); 28 tons for SU7 (7 axle single-unit trucks). This bridge is also restricted to the following weights: 20,000 lbs. single axle; 34,000 lbs. tandem axle; 105,500 lbs. GVW; Weight Table 2 for combinations.

OR281 MP 12.90 (E Fork Hood River Bridge - Dee)

Effective March 26, 2021, OR281 crossing E Fork Hood River Bridge is restricted to 20,000 lbs. single axle, 34,000 lbs. tandem axle, 105,500 lbs. GVW, Weight Table 2 for combinations; 36 tons for SU7 vehicles.

OR339 (Freewater Hwy) MP 3.16 (East Fork Little Walla Walla River Bridge - Milton-Freewater)

OR339 (Freewater Hwy) crossing East Fork Little Walla Walla River Bridge is restricted to 21,500 lbs. single axle, 43,000 lbs. tandem axle, 60,000 lbs. tri-axle, Weight Table 4.

OR339 (Freewater Hwy) MP 3.31 (West Fork Little Walla Walla River Bridge - Milton-Freewater)

OR339 (Freewater Hwy) crossing West Fork Little Walla Walla River Bridge is restricted to 21,500 lbs. single axle, 43,000 lbs. tandem axle, 60,000 lbs. tri-axle, Weight Table 4.

OR501 MP 0.10 (North Fork Alsea River Bridge - Alsea)

Effective February 24, 2022, OR501 crossing the North Fork Alsea River Bridge is restricted to 33 tons for SU7 (7 axle single-unit trucks).