

## Road Restrictions 9/7/2010

\*\*\* INTERSTATE ROUTES \*\*\*

---

### I-5 MP 109 to MP 107.5 SB

**NEW** Effective September 13, 2010, this section of I-5 will be restricted to 13 feet 00 in. in width between the hours of 8:30 PM & 6 AM. In addition, this section of I-5 will be restricted to 16 feet 00 in. in width between the hours of 6 AM and 12 PM. Estimated date of completion is September 17, 2010.

---

### I-5 MP 111 to MP 112 SB

Effective September 7, 2010, this section of I-5 southbound will be restricted to 16 feet 00 in. in width. In addition, the SB I-5 on-ramp at Exit 112 will be closed. Estimated date of completion is September 30, 2010.

---

### I-5 NB Exit 120 to South Roseburg

Effective September 15, 2010, the ramp from I-5 northbound Exit 120 to South Roseburg will be closed intermittently between the hours of 8 PM & 7 AM. Estimated date of completion is October 31, 2010.

---

### I-5 MP 120 to MP 123 NB

**NEW** Effective September 1, 2010 this section of I-5 is restricted to 12 feet 00 in. in width between the hours of 8:30 PM and 6 AM. Estimated date of completion is September 10, 2010.

---

### I-5 Exit 120 SB (South of Roseburg)

Effective November 20, 2008 the on & off ramps at I-5 Exit 120 SB will be closed. Estimated date of completion is November 20, 2010.

---

### I-5 MP 123 to MP 126 NB

**NEW** Effective September 7, 2010 this section of I-5 is restricted to 12 feet 00 in. in width between the hours of 8:30 PM and 6 AM. Estimated date of completion is December 31, 2010.

---

### I-5 MP 181.50 to MP 182.50 NB & SB (Creswell - Market Rd)

**NEW** Effective July 20, 2010, this section of I-5 will be restricted to 12 feet 00 in. in width between the hours of 9:30 PM & 5 AM and 16 feet 00 in. in width between the hours of 5 AM & 9 AM and 7 PM & 9:30 PM. In addition, the height will be restricted to 17 feet 02 in. high on I-5 NB and 15 feet 10 in. high on I-5 SB crossing under Market Rd during the same time. Estimated date of completion is December 31, 2010.

---

### I-5 MP 192.09 SB ramp from Franklin Blvd

Effective June 21, 2010, the ramp from OR99/OR126 Business (Franklin Blvd) to SB I-5 will be closed. Estimated date of completion is November 30, 2010.

---

### I-5 Exit 192 to OR99/OR126 Business (Franklin Blvd) NB

Effective **July 9, 2010**, this off-ramp at Exit 192 to OR99/OR126 Business (Franklin Blvd) will be restricted to 16 feet 00 in. in width. **Also, effective August 16, 2010, this off-ramp will be restricted to 14 feet 00 in. in width between the hours of 7 AM & 5 PM; estimated date of completion is September 3, 2010.** In addition, the height on this off-ramp will be restricted to 17 feet 02 in. high. Estimated date of completion is May 27, 2011.

---

**I-5 MP 193.46 NB (Eugene)**

Effective May 24, 2010, I-5 NB crossing under Centennial Blvd will be restricted to 15 feet 10 in. in height between the hours of 9 PM & 7 AM. Estimated date of completion is August 31, 2010.

---

**I-5 MP 193.94 SB (Eugene)**

Effective May 24, 2010, I-5 SB crossing under eastbound OR126 Exit 194A will be restricted to 16 feet 00 in. in height between the hours of 9 PM & 7 AM. Estimated date of completion is August 31, 2010.

---

**I-5 MP 193.94 NB (Eugene)****NEW**

Effective May 24, 2010, I-5 NB crossing under eastbound OR126 Exit 194A will be restricted to 15 feet 07 in. in height between the hours of 9 PM & 7 AM. Estimated date of completion is August 31, 2010.

---

**I-5 MP 192.75 to MP 194 NB & SB (Eugene)**

Effective May 24, 2010, this section of I-5 will be restricted to 12 feet 00 in. in width between the hours of 9:30 PM & 5 AM and 16 feet 00 in. in width between the hours of 5 AM & 7 AM and 9 PM & 9:30 PM. Estimated date of completion is August 31, 2010.

---

**I-5 MP 194.03 to MP 194.40 NB & SB (Eugene)**

Effective July 19, 2010, this section of I-5 will be restricted to 12 feet 00 in. in width between the hours of 9:30 PM & 5 AM and 16 feet 00 in. in width between the hours of 5 AM & 7 AM and 7 PM & 9:30 PM. Estimated date of completion is October 29, 2010.

---

**I-5 NB Exit 194B to I-105 WB**

Effective August 26, 2010, the ramp from I-5 northbound Exit 194B to I-105 westbound will be closed intermittently between the hours of 10 PM & 5 AM. **In addition, effective September 3, 2010, the ramp from I-5 northbound Exit 194B to I-105 westbound will be closed intermittently between the hours of 7 PM & 8 AM.** Estimated date of completion is December 31, 2010.

---

**I-5 MP 194.040 NB & SB (Eugene)****NEW**

Effective July 19, 2010, I-5 crossing under westbound I-105/OR126 Exit 194B will be restricted to 16 feet 00 in. in height going northbound and 15 feet 03 in. in height going southbound between the hours of 7 PM & 7 AM. Estimated date of completion is October 29, 2010.

---

**I-5 SB Exit 194B to I-105 WB**

Effective August 26, 2010, the ramp from I-5 southbound Exit 194B to I-105 westbound will be closed intermittently between the hours of 10 PM & 5 AM. **In addition, effective September 3, 2010, the ramp from I-5 southbound Exit 194B to I-105 westbound will be closed intermittently between the hours of 7 PM & 8 AM.** Estimated date of completion is December 31, 2010.

---

**I-5 MP 197 to MP 198.25 NB & SB (Coburg)**

Effective July 19, 2010, this section of I-5 will be restricted to 12 feet 00 in. in width between the hours of 9:30 PM & 5 AM and 16 feet 00 in. in width between the hours of 5 AM & 7 AM and 7 PM & 9:30 PM. In addition, the height will be restricted to 16 feet 03 in. high on I-5 NB crossing under Egge Rd during the same times. Estimated date of completion is December 31, 2010.

---

**I-5 MP 198.39 to MP 198.86 NB & SB (Coburg)**

**NEW** Effective July 19, 2010, this section of I-5 will be restricted to 12 feet 00 in. in width between the hours of 9:30 PM & 5 AM and 16 feet 00 in. in width between the hours of 5 AM & 7 AM and 7 PM & 9:30 PM. In addition, the height will be restricted to 15 feet 07 in. high on I-5 SB crossing under Reed Service Rd during the same times. Estimated date of completion is December 31, 2010.

---

**I-5 MP 200.50 to MP 202 NB & SB (N of Coburg)**

**NEW** Effective May 24, 2010, this section of I-5 will be restricted to 12 feet 00 in. in width between the hours of 9:30 PM & 5 AM and 16 feet 00 in. in width between the hours of 5 AM & 7 AM and 7 PM & 9:30 PM. In addition, the height will be restricted to **16 feet 06 in.** high on I-5 NB and **16 feet 03 in.** high on I-5 SB crossing under Wilkins Rd during the same time. Estimated date of completion is **December 31, 2010.**

---

**I-5 MP 203 to MP 204 NB & SB (N of Coburg)**

**NEW** Effective May 6, 2010, this section of I-5 will be restricted to 12 feet 00 in. in width between the hours of 9:30 PM & 5 AM and 16 feet 00 in. in width between the hours of 5 AM & 7 AM and 7 PM & 9:30 PM. In addition, the height will be restricted to **16 feet 04 in. high on I-5 NB and SB** crossing under Coleman Rd. Estimated date of completion is August 31, 2010.

---

**I-5 MP 203.50 to MP 217 NB & SB**

Effective July 16, 2010, this section of I-5 will be restricted to 16 feet 00 in. in width between the hours of **6 PM & 8 AM.** In addition, the height will be restricted to 16 feet 07 in. high for this section of I-5 going northbound and 16 feet 11 in. high going southbound during the same times. Estimated date of completion is September 30, 2010.

---

**I-5 MP 205.80 to MP 206.30 NB & SB**

Effective August 2, 2010, this section of I-5 will be restricted to 16 feet 00 in. in width between the hours of 6:00pm to 7:00am. In addition, there will be intermittent ramp closures to and from the Oak Grove Rest Area. Estimated date of completion is September 30, 2010.

---

**I-5 Exit 209 NB & SB On and Off Ramps (Diamond Hill Dr)**

Effective **August 2, 2010**, the on and off ramps at I-5 Exit 209 will be intermittently closed between the hours of **7 PM** & 7 AM. The NB & SB closures will not occur on the same night. Estimated date of completion is **September 30, 2010.**

---

**I-5 Exit 216 NB & SB On and Off Ramps (to OR228)**

Effective August 2, 2010, the on and off ramps at I-5 Exit 216 will be intermittently closed between the hours of 6 PM & 7 AM for up to three nights. The NB & SB closures will not occur on the same night. Estimated date of completion is September 30, 2010.

---

**I-5 MP 229.65 to MP 230.65 NB & SB (Seven Mile Ln)**

**NEW** Effective March 22, 2010, this section of I-5 will be restricted to 12 feet 00 in. in width between the hours of 9:30 PM & 5 AM and 16 feet 00 in. in width between the hours of 5 AM & 7 AM and 8 PM & 9:30 PM. In addition, the height will be restricted to **16 feet 04 in. high on I-5 NB crossing under Seven Mile Ln and 16 feet 05 in. high on I-5 SB** crossing under Seven Mile Ln during the same time. Estimated date of completion is **October 31, 2010.**

---

**I-5 MP 231 to MP 233 NB & SB (Albany)**

**NEW** Effective April 26, 2010, this section of I-5 will be restricted to 12 feet 00 in. in width between the hours of 9:30 PM & 5 AM and 16 feet 00 in. in width between the hours of 5 AM & 7 AM and 8 PM & 9:30 PM. In addition, the height will be restricted to **16 feet 04 in.** high on I-5 NB crossing under Grand Prairie Rd and **16 feet 07 in.** high on I-5 SB crossing under Grand Prairie Rd. Estimated date of completion is **December 31, 2010.**

---

**I-5 MP 239.20 to MP 240.20 NB & SB (Dever-Conner Rd)**

**NEW** Effective March 22, 2010, this section of I-5 will be restricted to 12 feet 00 in. in width between the hours of 9:30 PM & 5 AM and 16 feet 00 in. in width between the hours of 5 AM & 6 AM and 9 PM & 9:30 PM. In addition, the height crossing under Dever-Conner Rd Exit 239 going southbound will be restricted to **16 feet 09 in.** high during the same time. Estimated date of completion is **October 31, 2010.**

---

**I-5 MP 241.78 to MP 242.48 NB & SB (Talbot Rd)**

**NEW** Effective March 16, 2010, this section of I-5 will be restricted to 12 feet 00 in. in width between the hours of 9:30 PM & 5 AM and 16 feet 00 in. in width between the hours of 5 AM & 6 AM and 9 PM & 9:30 PM. In addition, the height crossing under Talbot Rd Exit 242 will be restricted to **16 feet 05 in.** high going southbound during the same time. Estimated date of completion is **October 31, 2010.**

---

**I-5 MP 244.44 to MP 249.39 NB & SB (Salem)**

Effective **June 25, 2010**, this section of I-5 will be restricted **14 feet 00 inches in width between the hours of 8 PM & 6 AM.** In addition, the height will be restricted to 17 feet 01 in. in height going northbound and 18 feet 07 in. in height going southbound during the same times. Estimated date of completion is September 30, 2010.

---

**I-5 MP 244.49 to MP 249.95 NB (Salem)**

Effective July 18, 2010, the on and off ramps for I-5 Exits 244, 248 & 249 will be intermittently closed between the hours of 8 PM & 6 AM. The Exit 249 ramps will remain open on the nights when I-5 NB MP 249-250 is closed so it can be used as a detour. Estimated date of completion is September 30, 2010.

---

**I-5 MP 244.46 to MP 248.94 SB (Salem)**

Effective July 18, 2010, the on and off ramps for I-5 Exits 244, 248 & MP 249 (Commercial St) will be intermittently closed between the hours of 8 PM & 6 AM. Estimated date of completion is September 30, 2010.

---

**I-5 MP 249 to MP 250 NB**

Effective June 1, 2010, I-5 northbound will be intermittently closed for five nights (exact dates unknown) between MP 249 and MP 250 between the hours of 8 PM & 6 AM. All traffic will be directed to take Exit 249 and re-enter I-5 NB. Estimated date of completion is September 30, 2010.

---

**I-5 MP 287 to MP 288 NB**

Effective August 3, 2010, this section of I-5 will be restricted to 19 feet 00 in. in width between the hours of 10 PM & 5 AM. Estimated date of completion is **September 3, 2010.**

---

**I-5 Exit 288 NB to I-205 NB**

Effective August 3, 2010, the off ramp from I-5 NB to I-205 NB will be closed **intermittently** between the hours of 10 PM & 5 AM. Estimated date of completion is **September 3, 2010.**

---

---

**I-5 Exit 288 SB to NB I-205**

Effective July 23, 2010, the off-ramp from I-5 SB to I-205 NB will be restricted to 12 feet 00 in. in width between the hours of 10 PM & 5 AM. Estimated date of completion is **September 3, 2010**.

---

**I-5 NB On-Ramp From I-205 SB**

Effective July 19, 2010, the on-ramp to I-5 NB from I-205 SB will be closed **intermittently** between the hours of 10 PM & 5 AM. Estimated date of completion is **September 3, 2010**.

---

**I-5 Exit 289 SB to Nyberg Rd**

Effective June 28, 2010, the SB I-5 Exit 289 ramp to Nyberg Rd will be closed between the hours of 10 PM & 5 AM. Estimated date of completion is **September 3, 2010**.

---

**I-5 Exit 290 SB On Ramp from Lower Boones Ferry Rd**

Effective July 26, 2010, the on ramp to I-5 SB from Lower Boones Ferry Rd will be closed between the hours of 10 PM & 5 AM. Estimated date of completion is **September 3, 2010**.

---

**I-5 MP 291.86 SB ramp from OR217**

Effective July 5, 2010, the ramp from SB OR217 to SB I-5 will be closed **intermittently** between the hours of 10 PM & 5 AM. Estimated date of completion is **September 3, 2010**.

---

**I-5 MP 298 to MP 297 SB**

Effective August 24, 2010, this section of I-5 will be restricted to 13 feet 00 in. in width between the hours of 10 PM & 5 AM. In addition, the height will be restricted to 16 feet 07 in. in height during the same time. Estimated date of completion is December 31, 2010.

---

**I-5 MP 305.93 SB on ramp from Columbia Blvd**

Effective May 21, 2008 the SB on ramp from Columbia Blvd to I-5 will be restricted to 17 ft. 00 in. in width. Estimated date of completion is October 31, 2010.

---

**I-5 MP 305.44 to MP 306.70 NB & SB**

Effective April 21, 2008 this section of I-5 will be restricted to 14 ft. 00 in. in width between the hours of 11 PM to 5 AM. In addition the height will be restricted to 15 ft 11 in. SB & 15 ft. 08 in. NB. 24 hours per day. Estimated date of completion is October 31, 2010.

---

**I-84 MP 0.50 to MP 5.50 EB & WB**

**NEW** Effective August 23, 2010, this section of I-84 will be restricted to 13 feet 00 in. in width between the hours of 9 PM & 6 AM. In addition, the height will be restricted to 15 feet 07 in. in height eastbound, and 15 feet 09 in. in height westbound during the same time. Estimated date of completion is October 15, 2010.

---

**I-84 MP 0.92 to MP 0.43 WB**

Effective September 18, 2010 at 9 PM, the ramps from I-84 WB to I-5 NB and SB will be alternately closed. Both ramps will not be closed at the same time. When open, the ramps will be restricted to 12 feet 00 in. in width. Estimated date of completion is September 19, 2010 at 7 AM.

---

**I-84 EB on-ramp from I-205 SB**

Effective March 1, 2010, the on-ramp to EB I-84 from SB I-205 will be restricted to 16 feet 00 in. in width between the hours of 9:30 PM & 5:30 AM. In addition, the height will be restricted to 16 feet 06 in. during the same time. Estimated date of completion is **October 15, 2010**.

---

---

**I-84 MP 17.31 to MP 18.20 EB & WB**

Effective May 1, 2010, this section of I-84 will be restricted to 16 feet 00 in. in width between the hours of 9 PM & 7 AM. Estimated date of completion is November 1, 2013.

---

**I-84 MP 17.82 EB & WB (Jordan Rd Underpass)**

Effective September 1, 2010, the Jordan Rd underpass at Exit 18 will be restricted to 13 feet 00 in. in width. This restriction is NOT on the I-84 mainline. Estimated date of completion is December 31, 2013.

---

**I-84 MP 30 to MP 47 EB**

Effective March 18, 2010, this section of I-84 will be restricted to 16 feet 00 in. in width between the hours of 7 AM & 7 PM. Estimated date of completion is October 31, 2010.

---

**I-84 MP 29.75 to MP 47.25 EB**

Effective April 19, 2010, this section of I-84 will be restricted to 12 feet 00 in. in width and 14 feet 08 in. in height from 1/2 hour after sunset until 1/2 hour before sunrise. Estimated date of completion is **October 31, 2010**.

---

**I-84 MP 34 to MP 45 EB & WB (on & off ramp closures)**

Effective May 6, 2010, there will be intermittent on and off ramp closures for Exits 35, 37, 40, 41 & 44 from 1/2 hour after sunset until 1/2 hr before sunrise. Adjacent ramp closures will not occur at the same time. Estimated date of completion is **October 31, 2010**.

---

**I-84 MP 44.50 to MP 45.50 WB**

Effective June 1, 2010, this section of I-84 will be restricted to 23 feet 00 in. in width. Estimated date of completion is September 1, 2010.

---

**I-84 MP 29.50 to MP 47.50 WB**

Effective March 18, 2010, this section of I-84 will be restricted to 16 feet 00 in. in width between the hours of 7 AM & 7 PM. Estimated date of completion is October 31, 2010.

---

**I-84 MP 29.25 to MP 47.50 WB**

Effective April 19, 2010, this section of I-84 will be restricted to 12 feet 00 in. in width from 1/2 hour after sunset until 1/2 hour before sunrise. Estimated date of completion is **October 31, 2010**.

---

**I-84 MP 63 to MP 65 (Hood River) EB & WB**

Effective **August 30, 2010**, this section of I-84 will be restricted to 16 feet 00 in. in width. In addition, the height will be restricted to 15 feet 09 in. in height westbound, and 16 feet 06 in. in height eastbound. Estimated date of completion is **April 30, 2011**.

---

**I-84 MP 64 to MP 65 WB**

Effective March 3, 2010, this section of I-84 will be restricted to 16 feet 00 in. in width. Estimated date of completion is **September 25, 2010**.

---

**I-84 MP 69.50 to MP 70.50 EB**

Effective August 30, 2010, this section of I-84 will be restricted to 19 feet 00 in. in width between the hours of 7 AM & 5 PM. Estimated date of completion is September 17, 2010.

---

### **I-84 MP 109.02 EB & WB**

**NEW** Effective August 16, 2010, this section of I-84 will be restricted to 12 feet 00 in. in width between the hours of **9 PM & 5:30 AM**. Estimated date of completion is September 30, 2010.

---

### **I-84 MP 110 to MP 126 EB & WB**

Effective June 21, 2010, this section of I-84 will be restricted TO 8 FEET 06 IN. IN WIDTH (LEGAL WIDTH) between the hours of 7 PM & 7 AM. In addition, the height crossing under Quinton Interchange Exit 123 will be restricted to 17 feet 00 in. in height going eastbound and 16 feet 06 in. in height going westbound during the same time. Estimated date of completion October 29, 2010.

---

### **I-84 MP 141.01 to MP 147 WB**

Effective June 21, 2010, this section of I-84 will be restricted to 8 FEET 06 IN. IN WIDTH (LEGAL WIDTH) between the hours of 7 PM & 7 AM. Estimated date of completion is October 29, 2010.

---

### **I-84 MP 317 to MP 328 EB & WB**

Effective April 5, 2010, this section of I-84 will be restricted to 16 feet 00 in. in width. Estimated date of completion is October 15, 2010.

---

### **I-84 MP 340.70 to MP 346.60 EB & WB**

Effective April 1, 2010, this section of I-84 will be restricted to 16 feet 00 in. in width. In addition, there will be intermittent ramp closures alternating between Exits 342 and 345. Estimated date of completion is October 31, 2011.

---

### **I-84 MP 345.80 to MP 353.30 EB & WB**

Effective April 15, 2010, this section of I-84 will be restricted to 16 feet 00 in. in width. Estimated date of completion is October 31, 2010.

---

### **I-105 WB offramp to I-5 southbound**

Effective August 26, 2010, the ramp from I-105 westbound Exit 4A to I-5 southbound will be closed intermittently between the hours of 10 PM & 5 AM. **In addition, effective September 3, 2010, the ramp from I-105 westbound Exit 4A to I-5 southbound will be closed intermittently between the hours of 7 PM & 8 AM.** Estimated date of completion is December 31, 2010.

---

### **I-105 WB MP 4.5 to MP 3.0 (interchange with I-5)**

Effective August 26, 2010, this section of I-105 westbound will be restricted to 16 feet 00 in. in width and 18 feet 04 in. in height between the hours of 10 PM & 5 AM. In addition, this section of I-105 westbound will be closed from **7 PM** on September 10 to 6 AM on September 13, and again from **7 PM** on September 24 to 6 AM on September 27. The ramp from Exit 4B to I-5 northbound will remain open at all times. Estimated date of completion is December 31, 2010.

---

### **I-205 SB off-ramp to I-5 SB**

Effective May 10, 2010, the SB I-205 off-ramp to I-5 SB will be intermittently closed between the hours of 10 PM & 5 AM. Estimated date of completion is **September 30, 2010**.

---

### **I-205 MP 4 to MP 4.50 NB & SB**

**NEW** Effective September 26, 2010, this section of I-205 will be restricted to 12 feet 00 in. in width between the hours of 10 PM & 5 AM. Estimated date of completion is October 18, 2010.

---

**I-205 Exit 9 NB to OR99E**

**NEW** Effective September 27, 2010, the NB I-205 Exit 9 off-ramp to OR99E will be closed between the hours of 10 PM & 5:30 AM. Estimated date of completion is October 1, 2010.

---

**I-205 MP 18.5 to MP 24.8 NB & SB**

Effective September 6, 2010, this section of I-205 will be restricted to 13 feet 00 in. in width between the hours of 9 PM and 5:55 AM. In addition, the height will be restricted to 16 feet 07 in. in height northbound, and 16 feet 05 in. in height southbound during the same time. Estimated date of completion is October 15, 2010.

---

**I-205 SB on-ramp from I-84 WB**

Effective March 1, 2010, the on-ramp to I-205 SB from I-84 WB will be restricted to 16 feet 00 in. in width between the hours of 9:30 PM & 5:30 AM. In addition, the height will be restricted to 16 feet 10 in. in height during the same time. Estimated date of completion is **October 15, 2010**.

---

**I-405 MP 2.70 to MP 1.41 SB**

Effective September 10, 2010, this section of I-405 southbound will be restricted to 21 feet 00 in. in width between the hours of 10 PM & 5 AM. In addition, the height will be restricted to 15 feet 11 in. in height during the same time. Estimated date of completion is September 12, 2010.

---

\*\*\* U.S. ROUTES \*\*\*

---

**US20 MP 3.50 to MP 4.75 EB & WB (East of Newport)**

Effective September 13, 2010, this section of US20 will be closed at 8 PM on the following nights: September 13, 2010, and September 16, 2010. The highway will re-open at 6 AM the next day. Estimated date of completion is October 1, 2010.

---

**US20 MP 4.25 to MP 5.00 EB & WB (East of Newport)**

Effective September 13, 2010, this section of US20 will be closed at 8 PM on the following nights: September 20, 2010, and September 23, 2010. The highway will re-open at 6 AM the next day. Estimated date of completion is October 1, 2010.

---

**US20 MP 4.60 to MP 5.50 EB & WB (East of Newport)**

Effective September 13, 2010, this section of US20 will be closed at 8 PM on the following nights: September 27, 2010, and October 4, 2010. The highway will re-open at 6 AM the next day. Estimated date of completion is October 5, 2010.

---

**US26 MP 1.07 to MP 1.14 EB & WB**

Effective July 12, 2010 this section of US26 is restricted to 17 feet 00 in. in width between the hours of 9 AM and 3 PM and 7 PM and 5 AM. Estimated date of completion is August 31, 2010.

---

**US26 MP 14.77 to MP 19.50 EB (East of Gresham)**

Effective August 23, 2010, this section of US26 will be restricted to 16 feet 00 in. in width between the hours of 4 AM & 4 PM. In addition, the maximum height will be 14 feet 08 in. in height during the same time. Estimated date of completion is October 15, 2010.

---

**US26 MP 14.77 to MP 19.50 WB (East of Gresham)**

Effective August 23, 2010, this section of US26 will be restricted to 16 feet 00 in. in width between the hours of 8 AM & 8 PM. In addition, the maximum height will be 15 feet 03 in. in height during the same time. Estimated date of completion is October 15, 2010.

---

---

**US26 MP 19.50 to MP 22.50 EB (West of Sandy)**

Effective August 23, 2010, this section of US26 will be restricted to 21 feet 00 in. in width between the hours of 4 AM & 4 PM. In addition, the maximum height will be 17 feet 00 in in height during the same time. Estimated date of completion is October 15, 2010.

---

**US26 WB off ramp to OR212 WB (Boring)**

Effective August 29, 2010, the ramp from US26 westbound to OR212 westbound will be closed between the hours of 8 PM & 6 AM. Estimated date of completion is September 1, 2010.

---

**US26 EB on ramp from OR212 EB (Boring)**

Effective August 24, 2010, the US26 eastbound on ramp from OR212 eastbound will be closed between the hours of 8 PM & 6 AM. Estimated date of completion is August 26, 2010.

---

**US26 MP 19.50 to MP 22.50 WB (West of Sandy)**

Effective August 23, 2010, this section of US26 will be restricted to 21 feet 00 in. in width between the hours of 8 AM & 8 PM. In addition, the maximum height will be 16 feet 09 in in height during the same time. Estimated date of completion is October 15, 2010.

---

**US26 (Hwy #047 - Sunset Hwy) MP 26 to MP 37 EB & WB**

Effective August 2, 2010, this section of US26 will be restricted to 14 feet 00 in. in width between the hours of 8:00pm & 6:00am. Estimated date of completion is November 1, 2011.

---

**US26 MP 64 to MP 67 EB & WB (Hillsboro)**

Effective June 24, 2010, this section of US26 will be restricted to 12 feet 00 in. in width between the hours of 10 PM & 5 AM. In addition, the height traveling westbound in this section will be restricted to 16 feet 05 in. in height during the same time. Estimated date of completion is [November 30, 2010](#).

---

**US26 (Hwy #005 - near Mt. Vernon) MP 154.98 to Mp 156.52 EB & WB**

Effective April 6, 2009 this section of US26 will be restricted to 14 feet 00 in. in width. Estimated date of completion is October 28, 2011.

---

**US26 MP 186 to MP 186.60 EB & WB (Near Austin)**

Effective June 7, 2010, this section of US26 will be restricted to 14 feet 00 in. in width. Estimated date of completion is October 15, 2010.

---

**US30 (Historic Columbia River Hwy) MP 9.58 to MP 9.66 EB & WB**

Effective September 7, 2010, this section of US30 will be restricted to 11 feet 00 in. in width between the hours of 7 AM & 5 PM. Estimated date of completion is September 14, 2010.

---

**US97 MP 140.60 to MP 140.90 SB (South of Bend)**

Effective September 14, 2010, this section of US97 southbound will be restricted to 17 feet 00 in. in width between the hours of 9 AM & 3 PM. Estimated date of completion is September 14, 2010.

---

**US101 MP 0 - Astoria-Megler Bridge**

Effective May 26, 2010, the Astoria-Megler Bridge in Astoria will be restricted to 16 feet 06. in. in height. Estimated date of completion is November 30, 2011.

---

---

**US101 MP 259.65 NB & SB - Coquille River (Bullards Bridge) - Bandon**

Effective May 24, 2010, crossing the Coquille River (Bullard's Bridge) will be restricted to 15 feet 08 in. in height. Estimated date of completion is September 28, 2010.

---

**US101 MP 303.81 to MP 306.60 NB & SB (South of Port Orford)**

Effective June 1, 2010, this section of US101 will be restricted to 14 feet 00 in. in width. Estimated date of completion is September 30, 2010.

---

**US395 (Hwy #028 - South of Ukiah) MP 59.36 to MP 60.52 NB & SB**

Effective April 2, 2009 this section of US395 will be restricted to 13 feet 00 in. in width. Estimated date of completion is October 28, 2011.

---

**US395 (Hwy #028 - South of Ukiah) MP 63.13 to MP 64.49 NB & SB**

Effective April 2, 2009 this section of US395 will be restricted to 13 feet 00 in. in width. Estimated date of completion is October 28, 2011.

---

\*\*\* OR ROUTES \*\*\*

---

**OR6 MP 31 to MP 33 EB & WB (Devil's Lake Fork Wilson River Bridge)**

**NEW** Effective September 13, 2010, this section of OR6 will be restricted to 12 feet 00 in. in width. Estimated date of completion is April 5, 2011.

---

**OR10 (Farmington Rd) MP 5.88 to MP 7.40 EB & WB**

Effective August 23, 2010, this section of OR10 will be restricted to 12 feet 00 in. in width between the hours of 9 PM & 6 AM. Estimated date of completion is September 15, 2010.

---

**OR19 (Goose Rock Bridge) MP 118.59 to MP 119.46 NB & SB**

Effective April 6, 2009 this section of OR19 is restricted to 13 feet 00 in. in width. Estimated date of completion is October 28, 2011.

---

**OR35 MP 73.50 to MP 74.00 NB & SB**

Effective **May 27, 2010**, this section of OR35 will be restricted to 14 feet 00 in. in width. Estimated date of completion is November 15, 2010.

---

**OR42 MP 25.50 to MP 25.75 EB & WB (Indian Creek Bridge -E of Myrtle Point)**

**Effective September 13, 2010, this section of OR42 will be restricted to 10 feet 00 in. in width. Estimated date of completion is October 25, 2010.**

---

**OR42 MP 43.60 to MP 46.00 EB & WB**

Effective July 12, 2010 this section of OR42 is restricted to 16 feet 00 in. in width between the hours of 7 AM and 7 PM on weekdays. No work will occur between the hours of 3 PM on Fridays until Noon on Mondays. Estimated date of completion is **September 17, 2010**.

---

**OR58 MP 55 to MP 57 EB & WB (Salt Creek Tunnel Area)**

Effective September 7, 2010, this section of OR58 will have intermittent delays of up to 20 minutes Monday through Friday. The estimated date of completion is October 15, 2010. In addition, **EFFECTIVE SEPTEMBER 13, 2010, AT MP 56 THE HIGHWAY WILL BE CLOSED TO ALL TRAFFIC MONDAY THROUGH THURSDAY BETWEEN THE HOURS OF 7 AM & 9 AM AND 3 PM & 5 PM.** The estimated date of completion is October 7, 2010.

---

---

**OR78 MP 0.60 to MP 1.10 NB & SB (Burns)**

Effective September 15, 2010, this section of OR78 will be closed. The authorized detour route for OR78 NB to US20 EB is OR78, Fry Ln, US20 (reverse route for US20 WB to OR78 SB). The authorized detour for OR78 NB to US20 WB is OR78, OR205, Hotchkiss Ln, US20 (reverse route for US20 EB to OR78 SB). Estimated date of completion is September 22, 2010.

---

**OR82 MP 30.00 to 34.00 EB & WB**

Effective July 16, 2010 this section of OR82 will be restricted to 14 foot 00 in. in width. Estimated date of completion is October 25, 2010.

---

**OR99E SB MP 0.90 to MP 1.50 (MLK/Union Ave Viaduct)**

Effective April 17, 2007, this section of OR99E in SE Portland will be restricted to a maximum of 21 ft. 00 in. in width across two traffic lanes. Estimated date of completion is **April 2011. In addition, as of August 17, 2010, this bridge is no longer weight restricted.**

---

**OR99E MP 1.49 to MP 3.06 NB & SB (Portland)**

Effective July 8, 2010, this section of OR99E will be restricted to 10 feet 00 in. in width between the hours of 9:30 PM & 5 AM in July and 9 PM & 5:30 AM in August (1/2 hr after sunset until 1/2 hr before sunrise). In addition, the height will be restricted to 14 feet 10 in. high for this section going NB and 15 feet 00 in. high going SB during the same times. Estimated date of completion is August 31, 2010.

---

**OR99E MP 1.47 NB Exit to EB US26**

Effective July 8, 2010, the NB OR99E off ramp to EB US26 will be closed for approximately two nights (exact dates unknown) between the hours of 9:30 PM & 5 AM in July or 9 PM & 5:30 AM in August. Estimated date of completion is August 31, 2010.

---

**OR99E MP 1.55 NB Exit to WB US26**

Effective July 8, 2010, the NB OR99E off ramp to WB US26 will be closed for approximately two nights (exact dates unknown) between the hours of 9:30 PM & 5 AM in July or 9 PM & 5:30 AM in August. Estimated date of completion is August 31, 2010.

---

**OR99E MP 1.60 SB On-Ramp from EB US26**

Effective July 8, 2010, the SB OR99E on ramp from EB US26 will be closed for approximately two nights (exact dates unknown) between the hours of 9:30 PM & 5 AM in July or 9 PM & 5:30 AM in August. Estimated date of completion is August 31, 2010.

---

**OR99E MP 2.21 SB Exit to Holgate Blvd**

Effective July 8, 2010, the SB OR99E exit to Holgate Blvd will be closed for approximately two nights (exact dates unknown) between the hours of 9:30 PM & 5 AM in July or 9 PM & 5:30 AM in August. Estimated date of completion is August 31, 2010.

---

**OR99W MP 2.34 to MP 4.95 NB & SB (Barbur Blvd)**

Effective September 20, 2010, this section of OR99W will be restricted to 21 feet 00 in. in width. In addition, the height will be restricted to 17 feet 02 in. in height southbound, and 17 feet 00 in. in height northbound. Estimated date of completion is October 18, 2010.

---

**OR99E MP 2.59 SB Exit to Milwaukie Ave**

Effective July 8, 2010, the SB OR99E exit to Milwaukie Ave will be closed for approximately two nights (exact dates unknown) between the hours of 9:30 PM & 5 AM in July or 9 PM & 5:30 AM in August. Estimated date of completion is August 31, 2010.

---

---

**OR99W MP 3.10 to MP 3.25 NB (Barbur Blvd)**

Effective August 24, 2010, this section of OR99W will be restricted to 14 feet 00 in. in width between the hours of 9 AM & 4 PM. In addition, the height will be restricted to 17 feet 00 in. in height at the same time. Estimated date of completion is December 31, 2010.

---

**OR99W MP 78.54 to MP 79.04 NB & SB (north of Corvallis)**

Effective August 9, 2010, this section of northbound OR99W will be restricted to 14 feet 00 in. in width, and this section of southbound OR99W will be restricted to 16 feet 00 in in width. Estimated date of completion is October 15, 2010.

---

**OR138 MP 36.50 to MP 37.50 EB & WB**

Effective March 28, 2010, this section of OR138 will be restricted to 12 feet 00 in. in width. Estimated date of completion is October 29, 2010.

---

**OR138 MP 57.25 to MP 57.50 EB & WB (Near Toketee)**

Effective July 5, 2010, this section of OR138 will be restricted to 12 feet 00 in. in width. Estimated date of completion is October 28, 2010.

---

**OR140 MP 41.70 to MP 42.70 EB & WB (near Beatty)**

Effective June 21, 2010, this section of OR140 will be restricted to 14 ft 00 in. in width. Estimated date of completion is October 31, 2010.

---

**OR217 NB off-ramp to EB US26**

Effective April 5, 2010, the NB off-ramp to EB US26 will be restricted to 17 feet 00 in. in width. Estimated date of completion is April 5, 2011.

---

**OR230 MP 0.58 EB & WB - Castle Creek Bridge**

Effective August 9, 2010, this section of OR230 will be restricted to 10 feet 00 in. in width. Estimated date of completion is October 29, 2010.

---

**OR230 MP 0.96 EB & WB - Bybee Creek Bridge**

Effective August 9, 2010, this section of OR230 will be restricted to 10 feet 00 in. in width. Estimated date of completion is October 29, 2010.

---

**OR230 MP 4.96 to MP 5.61 NB & SB**

Effective June 16, 2010, this section of OR230 will be restricted to 10 feet 00 in. in width. Estimated date of completion is October 28, 2010.

---

**OR230 MP 10.32 EB & WB - Muir Creek Bridge**

Effective August 9, 2010, this section of OR230 will be restricted to 10 feet 00 in. in width. Estimated date of completion is October 29, 2010.

---

**OR234 MP 0.04 EB & WB (Rogue River Bridge near I-5 Exit 43) - Gold Hill**

**OR234 where it crosses the Rogue River Bridge has been partially re-opened. The northbound (eastbound) lane is NOW OPEN for one-way traffic only. The southbound (westbound) lane across the bridge is STILL CLOSED. THE BRIDGE IS ALSO RESTRICTED TO 20,000 LBS. TOTAL WEIGHT. In addition, the width is restricted to 11 feet 00 in. in width. The bridge will be shut down again TO ALL TRAFFIC after Labor Day and estimated to re-open on October 22, 2010.**

---

**OR234 MP 15.91 to MP 16.11 EB & WB (Rogue River Bridge)**

Effective August 9, 2010, this section of OR234 will be restricted to 12 feet 00 in. in width and 14 feet 10 in. in height between the hours of 6 AM & 6 PM. Estimated date of completion is October 31, 2010.

---

\*\*\* LIFTED RESTRICTIONS \*\*\*

---

**I-5 NB Off Ramp to Fern Valley Rd**

Effective August 16, 2010, the NB I-5 Exit 24 off ramp to Fern Valley Rd will be restricted to 14 feet 00 in. in width between the hours of 7 PM & 5 AM. Estimated date of completion is August 20, 2010.

---

**I-5 MP 66 to MP 80 NB**

Effective May 3, 2010, this section of I-5 will be restricted to 16 feet 00 in. in width between the hours of 7 AM & 5 PM. In addition, the height crossing under Monument Dr Exit 66 will be restricted to 16 feet 08 in. in height during the same time. Estimated date of completion is August 16, 2010.

---

**I-5 MP 66 to MP 80 SB**

Effective May 3, 2010, this section of I-5 will be restricted to 16 feet 00 in. in width between the hours of 7 AM & 5 PM. In addition, the height crossing under Speaker Rd Exit 78 will be restricted to 16 feet 08 in. in height and Monument Dr Exit 66 will be restricted to 17 feet 06 in. in height during the same time. Estimated date of completion is August 16, 2010.

---

**I-5 MP 120 to MP 123 NB & SB**

Effective August 27, 2010, this section of I-5 will be restricted to 12 ft. 00 in. in width between the hours of 8:30 PM & 6 AM. Estimated date of completion is August 31, 2010.

---

**I-5 SB On-Ramp from I-205 SB**

Effective June 28, 2010, the I-205 SB on-ramp to I-5 SB will be restricted to 16 feet 00 in. in width. Estimated date of completion is August 31, 2010.

---

**I-5 MP 286 to MP 288.50 SB**

Effective June 28, 2010, this section of I-5 will be restricted to 16 ft 00 in. in width between the hours of 7:30 PM & 5:30 AM. In addition, the height will be restricted to 17 ft 09 in. high during the same time. Estimated date of completion is August 31, 2010.

---

**I-5 MP 288 to MP 290.50 SB**

Effective May 14, 2010, this section of I-5 will be restricted to 13 feet 00 in. in width between the hours of 10 PM & 5 AM. In addition, the height will be restricted to 16 feet 09 in. high during the same time. Estimated date of completion is **August 27, 2010**.

---

**I-5 MP 301 to MP 303 SB**

Effective July 26, 2010, this section of I-5 will be restricted to 12 feet 00 in. in width and 14 feet 06 in. in height between the hours of 10 PM & 5:30 AM. Estimated date of completion is **August 20, 2010**.

---

**I-5 MP 300 to MP 303 NB**

Effective July 26, 2010, this section of I-5 will be restricted to 12 feet 00 in. in width and 15 feet 07 in. in height between the hours of 10:30 PM & **5:30 AM**. Estimated date of completion is **August 25, 2010**.

---

---

**I-84 MP 0.50 to MP 5.50 EB & WB**

Effective August 30, 2010, this section of I-84 will be restricted to 13 feet 00 in. in width between the hours of 9 PM & 6 AM. In addition, the height will be restricted to 15 feet 07 in. in height eastbound, and 15 feet 09 in. in height westbound during the same time. Estimated date of completion is October 15, 2010.

---

**I-84 MP 5.45 to MP 7.00 EB**

Effective April 25, 2010, this section of I-84 will be closed to all traffic intermittently between the hours of 9 PM & 5 AM. Estimated date of completion is **August 15, 2010**.

---

**I-84 EB Exit 8 to I-205 NB**

Effective April 25, 2010, the EB I-84 Exit 8 off-ramp to NB I-205 will be closed to all traffic intermittently between the hours of 9 PM & 5 AM. Estimated date of completion is **August 15, 2010**.

---

**I-84 Exit 10 EB on and off ramps (122nd Ave)**

Effective April 25, 2010, the EB I-84 on and off ramps at 122nd Ave Exit 10 will be intermittently closed between the hours of 9 PM & 5 AM. Estimated date of completion is **August 15, 2010**.

---

**I-84 MP 64.15 EB (Hood River Bridge)**

Effective **August 29, 2010**, this section of I-84 will be restricted to 19 feet 00 in. in width between the hours of 9 PM & **6 AM**. In addition, the on-ramp from 2nd St to EB I-84 will be closed during the same time. Estimated date of completion is **August 30, 2010**.

---

**I-205 SB Exit 22 to I-84 EB**

Effective April 25, 2010, the SB I-205 Exit 22 off-ramp to EB I-84 will be closed to all traffic intermittently between the hours of 9 PM & 5 AM. Estimated date of completion is **August 31, 2010**.

---

**US20 MP 3.00 to MP 4.05 EB & WB (East of Newport)**

Effective August 30, 2010, this section of US20 will be closed at 8 PM on the following nights: August 30, 2010, September 2, 2010, and September 8, 2010. The highway will re-open at 6 AM the next day. Estimated date of completion is October 1, 2010.

---

**US395 MP 41 to MP 44 NB & SB (North of Burns)**

Effective August 23, 2010, this section of US395 will be restricted to 12 feet 00 in. in width. Estimated date of completion is August 28, 2010.

---

**OR153 (Bellevue-Hopewell Hwy) MP 10.96 to MP 14.36 EB & WB**

Effective August 8, 2010, this section of OR153 will be closed to all traffic between the hours of 5 AM & 9 PM. Estimated date of completion is August 8, 2010. **In addition, effective August 15, 2010, this section of OR153 will be closed to all traffic between the hours of 5 AM & 9 PM. Estimated date of completion is August 15, 2010.**

---

**OR154 (Lafayette Hwy) MP 0.52 to MP 6.26 NB & SB**

Effective August 7, 2010, OR154 will be closed to all traffic between the hours of 5 AM & 9 PM. Estimated date of completion is August 7, 2010. **In addition, effective August 14, 2010, OR154 will be closed to all traffic between the hours of 5 AM & 9 PM. Estimated date of completion is August 14, 2010.**

---

**OR233 (Lafayette Hwy) MP 0 to MP 0.52 NB & SB**

Effective August 7, 2010, OR233 from the junction of OR18 to the junction of OR155 (Amity-Dayton Hwy) will be closed to all traffic between the hours of 5 AM & 9 PM. Estimated date of completion is August 7, 2010. **In addition, effective August 14, 2010, this section of OR233 will be closed to all traffic between the hours of 5 AM & 9 PM. Estimated date of completion is August 14, 2010.**

---

**OR551 MP 3.80 to MP 5.63 NB & SB**

Effective August 20, 2010 at 8 PM, this section of OR551 will be closed. Estimated date of completion is August 23, 2010 at 4 AM.

---