

## Road Restrictions 12/01/2023

There are 140 restrictions.

### ROAD RESTRICTIONS

#### Interstate Routes

#### **I-5 NB Exit 125 off-ramp to Garden Valley Blvd (Roseburg) -- NEW --**

Effective January 2, 2024, the I-5 northbound Exit 125 off-ramp to Garden Valley Boulevard will be closed Monday through Thursday nights between the hours of 8 PM & 6 AM. The estimated completion date for this work is February 2, 2024.

#### **I-5 NB MP 308.00 to MP 308.38 (Interstate Bridge - Portland)**

Effective **December 7, 2023**, this section of I-5 northbound will be restricted to 12 feet 00 inches in width between the hours of 11 PM and 6 AM. Loads over 12 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information. The estimated completion date for this work is **December 8, 2023**.

#### **I-84 EB MP 5.00 to MP 6.00 (Portland)**

Effective August 8, 2023, this section of I-84 eastbound will be intermittently restricted to 14 feet 00 inches in width at night, between the hours of 9 PM & 5 AM. Loads over 14 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information. The estimated completion date for this work is **January 15, 2023**.

#### **I-84 WB MP 5.6 to MP 6.35 (Portland)**

Effective August 8, 2023, this section of I-84 westbound will be intermittently restricted to 14 feet 00 inches in width at night, between the hours of 9 PM & 5 AM. Loads over 14 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information. The estimated completion date for this work is **January 15, 2024**.

#### **I-205 NB MP 8.51 to MP 9.51 (Oregon City)**

Effective **December 1, 2023**, this section of I-205 northbound will be restricted to 12 feet 00 inches in width at night between the hours of 10 PM & 5 AM. Loads over 12 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information. The estimated completion date for this work is **December 2, 2023**.

#### **I-205 NB MP 8.88 to MP 9.30 (Oregon City)**

Effective December 4, 2023, this section of I-205 northbound will be restricted to 12 feet 00 inches in width at night between the hours of 10 PM & 5 AM. Loads over 12 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information. The estimated completion date for this work is December 8, 2023.

#### **I-205 NB MP 8.88 to MP 9.30 (Oregon City)**

Effective December 18, 2023, this section of I-205 northbound will be restricted to 12 feet 00 inches in width at night between the hours of 10 PM & 5 AM. Loads over 12 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information. The estimated completion date for this work is December 22, 2023.

#### **I-205 NB MP 8.99 to MP 9.23 (Oregon City)**

Effective December 16, 2023, this section of I-205 northbound will be restricted to 12 feet 00 inches in width at night between the hours of 9 PM & 12 PM. Loads over 12 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information. The estimated completion date for this work is December 17, 2023.

### **I-205 SB Exit 8 off-ramp to OR43 (West Linn)**

Effective December 5, 2023, the I-205 southbound Exit 8 off-ramp to OR43 will be closed at night between the hours of 10 PM & 5 AM. The estimated completion date for this work is December 8, 2023.

### **I-205 SB Exit 8 off-ramp to OR43 (West Linn)**

Effective December 20, 2023, the I-205 southbound Exit 8 off-ramp to OR43 will be closed Monday through Friday nights between the hours of 10 PM & 5 AM, Friday through Saturday 10 PM & 7 AM, and Saturday through Sunday 10 PM & 8 AM. The estimated completion date for this work is December 22, 2023.

### **I-205 NB Exit 9 off-ramp to OR99E (Oregon City)**

Effective December 16, 2023, the I-205 northbound Exit 9 off-ramp to OR99E will be closed between the hours of 9 PM & 12 PM (noon). The estimated completion date for this work is December 17, 2023.

### **I-205 NB Exit 9 off-ramp to OR99E (Oregon City)**

Effective December 4, 2023, the I-205 northbound Exit 9 off-ramp to OR99E will be closed at night between the hours of 10 PM & 5 AM. The estimated completion date for this work is December 6, 2023.

### **I-205 NB Exit 9 off-ramp to OR99E (Oregon City)**

Effective December 18, 2023, the I-205 northbound Exit 9 off-ramp to OR99E will be closed at night between the hours of 10 PM & 5 AM. The estimated completion date for this work is December 20, 2023.

### **I-205 SB MP 9.27 to MP 9.00 (Oregon City)**

Effective December 4, 2023, this section of I-205 southbound will be intermittently restricted to 12 feet 00 inches in width at night between the hours of 10 PM & 5 AM. Loads over 12 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information. The estimated completion date for this work is December 8, 2023.

### **I-205 SB MP 9.27 to MP 9.01 (Oregon City)**

Effective December 20, 2023, this section of I-205 southbound will be restricted to 12 feet 00 inches in width at night, between the hours of 10 PM & 5 AM. Loads over 12 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information. The estimated completion date for this work is December 21, 2023.

### **I-205 SB Exit 9 off-ramp to OR99E (Oregon City)**

Effective **November 27, 2023**, the I-205 southbound Exit 9 off-ramp to OR99E will be closed Monday through Thursday nights between the hours of 10 PM & 5 AM. The estimated completion date for this work is **December 8, 2023**.

### **I-205 SB Exit 9 off-ramp to OR99E (Oregon City)**

Effective December 11, 2023, the I-205 southbound Exit 9 off-ramp to OR99E will be closed Monday through Thursday nights between the hours of 10 PM & 5 AM. The estimated completion date for this work is December 15, 2023.

### **I-205 SB Exit 9 off-ramp to OR99E (Oregon City)**

Effective December 27, 2023, the I-205 southbound Exit 9 off-ramp to OR99E will be closed Monday through Thursday nights between the hours of 10 PM & 5 AM. The estimated completion date for this work is January 2, 2024.

## U.S. Routes

### **US20 WB MP 27.93 to MP 27.25 (Sweet Home)**

On Saturday, December 9, 2023, this section of US20 westbound will be closed between the hours of 5 PM & 9 PM for a Parade.

### **US20 MP 99.94 EB & WB (Sisters)**

Effective November 28, 2017, this section of US20 eastbound and westbound is restricted to 14 feet 00 inches in width and/or 154 feet 00 inches in overall length. Mobile homes with eaves are allowed provided the base width does not exceed 14 feet 00 inches in width. Loads wider than 14 feet and/or 154 feet overall length may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information.

### **US20/US395 EB & WB MP 131.54 to MP 132.00 (Burns)**

On Saturday, December 9, 2023, this section of US20/US395 will be closed between the hours of 5:30 PM and 6:30 AM, for the annual Christmas Parade.

### **US26 EB & WB MP 161.07 to MP 162.57 (John Day)**

On Saturday, December 9, 2023, this section of US26 eastbound and westbound will be closed between the hours of 6 PM & 7 PM for the Annual Timber Truckers Parade.

### **US30 NB & SB MP 1.65 to MP 2.10 (La Grande)**

On Saturday, December 2, 2023, this section of US30 northbound and southbound will be closed between the hours of 4:30 PM & 7 PM for the Christmas Parade.

### **US30 NB & SB MP 51.79 to MP 52.04 (Baker City)**

On Saturday, December 2, 2023, this section of US30 northbound and southbound will be closed between the hours of 3 PM & 8 PM for the Christmas Twilight Parade.

### **US97 NB & SB MP 133.50 to MP 135.90 (Bend)**

Effective August 15, 2023 this section of US97 northbound and southbound will be intermittently restricted to 14 feet 00 inches in width Sunday through Friday nights between the hours of 8 PM & 6 AM. Mobile homes with eaves are allowed provided the base width does not exceed 14 feet 00 inches in width. Loads over 14 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information. The estimated completion date for this work is **March 31, 2024**.

### **US97 NB & SB MP 133.50 to MP 135.90 (Bend)**

Effective August 15, 2023 this section of US97 northbound and southbound will be intermittently restricted to 24 feet 00 inches in width at all hours. Loads over 24 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information. The estimated completion date for this work is **March 31, 2024**.

## OR Routes

### **OR7 EB & WB MP 0.00 to MP 0.19 (Baker City)**

On Saturday, December 2, 2023, this section of OR7 eastbound and westbound will be closed between the hours of 3 PM & 8 PM for the Christmas Twilight Parade.

### **OR43 SB off-ramp to I-205 NB (West Linn) -- UPDATE --**

Effective **December 13, 2023**, the OR43 southbound off-ramp to I-205 northbound will be closed at night between the hours of 10 PM & 5 AM. Oversize loads may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information. The estimated completion date for this work is **December 15, 2023**.

### **OR43 SB off-ramp to I-205 NB (West Linn)**

Effective December 16, 2023, the OR43 southbound off-ramp to I-205 northbound will be closed between the hours of 9 PM & 12 PM (noon). The estimated completion date for this work is December 17, 2023.

### **OR47 SB MP 29.80 to MP 29.81 (Gaston)**

Effective **November 30, 2023**, this section of OR47 southbound will be closed between the hours of 9 PM & 5 AM. The estimated completion date for this work is **December 1, 2023**.

### **OR47 MP 88.05 NB & SB (Forest Grove)**

Effective September 27, 2016, this section of OR47 northbound and southbound is restricted to 14 feet 00 inches in width and/or 135 feet 00 inches in overall length. Mobile homes with eaves are allowed provided the base width does not exceed 14 feet 00 inches in width. Loads wider than 14 feet and/or 135 feet overall length may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information.

### **OR82 EB & WB MP 19.62 to MP 20.30 (Elgin)**

On Saturday, December 9, 2023, this section of OR82 eastbound and westbound will be closed between the hours of 6 PM & 8 PM for the Elgin Light Parade.

### **OR99E NB off-ramp to I-5 NB (Albany)**

Effective November 29, 2023, the OR99E northbound off-ramp to I-5 northbound will be closed at night between the hours of 9 PM & 5 AM. The estimated completion date for this work is November 30, 2023.

### **OR99 NB & SB MP 10.70 to MP 10.90 (Rogue River)**

Effective **December 11, 2023**, this section of OR99 northbound and southbound will be closed at all hours. The estimated completion date for this work is **December 13, 2023**.

### **OR99 NB & SB MP 11.20 to MP 11.40 (Rogue River)**

Effective December 4, 2023, this section of OR99 northbound and southbound will be closed at all hours. The estimated completion date for this work is December 6, 2023.

### **OR99E NB off-ramp to I-205 NB (Oregon City)**

Effective September 30, 2023, the OR99E Northbound off-ramp to I-205 northbound will be restricted to 18 feet 00 inches in width at all hours. Loads over 18 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information. The estimated completion date for this work is March 1, 2024.

### **OR99 NB & SB MP 12.10 to MP 12.30 (Rogue River) -- UPDATE --**

Effective November 27, 2023, this section of OR99 northbound and southbound will be closed at all

hours. The estimated completion date for this work is [December 1, 2023](#).

### **OR99E NB & SB MP 18.97 to MP 20.13 (Halsey)**

Effective June 19, 2023, this section of OR99E northbound and southbound will be restricted to 10 feet 00 inches in width at all hours. Loads over 10 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information. The estimated completion date for this work is February 16, 2024.

### **OR99E NB & SB MP 28.48 to 28.59 (Harrisburg)**

On Saturday December 2, 2023, this section of OR99E northbound and southbound, between Territorial St and Smith St, will be closed between the hours of 7 PM and 8 PM, for the city's Christmas Parade.

### **OR99W NB & SB MP 100.68 to MP 101.08 (Monroe)**

On Saturday, December 9, 2023 this section of OR99W, (between Ash St and Orchard St), will be closed between the hours of 7 PM and 8 PM for the city's Parade of lights.

### **OR126 Bus EB & WB MP 1.66 to MP 3.01 (Springfield)**

On Saturday, December 2, 2023, this section of OR126 Business will be closed between the hours of 9 AM and 3 PM for the city's annual Christmas Parade.

### **OR126 EB & WB MP 15.84 (Prineville)**

Effective August 5, 2020, this section of OR126 eastbound and westbound is restricted to 16 feet 00 inches in width and/or 135 feet 00 inches in overall length. Mobile homes with eaves are allowed provided the base width does not exceed 16 feet 00 inches in width. Loads wider than 16 feet and/or 135 feet in overall length may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information.

### **OR138 EB & WB MP 17.50 to MP 18.50 (Glide)**

Effective [August 30, 2023](#), this section of OR138 eastbound and westbound will be restricted to 8 feet 6 inches in width at all hours. The estimated completion date for this work is [December 2, 2023](#).

### **OR140 EB & WB MP 56.92 to MP 58.75 (Klamath Falls)**

Effective June 19, 2023, this section of OR140 eastbound and westbound will be restricted to 14 feet 00 inches in width Monday through Friday between the hours of 6 AM & 7 PM. Mobile homes with eaves are allowed provided the base width does not exceed 14 feet 00 inches in width. Loads over 14 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information. The estimated completion date for this work is January 31, 2024.

### **OR140 EB & WB MP 56.92 to MP 58.75 (Klamath Falls)**

Effective June 19, 2023, this section of OR140 eastbound and westbound will be restricted to 16 feet 6 inches in height Monday through Friday between the hours of 6 AM & 7 PM. Loads over 16 feet 6 inches in height may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information. The estimated completion date for this work is January 31, 2024.

### **OR141 (Hall Blvd) off-ramp to OR217 SB (Beaverton)**

Effective January 15, 2024, the OR141 (Hall Boulevard) off-ramp to OR217 southbound will be closed at all hours. The estimated completion date for this work is March 17, 2024.

### **OR203/OR237 NB & SB MP 16.28 to MP 16.71 (Union)**

On Saturday, December 2, 2023, this section of OR203/OR237 northbound and southbound will be closed between the hours of 5 PM & 6:30 PM for a Christmas Parade.

### **OR204 EB & WB MP 40.38 to MP 40.84 (Elgin)**

On Saturday, December 9, 2023, this section of OR204 eastbound and westbound will be closed between the hours of 6 PM & 8 PM for the Elgin Light Parade.

### **OR213 NB & SB MP 7.25 to MP 8.45 (Portland)**

Effective January 31, 2024, this section of OR213 northbound and southbound will be intermittently restricted to 14 feet 00 inches in width at all hours. Mobile homes with eaves are allowed provided the base width does not exceed 14 feet 00 inches in width. Loads over 14 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information. The estimated completion date for this work is July 18, 2024.

### **OR213 NB & SB MP 7.25 to MP 8.45 (Portland)**

Effective October 25, 2023, this section of OR213 northbound and southbound will be intermittently restricted to 14 feet 00 inches in width at all hours. Mobile homes with eaves are allowed provided the base width does not exceed 14 feet 00 inches in width. Loads over 14 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information. The estimated completion date for this work is December 29, 2023.

### **OR213 NB & SB MP 7.25 to MP 8.45 (Portland)**

Effective December 13, 2023, this section of OR213 northbound and southbound will be intermittently restricted to 10 feet 00 inches in width at night between the hours of 7 PM & 7 AM. Loads over 10 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information. The estimated completion date for this work is February 16, 2024.

### **OR217 SB Exit 2B on- and off-ramps to/from Allen Blvd (Beaverton)**

Effective January 1, 2022, the OR217 southbound Exit 2B on- and off-ramps to/from Allen Boulevard will be intermittently restricted to 14 feet 00 inches in width at all hours. Loads over 14 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information. The estimated completion date for this project is **December 31, 2023**.

### **OR217 SB Exit 4A off-ramp to Hall Blvd (Beaverton)**

Effective January 24, 2022, the OR217 southbound Exit 4A off-ramp to Hall Boulevard will be intermittently restricted to 14 feet 00 inches in width at all hours. Loads over 14 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information. The estimated completion date for this project is **March 31, 2024**.

### **OR217 SB on-ramp from Hall Blvd (Beaverton)**

Effective January 19, 2022, the OR217 southbound on-ramp from Hall Boulevard will be intermittently restricted to 14 feet 00 inches in width at all hours. Loads over 14 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information. The estimated completion date for this project is **March 17, 2024**.

### **OR217 SB Exit 4B on- and off-ramps to/from OR210/Scholls Ferry Rd (Beaverton)**

Effective January 19, 2022, the OR217 southbound Exit 4B on- and off-ramps to/from OR210/Scholls Ferry Road will be intermittently restricted to 14 feet 00 inches in width at all hours. Loads over 14 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information. The estimated completion date for this project is **February 28, 2024**.

### **OR217 NB Exit 5 on-ramp from Greenburg Rd (Tigard)**

Effective **August 15, 2023**, the OR217 northbound Exit 5 on-ramp from Greenburg Road will be intermittently restricted to 14 feet 00 inches in width at all hours. Mobile homes with eaves are allowed provided the base width does not exceed 14 feet 00 inches in width. Loads over 14 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information. The estimated completion date for this work is November 30, 2023.

### **OR217 SB on-ramp from Greenburg Rd (Beaverton)**

Effective January 26, 2022, the OR217 southbound on-ramp from Greenburg Road will be intermittently restricted to 14 feet 00 inches in width at all hours. Loads over 14 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information. The estimated completion date for this project is **February 28, 2024**.

### **OR217 NB Exit 5 off-ramp to Greenburg Rd (Tigard)**

Effective November 4, 2022, the OR217 northbound Exit 5 off-ramp to Greenburg Road will be restricted to 14 feet 00 inches in width at all hours. Mobile homes with eaves are allowed provided the base width does not exceed 14 feet 00 inches in width. The estimated completion date for this work is **November 30, 2023**.

### **OR217 SB Exit 6 off-ramp to OR99W (Tigard)**

Effective November 4, 2022, the OR217 southbound Exit 6 off-ramp to OR99W will be restricted to 14 feet 00 inches in width at all hours. Mobile homes with eaves are allowed provided the base width does not exceed 14 feet 00 inches in width. The estimated completion date for this work is **November 30, 2023**.

### **OR410 EB & WB MP 0.50 to MP 0.76 (Sumpter)**

On Saturday, December 9, 2023, this section of OR410 eastbound and westbound will be closed between the hours of 4 PM & 6 PM for the Christmas Parade.

### **OR569 WB Exit 7A off-ramp to Prairie Rd (Eugene)**

Effective November 13, 2023, the OR569 westbound Exit 7A off-ramp to Prairie Road will be closed at all hours. The estimated completion date for this work is December 15, 2023.

### **OR569 WB on-ramp from Northwest Expressway (Eugene)**

Effective November 13, 2023, the OR569 westbound on-ramp from Northwest Expressway will be closed at all hours. The estimated completion date for this work is Decmebr 15, 2023.

## **Lifted Restrictions**

### **I-5 SB MP 187.89 to MP 174.76 (Cottage Grove)**

Effective October 6, 2023, this section of I-5 southbound will be intermittently restricted to 14 feet 00 inches in width at night between the hours of 8 PM & 6 AM. Mobile homes with eaves are allowed provided the base width does not exceed 14 feet 00 inches in width. Loads over 14 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information. The estimated completion date for this emergency work is October 8, 2023.

### **US30 (Main St) NB & SB MP 51.79 to MP 52.04 (Baker City)**

On Thursday, November 23, 2023, the section of US30 (Main St) between Broadway Street and Auburn Avenue will be closed for one day only between the hours of 8 AM & 11 AM for the 5K Turkey Trot.

## **OR7 (Main St) EB & WB MP 0.00 to MP 0.24 (Baker City)**

On Thursday, November 23, 2023, the section of OR7 (Main St) between Campbell Street and Broadway Street will be closed for one day only between the hours of 8 AM & 11 AM for the 5K Turkey Trot.

## **OR217 SB on-ramp from Allen Blvd (Beaverton)**

Effective **November 29, 2023**, the OR217 southbound on-ramp from Allen Boulevard will be closed at night between the hours of 9 PM & 5 AM. The estimated completion date for this work is **November 30, 2023**.

## **OR217 SB Exit 3 on- and off-ramps to/from Denney Rd (Beaverton)**

Effective **May 1, 2023**, the OR217 southbound Exit 3 on- and off-ramps to/from Denney Road will be closed at all hours. The estimated completion date for this work is **November 30, 2023**.

## **BRIDGE RESTRICTIONS**

### **Interstate Routes**

#### **I-5 MP 78.11 Speaker Rd crossing over I-5 (Canyonville)**

Effective March 12, 2021, Speaker Rd crossing over I-5 is restricted to 21,500 lbs. single axle; 43,000 lbs. tandem axle; Weight Table 3.

#### **I-5 MP 151.81 Wilson Rd crossing over I-5 (Yoncalla)**

Wilson Rd crossing over I-5 is restricted to the following weights: 20,000 lbs. single axle, 34,000 lbs. tandem axle, 105,500 lbs. GVW., Weight Table 2 for divisible loads; 21,500 lbs. single axle, 43,000 lbs. tandem axle, 98,000 lbs. GVW., Weight Table 3 for non-divisible loads.

#### **I-84 EB Exit 41 to Eagle Creek (Eagle Creek Bridge)**

Effective June 18, 2020, the I-84 EB Exit 41 ramp over Eagle Creek is restricted to 20,000 lbs. single axle, 34,000 lbs. tandem axle, 105,500 lbs. GVW, Weight Table 2. This restriction is NOT on the I-84 mainline.

#### **I-84 Frontage Road MP 253.45 (Five Points Creek - Hilgard)**

Effective September 29, 2022, the I-84 State Frontage Road crossing Five Points Creek on the the north side of the interstate is restricted to the following weights: 23 tons for Type 3 Vehicles (3 axle single-unit trucks); 23 tons for SU4 (4 axle single-unit trucks); 24 tons for SU5 (5 axle single-unit trucks); 26 tons for SU6 & SU7 (6 and 7 axle single-unit trucks); 40 tons for Type 3S2 (truck tractor/semitrailer); 40 tons for Type 3-3 (truck and trailer). This bridge is also restricted to the following weights: 20,000 lbs. single axle; 34,000 lbs. tandem axle; 80,000 lbs. GVW; Weight Table 1 for combinations. This bridge is NOT on the I-84 mainline.

#### **I-84 MP 280.53 McCause Rd crossing over I-84 (west of Baker City)**

Effective March 5, 2018, McCause Rd crossing over I-84 is restricted to 20,000 lbs. single axle, 34,000 lbs. tandem axle - 105,500 lbs. GVW, Weight Table 2 for divisible loads; 21,500 lbs. single axle, 43,000 lbs. tandem axle - 98,000 lbs. GVW, Weight Table 3 for non-divisible loads. Non-divisible loads exceeding these weights may cross the bridge if they stop traffic/straddle the centerline and are the only vehicle on the bridge when crossing. Certified flaggers are required to stop traffic.

#### **I-84 MP 291.65 Charles Green Ln crossing over I-84 (west of Baker City)**

Effective March 5, 2018, Charles Green Ln crossing over I-84 is restricted to 20,000 lbs. single axle, 34,000 lbs. tandem axle - 105,500 lbs. GVW, Weight Table 2 for divisible loads; 21,500 lbs. single axle, 43,000 lbs. tandem axle - 98,000 lbs. GVW, Weight Table 3 for non-divisible loads. Non-divisible loads



exceeding these weights may cross the bridge if they stop traffic/straddle the centerline and are the only vehicle on the bridge when crossing. Certified flaggers are required to stop traffic.

### **I-84 MP 295.67 Culley Ln crossing over I-84 (west of Baker City)**

Effective March 5, 2018, Culley Ln crossing over I-84 is restricted to 20,000 lbs. single axle, 34,000 lbs. tandem axle - 105,500 lbs. GVW, Weight Table 2 for divisible loads; 21,500 lbs. single axle, 43,000 lbs. tandem axle - 98,000 lbs. GVW, Weight Table 3 for non-divisible loads. Non-divisible loads exceeding these weights may cross the bridge if they stop traffic/straddle the centerline and are the only vehicle on the bridge when crossing. Certified flaggers are required to stop traffic.

### **I-405 MP 1.97 SW Taylor St crossing over I-405 (Portland)**

Effective June 18, 2020, SW Taylor Street crossing over I-405 is restricted to 20,000 lbs. single axle, 34,000 lbs. tandem axle, 105,500 GVW, Weight Table 2.

## **U.S. Routes**

### **US26 WB Connector Road to OR99W (Barbur Blvd) SB MP 0.58 (crossing US26 and Grover St - Portland)**

Effective September 29, 2022, the US26 WB State Connector Road crossing over US26 EB and Grover Street is restricted to the following weights: 36 tons for SU7 (7 axle single-unit trucks). This bridge is not on the US26 mainline.

### **US26 MP 8.22 (Little Humbug Creek Bridge - Necanicum Jct)**

Effective October 23, 2020, US26 crossing Little Humbug Creek Bridge at MP 8.22 is restricted to the following weights: 28 tons for SU5 vehicles (5 axle single-unit trucks); 29 tons for SU6 vehicles (6 axle single-unit trucks); 31 tons for SU7 (7 axle single-unit trucks).

### **US26 MP 115.58 (North Unit Canal Bridge - Madras)**

Effective February 5, 2019, US26 crossing North Unit Canal Bridge at MP 115.58 is restricted to the following weights: 30 tons for SU5 vehicles (5 axle single-unit trucks); 33 tons for SU6 vehicles (6 axle single-unit trucks); 36 tons for SU7 (7 axle single-unit trucks).

### **US30 (Historic Columbia River Hwy) MP 0.03 (Sandy River Bridge - Troutdale)**

Effective September 29, 2022, US30 (Historic Columbia River Highway) crossing the Sandy River Bridge is restricted to the following weights: 20 tons for Type 3 Vehicles (3 axle single-unit trucks); 20 tons for SU4, SU5, SU6 & SU7 (4 to 7 axle single-unit trucks); 24 tons for Type 3S2 (truck tractor/semitrailer) and Type 3-3 (truck and trailer). This bridge is also restricted to the following weights: 20,000 lbs. single axle; 34,000 lbs. tandem axle; 80,000 lbs. GVW; Weight Table 1 for combinations.

### **US30 (Historic Columbia River Hwy) MP 11.93 (Latourell Creek Bridge - east of Corbett)**

Effective June 18, 2020, US30 (Historic Columbia River Hwy) crossing Latourell Creek Bridge at MP 11.93 is restricted to the following weights: 27 tons for SU5 (5 axle single-unit truck); 28 tons for SU6 & SU7 vehicles (6 and 7 axle single-unit trucks).

### **US30 (Historic Columbia River Hwy) MP 13.14 (Shepperd's Dell Bridge)**

Effective September 29, 2022, US30 (Historic Columbia River Hwy) crossing Youngs Creek (Shepperd's Dell) Bridge is restricted to the following weights: 18 tons for Type 3 Vehicles (3 axle single-unit trucks); 17 tons for SU4 (4 axle single-unit trucks); 19 tons for SU5, SU6 & SU7 (5 to 7 axle single-unit trucks); 28 tons for Type 3S2 (truck tractor/semitrailer); 35 tons for Type 3-3 (truck and trailer). This bridge is also restricted to the following weights: 20,000 lbs. single axle; 34,000 lbs. tandem axle; 80,000 lbs. GVW; Weight Table 1 for combinations.

### **US30 (Historic Columbia River Hwy) MP 17.68 (West Multnomah Falls Bridge)**

Effective March 12, 2021, US30 (Historic Columbia River Hwy) crossing West Multnomah Falls Bridge is restricted to 11 tons for all vehicles.

### **US30 (Historic Columbia River Hwy) MP 18.21 (East Multnomah Falls Bridge)**

Effective March 12, 2021, US30 (Historic Columbia River Hwy) crossing East Multnomah Falls Bridge is restricted to 20,000 lbs. single axle; 34,000 lbs. tandem axle; Weight Table 2.

### **US30 (Historic Columbia River Hwy) MP 20.39 (Horsetail Creek Bridge)**

US30 (Historic Columbia River Hwy) crossing Horsetail Creek Bridge is restricted to 20,000 lbs. single axle, 34,000 lbs. tandem axle, Weight Table 1.

### **US30 MP 23.15 (Honeyman Creek Bridge - west of Scappoose)**

Effective June 9, 2020, US30 crossing the Honeyman Creek Bridge at MP 23.15 is restricted to 16 tons on the inside and center lanes. Loads exceeding 16 tons must use the right lane on the bridge when crossing.

### **US30 MP 30.42 (Bridge of the Gods - Cascade Locks)**

Effective September 29, 2022, Bridge of the Gods at US30 MP 30.42 is restricted to the following weights: 25 tons Type 3 Vehicles (3 axle single-unit trucks); 25 tons SU4 (4 axle single-unit trucks); 27 tons SU5 & SU6 (5 and 6 axle single-unit trucks); 28 tons SU7 (7 axle single-unit trucks); 40 tons Type 3S2 (truck tractor/semitrailer); 40 tons Type 3-3 (truck and trailer). This bridge is also restricted to the following weights: 20,000 lbs. single axle; 34,000 lbs. tandem axle; 80,000 lbs. GVW; Weight Table 1 for combinations. This bridge belongs to the Port of Cascade Locks.

### **US30 OR/WA Border at Rainier (Lewis & Clark Bridge)**

The Columbia River (Lewis & Clark) Bridge between Rainier, OR and Longview, WA is restricted to 21,500 lbs. per axle, no gross weight restriction. Contact the State of Washington at (360) 704-6340 for current information regarding size restrictions for this bridge.

### **US30 (Historic Columbia River Hwy) MP 57.28 (Rock Creek Bridge - Mosier)**

Effective December 17, 2019, US30 (Historic Columbia River Hwy) crossing Rock Creek Bridge at MP 57.28 is restricted to the following weights: 29 tons for SU5 vehicles (5 axle single-unit trucks); 31 tons for SU6 vehicles (6 axle single-unit trucks); 34 tons for SU7 (7 axle single-unit trucks).

### **US30 (Historic Columbia River Hwy) MP 57.84 (Mosier Creek Bridge - Mosier)**

Effective December 17, 2019, US30 (Historic Columbia River Hwy) crossing Mosier Creek Bridge at MP 57.28 is restricted to the following weights: 36 tons for SU7 (7 axle single-unit trucks).

### **US101 MP 0.00 to MP 3.33 (Astoria-Megler/Columbia River Bridge - Astoria)**

Effective September 19, 2021, US101 crossing the Astoria-Megler/Columbia River Bridge is restricted to the following weights for non-divisible loads: 21,500 lbs. single axle, 43,000 lbs. tandem axle, 204,800 lbs. GVW, other group axle weights shown in Weight Table 4; 24,000 lbs. single axle, 48,000 lbs. tandem axle, 174,400 GVW, other group axle weights shows in Weight Table 5 (requires minimum of 9 axles and 4 consecutive sets of tandem axles to qualify for Weight Table 5). The estimated completion date for this project is November 30, 2024.

### **US101 Business MP 4.78 (Lewis & Clark River Bridge - Astoria)**

US101 Business crossing Lewis & Clark River Bridge is restricted to 20,000 lbs. single axle, 34,000 lbs.

tandem axle, 80,000 lbs. GVW, Weight Table 1.

### **US101 Business MP 6.89 (Old Youngs Bay Bridge - Astoria)**

Effective July 1, 2020, US101 Business crossing the Old Youngs Bay Bridge is restricted to the following weights: 25 tons SU4 & SU5 (4 and 5 axle single unit trucks); 26 tons SU6 & SU7 (6 and 7 axle single-unit trucks); 20,000 single axle, 34,000 lbs. tandem axle, 80,000 lbs. GVW., Weight Table 1 for combinations.

### **US101 MP 77.53 (West Beaver Creek Bridge - Beaver)**

Effective October 23, 2020, US101 crossing West Beaver Creek Bridge at MP 77.53 is restricted to the following weights: 28 tons for SU5 vehicles (5 axle single-unit trucks); 29 tons for SU6 vehicles (6 axle single-unit trucks); 30 tons for SU7 (7 axle single-unit trucks).

### **US101 MP 79.61 (Beaver Creek Bridge - Beaver)**

Effective January 4, 2019, US101 crossing Beaver Creek Bridge at MP 76.61 is restricted to the following weights: 28 tons for SU5 vehicles (5 axle single-unit trucks); 29 tons for SU6 vehicles (6 axle single-unit trucks); 30 tons for SU7 (7 axle single-unit trucks).

### **US101 MP 80.32 (Beaver Creek Bridge - Beaver)**

Effective September 29, 2022, US101 crossing Beaver Creek Bridge at MP 80.32 is restricted to the following weights: 26 tons for SU5 & SU6 (5 to 6-axle single-unit trucks); 27 tons SU7 (7 axle-single-unit trucks). This bridge is also restricted to the following weights: 20,000 lbs. single axle; 34,000 lbs. tandem axle; 80,000 lbs. GVW; Weight Table 1 for combinations.

### **US101 MP 141.67 (Yaquina Bay Bridge - Newport)**

Effective March 1, 2013, the Yaquina Bay Bridge in Newport is restricted to 20,000 lbs. single axle, 34,000 lbs. tandem axle - 105,500 lbs. GVW, Weight Table 2 for divisible loads; 21,500 lbs. single axle, 43,000 lbs. tandem axle - 98,000 lbs. GVW, Weight Table 3 for non-divisible loads. Non-divisible loads exceeding these weights (up to Weight Table 5) may cross the bridge if they stop traffic/straddle the centerline and are the only vehicle on the bridge when crossing. Certified flaggers are required to stop both northbound and southbound traffic. The rolling stop method is not allowed.

### **US101 MP 190.98 (Siuslaw River Bridge - Florence)**

Effective March 17, 2003, the Siuslaw River Bridge is restricted to 20,000 lbs. single axle, 34,000 lbs. tandem axle, 105,500 lbs. GVW., Weight Table 2 for divisible loads; 21,500 lbs. single axle, 43,000 lbs. tandem axle - 98,000 lbs. GVW. Weight Table 3 for non-divisible loads.

### **US101 MP 311.40 (Reinhart Creek Bridge - south of Port Orford)**

Effective March 1, 2017, US101 crossing the Reinhart Creek Bridge is restricted to 20,000 lbs. single axle, 34,000 lbs. tandem axle - 105,500 lbs. GVW, Weight Table 2 for divisible loads; 21,500 lbs. single axle, 43,000 lbs. tandem axle - 98,000 lbs. GVW, Weight Table 3 for non-divisible loads. Non-divisible loads exceeding these weights may cross the bridge if they stop oncoming traffic and straddle the centerline. Certified flaggers are required to stop oncoming traffic.

### **US101 MP 326.47 (Connector Road Bridge - Gold Beach)**

Effective January 14, 2019, US101 crossing Connector Road Bridge at MP 326.47 is restricted to the following weights: 28 tons for SU5 vehicles (5 axle single-unit trucks); 29 tons for SU6 vehicles (6 axle single-unit trucks); 32 tons for SU7 vehicles (7 axle single-unit trucks).

## **OR Routes**

### **OR22 MP 1.47 (Cedar Creek Bridge - west of Dolph)**

Effective January 4, 2019, OR22 crossing Cedar Creek Bridge at MP 1.47 is restricted to the following weights: 29 tons for SU5 and SU6 vehicles (5 and 6 axle single-unit trucks); 31 tons for SU7 (7 axle single-unit trucks).

### **OR22 MP 5.81 (Alder Creek Bridge - west of Dolph)**

Effective January 4, 2019, OR22 crossing Alder Creek Bridge at MP 5.81 is restricted to the following weights: 29 tons for SU5 and SU6 vehicles (5 and 6 axle single-unit trucks); 31 tons for SU7 (7 axle single-unit trucks).

### **OR22 MP 7.19 (Buck Creek Bridge - west of Dolph)**

Effective January 4, 2019, OR22 crossing Buck Creek Bridge at MP 7.19 is restricted to the following weights: 29 tons for SU5 and SU6 vehicles (5 and 6 axle single-unit trucks); 34 tons for SU7 (7 axle single-unit trucks).

### **OR22 MP 7.32 (Alder Creek Bridge - west of Dolph)**

Effective January 4, 2019, OR22 crossing Alder Creek Bridge at MP 7.32 is restricted to the following weights: 30 tons for SU5 vehicles (5 axle single-unit trucks); 33 tons for SU6 vehicles (6 axle single-unit trucks); 36 tons for SU7 (7 axle single-unit trucks).

### **OR22 MP 10.49 (Louie Creek Bridge - Dolph)**

OR22 crossing Louie Creek Bridge is restricted to 21,500 lbs. single axle, 43,000 lbs. tandem axle, Weight Table 3 only.

### **OR22 MP 10.66 (Louie Creek Bridge - Dolph)**

OR22 crossing Louie Creek Bridge is restricted to 21,500 lbs. single axle, 43,000 lbs. tandem axle, Weight Table 3 only.

### **OR27 MP 1.90 (Irrigation Ditch - Prineville)**

Effective September 29, 2022, OR27 crossing Irrigation Ditch at MP 1.90 is restricted to the following weights: 19 tons for Type 3 Vehicles (3 axle single-unit trucks); 17 tons for SU4 & SU5 (4 and 5 axle single-unit trucks); 18 tons for SU6 (6 axle single-unit trucks); 19 tons for SU7 (7 axle single-unit trucks); 27 tons Type 3S2 (truck tractor/semitrailer); 36 tons Type 3-3 (truck and trailer). This bridge is also restricted to the following weights: 20,000 lbs. single axle; 34,000 lbs. tandem axle; 80,000 lbs. GVW; Weight Table 1 for combinations.

### **OR27 MP 2.88 (Irrigation Ditch - Prineville)**

Effective September 29, 2022, OR27 crossing Irrigation Ditch at MP 2.88 is restricted to the following weights: 19 tons for Type 3 Vehicles (3 axle single-unit trucks); 17 tons for SU4 & SU5 (4 and 5 axle single-unit trucks); 18 tons for SU6 (6 axle single-unit trucks); 19 tons for SU7 (7 axle single-unit trucks); 27 tons Type 3S2 (truck tractor/semitrailer); 36 tons Type 3-3 (truck and trailer). This bridge is also restricted to the following weights: 20,000 lbs. single axle; 34,000 lbs. tandem axle; 80,000 lbs. GVW; Weight Table 1 for combinations.

### **OR27 MP 4.62 (Irrigation Ditch - Prineville)**

Effective September 29, 2022, OR27 crossing Irrigation Ditch at MP 4.62 is restricted to the following weights: 19 tons for Type 3 Vehicles (3 axle single-unit trucks); 17 tons for SU4 & SU5 (4 and 5 axle single-unit trucks); 18 tons for SU6 (6 axle single-unit trucks); 19 tons for SU7 (7 axle single-unit trucks); 27 tons Type 3S2 (truck tractor/semitrailer); 36 tons Type 3-3 (truck and trailer). This bridge is also restricted to the following weights: 20,000 lbs. single axle; 34,000 lbs. tandem axle; 80,000 lbs. GVW; Weight Table 1 for combinations.

### **OR27 MP 27.23 (Bear Creek Bridge - south of Prineville)**

Effective May 27, 2021, OR27 crossing Bear Creek Bridge is restricted to the following weights: 34 tons for SU6 vehicles (6 axle single-unit trucks); 35 tons for SU7 (7 axle single-unit trucks).

### **OR35 (I-84 Connector Road) crossing Columbia River (White Salmon Bridge - Hood River)**

Effective September 29, 2022, OR35/I-84 State Connector Road crossing the Columbia River on White Salmon Bridge is restricted to the following weights: 24 tons for Type 3 Vehicles (3 axle single-unit trucks); 22 tons for SU4 (4 axle single-unit trucks); 24 tons for SU5 (5 axle single-unit trucks); 25 tons for SU6 & SU7 (6 and 7 axle single-unit trucks); 32 tons for Type 3S2 (truck tractor/semitrailer) & Type 3-3 (truck and trailer). This bridge is also restricted to the following weights: 20,000 lbs. single axle; 34,000 lbs. tandem axles; 80,000 lbs. GVW; Weight Table 1 for combinations. This bridge belongs to Port of Hood River.

### **OR43 MP 11.43 (Willamette River Arch Bridge - Oregon City)**

Effective September 29, 2022, OR43 crossing the Willamette River Arch Bridge is restricted to the following weights: 25 tons for Type 3 Vehicles (3 axle single-unit trucks); 23 tons for SU4 (4 axle single-unit trucks); 25 tons for SU5 (5 axle single-unit trucks); 26 tons for SU6 & SU7 (6 and 7 axle single-unit trucks); 40 tons Type 3S2 (truck tractor/semitrailer); 40 tons for Type 3-3 (truck and trailer). This bridge is also restricted to the following weights: 20,000 lbs. single axle; 34,000 lbs. tandem axle; 80,000 lbs. GVW; Weight Table 1 for combinations.

### **OR47 MP 61.28 (Nehalem River Bridge - Vernonia)**

Effective September 29, 2022, OR47 crossing Nehalem River Bridge at MP 61.28 is restricted to the following weights: 23 tons for SU4 (4 axle single-unit trucks); 26 tons for SU5 (5 axle single-unit trucks); 29 tons for SU6 & SU7 (6 and 7 axle single-unit trucks). This bridge is also restricted to the following weights: 20,000 lbs. single axle; 34,000 lbs. tandem axle; 105,500 lbs. GVW; Weight Table 2 for combinations. Non-divisible loads exceeding these weights may cross the bridge if they stop traffic/straddle the centerline and are the only vehicle on the bridge when crossing. Certified flaggers are required to stop traffic. The rolling stop method is not allowed.

### **OR47 MP 64.60 (Beaver Creek Bridge - south of Vernonia)**

Effective September 23, 2019, OR47 crossing Beaver Creek Bridge at MP 64.60 is restricted to the following weights: 31 tons for SU6 vehicles (6 axle single-unit trucks); 32 tons for SU7 (7 axle single-unit trucks).

### **OR47 MP 86.34 (West Fork Dairy Creek Bridge - north of Forest Grove)**

Effective March 21, 2022, OR47 crossing West Fork Dairy Creek Bridge at MP 86.34 is restricted to the following weights: 28 tons for SU5 & SU6 (5 and 6 axle single-unit trucks); 29 tons for SU7 (7 axle single-unit trucks).

### **OR53 MP 5.98 (Jack Horner Creek Bridge)**

Effective September 23, 2019, OR53 crossing Jack Horner Creek Bridge at MP 5.98 is restricted to the following weights: 26 tons for SU4 (4 axle single-unit trucks); 29 tons for SU5 and SU6 vehicles (5 and 6 axle single-unit trucks); 31 tons for SU7 (7 axle single-unit trucks).

### **OR53 MP 17.76 NB & SB (Nehalem River Bridge - Nehalem)**

Effective May 27, 2021, OR53 crossing Nehalem River Bridge is restricted to 20,000 single axle, 34,000 lbs. tandem axle, 105,500 lbs. GVW, Weight Table 2 for combinations; 34 tons for SU7 (7 axle single-unit trucks).

### **OR86 MP 40.64 (Eagle Creek Bridge - Richland)**

Effective October 20, 2016, all single-trip permit holders over continuous trip permit weights must stop all traffic, straddle centerline, and be the only vehicle on bridge when crossing.

### **OR99W MP -0.36 (Steel Bridge - Portland)**

Effective October 28, 2019, OR99W crossing the Steel Bridge in Portland is restricted to the following weights: 20,000 lbs. single axle, 34,000 lbs. tandem axle, Weight Table 2 & for Non-Divisible Loads 21,500 lbs. single axle, 43,000 lbs. tandem axle, 98,000 lbs. GVW, Weight Table 3.

### **OR99 SB MP -0.13 (Rogue River Bridge - Grants Pass)**

Effective March 24, 2021, the Rogue River (Caveman) Bridge is restricted to Weight Table 3 weights. All single-trip permits over Weight Table 3 must stop traffic, straddle centerline, and be the only vehicle on the bridge when crossing.

### **OR99W (Pacific Hwy) MP 1.41 (Arthur Street Bridge - Portland)**

OR99W crossing Arthur Street Bridge at MP 1.41 is restricted to the following weights: 33 tons for SU6 (6 axle single-unit trucks); and 34 tons for SU7 (7 axle single-unit trucks).

### **OR99W MP 3.25 (Newbury St Viaduct - Portland)**

Effective September 29, 2022, OR99W crossing over Newbury Street Viaduct at MP 3.25 is restricted to the following weights: 20 tons for Type 3 vehicles (3 axle single-unit trucks); 18 tons for SU4 (4 axle single-unit trucks); 20 tons for SU5 (5 axle single-unit trucks); 23 tons for SU6 & SU7 (6 and 7 axle single-unit trucks); 30 tons for Type 3S2 (truck tractor/semitrailer); 40 tons for Type 3-3 (truck and trailer). This bridge is also restricted to the following weights: 20,000 lbs. single axle; 34,000 lbs. tandem axle; 80,000 lbs. GVW; Weight Table 1 for combinations.

### **OR99 MP 14.39 (Wagner Creek Bridge - Talent)**

Effective September 29, 2022, OR99 crossing Wagner Creek Bridge is restricted to the following weights: 21 tons for Type 3 Vehicles (3 axle single-unit trucks); 19 tons SU4 (4 axle single-unit trucks); 20 tons for SU5 & SU6 (5 and 6 axle single-unit trucks); 22 tons for SU7 (7 axle single-unit trucks); 31 tons Type 3S2 (truck tractor/semitrailer); 40 tons Type 3-3 (truck and trailer). This bridge is also restricted to the following weights: 20,000 lbs. single axle; 34,000 lbs. tandem axle; 80,000 lbs. GVW; Weight Table 1 for combinations.

### **OR99E MP 29.09 (Willamette River Bridge - Harrisburg)**

Effective March 20, 2023, OR99E crossing the Willamette River Bridge at Harrisburg is restricted to the following weights: 36 tons SU7 (7 axle single-unit trucks); 20,000 lbs. single axle, 34,000 lbs. tandem axle, 105,500 GVW, Weight Table 2.

### **OR104 Spur MP 4.62 (Skipanon River Bridge - Warrenton)**

Effective September 29, 2022, OR104 Spur crossing the Skipanon River Bridge is restricted to 19 tons for Type 3 Vehicles (3 axle single-unit trucks); 28 tons for Type 3S2 (truck tractor/ semitrailer) and 32 tons for Type 3-3 (truck and trailer). This bridge is also restricted to the following weights: 20,000 lbs. single axle; 34,000 lbs. tandem axle; 80,000 lbs. GVW; Weight Table 1 for combinations.

### **OR120 (Swift Hwy / Portland Rd) MP 0.38 (Columbia Slough Bridge - Portland)**

Effective September 29, 2022, OR120 (Swift Hwy / Portland Rd) crossing Columbia Slough Bridge is restricted to the following weights: 18 tons Type 3 Vehicles (3 axle single-unit trucks); 18 tons SU4, SU5, SU6, & SU7 (4 to 7 axle single-unit trucks); 28 tons Type 3S2 (truck tractor/ semitrailer); 35 tons Type 3-3 (truck and trailer). This bridge is also restricted to the following weights: 20,000 lbs. single axle; 34,000 lbs. tandem axle; 80,000 lbs. GVW; Weight Table 1 for combinations.

### **OR126 Right-of-Way MP 15.19 (Knowles Creek Bridge, east of Mapleton)**

Effective December 1, 2015, all vehicles must be centered on the bridge when crossing. This bridge is NOT on the OR126 mainline.

### **OR130 (Little Nestucca Hwy) MP 3.23 (Panther Creek Bridge)**

Effective March 17, 2022, OR130 (Little Nestucca Hwy) crossing Panther Creek Bridge at MP 3.23 is restricted to the following weights: 23 tons for SU4 vehicles (4 axle single-unit trucks); 25 tons for SU5 & SU6 vehicles (5 and 6 axle single-unit trucks); 29 tons for SU7 (7 axle single-unit trucks).

### **OR130 (Little Nestucca Hwy) MP 3.60 (Squaw Creek Bridge)**

Effective October 23, 2020, OR130 crossing Squaw Creek Bridge at MP 3.60 is restricted to the following weights: 25 tons for SU4 vehicles (4 axle single-unit trucks); 26 tons for SU5 and SU6 vehicles (5 and 6 axle single-unit trucks); 29 tons for SU7 (7 axle single-unit trucks).

### **OR130 (Little Nestucca Hwy) MP 3.82 (Austin Creek Bridge)**

OR130 (Little Nestucca Hwy) crossing Austin Creek Bridge is restricted to 20,000 lbs. single axle, 34,000 lbs. tandem axle, 105,500 lbs. GVW., Weight Table 2.

### **OR130 (Little Nestucca Hwy) MP 4.15 (Little Nestucca River Bridge)**

Effective July 18, 2022, OR130 (Little Nestucca Hwy) crossing Little Nestucca River Bridge at MP 4.15 is restricted to the following weights: 23 tons for SU4 (4 axle single-unit trucks), 25 tons for SU5 (5 axle single-unit trucks), 27 tons for SU6 & SU7 (6 and 7 axle single-unit trucks).

### **OR130 (Little Nestucca Hwy) MP 4.76 (Bear Creek Bridge)**

OR130 (Little Nestucca Hwy) crossing Bear Creek Bridge is restricted to 20,000 lbs. single axle, 34,000 lbs. tandem axle, 105,500 lbs. GVW., Weight Table 2.

### **OR164 (Jefferson Hwy) MP 6.24 (Santiam River Bridge - Jefferson)**

OR164 crossing the Santiam River Bridge is restricted to 20,000 lbs. single axle, 34,000 lbs. tandem axle, 105,500 lbs. GVW. Weight Table 2 for divisible loads; 21,500 lbs. single axle, 43,000 lbs. tandem axle, 98,000 lbs. GVW., Weight Table 3 for non-divisible loads.

### **OR219 MP 23.46 (Willamette River Bridge - south of Newberg)**

OR219 crossing Willamette River Bridge is restricted to 20,000 lbs. single axle, 34,000 lbs. tandem axle, 105,500 lbs. GVW., Weight Table 2 for divisible loads; 21,500 lbs. single axle, 43,000 lbs. tandem axle, 98,000 lbs. GVW., Weight Table 3 for non-divisible loads.

### **OR223 MP 10.11 (Little Luckiamute River Bridge - south of Dallas)**

Effective November 29, 2018, OR223 crossing Little Luckiamute River Bridge at MP 10.11 is restricted to the following weights: 28 tons for SU5 and SU6 vehicles (5 and 6 axle single-unit trucks); 29 tons for SU7 (7 axle single-unit trucks).

### **OR224 MP 49.91 (Clackamas River Bridge - Ripplebrook)**

Effective October 28, 2019, OR224 crossing Clackamas River Bridge at MP 49.91 is restricted to the following weights: 28 tons for SU5 and SU6 vehicles (5 and 6 axle single-unit trucks); 29 tons for SU7 (7 axle single-unit trucks).

### **OR245 MP 3.42 (Burnt River Bridge - Unity Dam)**

Effective September 29, 2022, OR245 crossing Burnt River Bridge is restricted to the following weights: 23 tons for SU4 (4 axle single-unit trucks); 24 tons for SU5 & SU6 (5 and 6 axle single-unit trucks); 28 tons for SU7 (7 axle single-unit trucks). This bridge is also restricted to the following weights: 20,000 lbs. single axle; 34,000 lbs. tandem axle; 105,500 lbs. GVW; Weight Table 2 for combinations.

### **OR281 MP 12.90 (E Fork Hood River Bridge - Dee)**

Effective March 26, 2021, OR281 crossing E Fork Hood River Bridge is restricted to 20,000 lbs. single axle, 34,000 lbs. tandem axle, 105,500 lbs. GVW, Weight Table 2 for combinations; 36 tons for SU7 vehicles.

### **OR339 (Freewater Hwy) MP 3.16 (East Fork Little Walla Walla River Bridge - Milton-Freewater)**

OR339 (Freewater Hwy) crossing East Fork Little Walla Walla River Bridge is restricted to 21,500 lbs. single axle, 43,000 lbs. tandem axle, 60,000 lbs. tri-axle, Weight Table 4.

### **OR339 (Freewater Hwy) MP 3.31 (West Fork Little Walla Walla River Bridge - Milton-Freewater)**

OR339 (Freewater Hwy) crossing West Fork Little Walla Walla River Bridge is restricted to 21,500 lbs. single axle, 43,000 lbs. tandem axle, 60,000 lbs. tri-axle, Weight Table 4.

### **OR501 MP 0.10 (North Fork Alsea River Bridge - Alsea)**

Effective February 24, 2022, OR501 crossing the North Fork Alsea River Bridge is restricted to 33 tons for SU7 (7 axle single-unit trucks).