

Road Restrictions 3/22/2019

The Highway Restriction Notice Form has been updated [Click here for more information.](#)

There are 225 restrictions.

ROAD RESTRICTIONS

Interstate Routes

I-5 NB MP 112.64 to MP 117.74 (Roseburg)

Effective March 1, 2019, this section of I-5 northbound will be restricted to 14 feet 00 inches in width Sunday through Thursday nights between the hours of 7 PM & 7 AM. Loads wider than 14 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information.

I-5 SB MP 117.74 to MP 112.64 (Roseburg)

Effective February 28, 2019, this section of I-5 southbound will be restricted to 14 feet 00 inches in width Sunday through Thursday nights between the hours of 7 PM & 7 AM. Loads wider than 14 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information.

I-5 NB MP 230.00 to MP 230.50 (Albany)

Effective February 24, 2019, this section of I-5 northbound will be restricted to 17 feet 00 inches in width between the hours of 9 PM & 5:30 AM.

I-5 NB MP 230.00 to MP 230.50 (Albany)

Effective February 24, 2019, this section of I-5 northbound will be restricted to 16 feet 05 inches in height between the hours of 9 PM & 5:30 AM.

I-5 NB & SB Exit 253 on- and off-ramps to/from OR22 (Salem)

Effective March 20, 2019, the I-5 NB & SB Exit 253 on- and off-ramps to/from OR22 will be intermittently closed Sunday to Thursday nights between the hours of 9 PM & 5 AM.

I-5 NB & SB Exit 256 on- and off-ramps to/from Market St (Salem)

Effective March 4, 2019, the I-5 NB & SB Exit 256 on- and off-ramps to/from Market St will be intermittently closed Sunday to Thursday nights between the hours of 10 PM & 5 AM.

I-5 NB & SB Exit 258 on- and off-ramps to/from OR99E (Salem)

Effective **March 18, 2019**, the I-5 NB & SB Exit 258 on- and off-ramps to/from OR99E will be intermittently closed Sunday to Thursday nights between the hours of 9 PM & 5 AM.

I-5 NB Exit 260 (Salem)

Effective **April 18, 2019**, this section of I-5 northbound under Chemawa Rd at MP 260.20 will be restricted to 17 feet 03 inches in height between the hours of 11 PM & 4 AM.

I-5 NB & SB Exit 289 on- and off-ramps to/from Nyberg St (Tualatin)

Effective July 12, 2018, the I-5 NB & SB Exit 289 on- and off-ramps to/from Nyberg St will be intermittently closed per the following schedule: Sunday to Thursday nights from 10 PM to 5 AM; Friday nights from 11 PM to 7 AM; Saturday nights from 11 PM to 8 AM.

I-5 NB & SB Exit 290 on- and off-ramps to/from Lower Boones Ferry Rd (Tualatin)

Effective July 12, 2018, the I-5 NB & SB Exit 290 on- and off-ramps to/from Lower Boones Ferry Rd will be intermittently closed per the following schedule: Sunday to Thursday nights from 10 PM to 5 AM; Friday nights from 11 PM to 7 AM; Saturday nights from 11 PM to 8 AM.

I-5 NB Exit 300 to I-84 EB (Portland)

Effective February 1, 2019, the I-5 northbound off-ramp to I-84 eastbound will be restricted to 12 feet 00 inches in width Sunday through Thursday nights between the hours of 10 PM & 5 AM; Friday and Saturday nights between the hours of 10 PM & 7 AM. Loads wider than 12 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information.

I-5 NB Exit 300 to I-84 EB (Portland)

Effective February 1, 2019, the I-5 northbound off-ramp to I-84 eastbound will be restricted to 15 feet 00 inches in height Sunday through Thursday nights between the hours of 10 PM & 5 AM; Friday and Saturday nights between the hours of 10 PM & 7 AM.

I-5 NB Exit 300 to I-84 EB (Portland) -- NEW --

Effective April 11, 2019, the I-5 northbound off-ramp to I-84 eastbound will be closed Sunday through Thursday nights between the hours of 10 PM & 5 AM; Friday and Saturday nights between the hours of 10 PM & 7 AM. The estimated completion date for this project is April 18, 2019.

I-5 NB on-ramp from Morrison Bridge (Portland)

Effective May 28, 2019 the I-5 northbound on-ramp from Morrison Bridge will be closed between the hours of 9 PM & 5 AM.

I-5 NB MP 301.50 (Portland)

Effective March 31, 2019, this section of I-5 northbound will be restricted to 14 feet 00 inches in width Sunday through Friday nights between the hours of 9 PM & 5 AM. Loads wider than 14 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information.

I-5 SB Exit 300B (Portland)

Effective April 3, 2019, the I-5 southbound Exit 300B off-ramp will be closed between the hours of 9 PM & 5 AM.

I-5 SB exit 300B to US26/OR99E/OMSI/Belmont St/Morrison St (Portland)

Effective May 28, 2019 the I-5 southbound Exit 300B off-ramp to US26/OR99E/OMSI/Belmont St/Morrison St will be closed between the hours of 9 PM & 5 AM.

I-5 SB Exit 301 to I-84 EB (Portland)

Effective September 20, 2018, the I-5 southbound off-ramp to I-84 eastbound will be closed Monday through

Thursday nights between the hours of 10 PM & 5 AM. In addition, starting Friday nights at 10 PM, this ramp will be closed at all hours, until 5 AM Monday mornings.

I-5 SB Exit 301 to I-84 EB (Portland)

Effective April 1, 2019, the I-5 southbound Exit 301 off-ramp to I-84 eastbound will be closed Monday through Thursday nights between 9 PM & 5 AM.

I-5 NB & SB MP 302.70 to MP 304.00 (Portland)

Effective March 7, 2019, this section of I-5 northbound and southbound will be restricted to 13 feet 00 inches in width Sunday through Thursday nights between the hours of 10 PM and 5:00 AM; and Friday and Saturday nights between the hours of 10 PM & 1/2 hour before sunrise.

I-5 NB MP 302.70 to MP 303.30 (Portland)

Effective March 24, 2019, this section of I-5 northbound will be restricted to 13 feet 00 inches in width between the hours of 9 PM & 5 AM. Loads wider than 13 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information.

I-5 NB Exit 302C off-ramp to Greeley Ave (Portland)

Effective March 24, 2019, the I-5 northbound Exit 302C off-ramp to Greeley Ave will be intermittently closed between the hours of 10 PM & 5 AM.

I-5 NB MP 303.04 to MP 303.15 (Portland)

Effective March 24, 2019, this section of I-5 northbound will be restricted to 15 feet 07 inches in height between the hours of 9 PM & 5 AM. Loads higher than 15 feet 07 inches may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information.

I-5 NB & SB MP 303 to MP 303.30 (Portland)

Effective March 24, 2019, this section of I-5 northbound and southbound will be restricted to 14 feet 00 inches in width between the hours of 9 PM & 5 AM. Loads wider than 14 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information.

I-5 SB on-ramp from Greeley Ave (Portland)

Effective March 24, 2019, the I-5 southbound on-ramp from Greeley Ave will be intermittently closed between the hours of 10 PM & 5 AM.

I-5 NB MP 303.15 to MP 303.98 (Portland)

Effective March 7, 2019, I-5 northbound will be restricted to 15 feet 06 inches in height Sunday through Thursday nights between the hours of 10 PM and 5:00 AM; and Friday and Saturday nights between the hours of 10 PM & 1/2 hour before sunrise.

I-5 NB MP 303.15 (Portland)

Effective March 24, 2019, this section of I-5 northbound will be restricted to 15 feet 07 inches in height between the hours of 9 PM & 5 AM. Loads higher than 15 feet 07 inches may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information.

I-5 SB MP 303.16 (Portland)

Effective March 24, 2019, this section of I-5 southbound will be restricted to 15 feet 08 inches in height between the hours of 9 PM & 5 AM. Loads higher than 15 feet 08 inches may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information.

I-5 SB Exit 302B to I-405 SB (Portland)

Effective April 8, 2019, the I-5 southbound exit 302B off-ramp to I-405 southbound will be restricted to 13 feet 00 inches in width Sunday through Thursday nights between the hours of 9 PM & 5 AM, Friday nights between the hours of 9 PM & 7 AM, and Saturday nights between the hours of 9 PM & 1/2 hour before sunrise.

I-5 NB & SB Exit 303 (Swan Island/N Going St - Portland)

Effective July 23, 2018, the I-5 northbound and southbound on/off ramps (Exit 303) will be intermittently closed Sunday through Saturday nights between the hours of 9 PM & 5 AM.

I-5 SB on-ramp from N Going St (Portland)

Effective March 27, 2019, the I-5 southbound on-ramp from N Going St will be intermittently closed Sunday through Thursday nights between the hours of 9 PM & 5 AM, Friday nights between the hours of 9 PM & 7 AM, and Saturday nights between the hours of 9 PM & 8 AM.

I-5 SB on-ramp from Alberta St (Portland)

Effective July 27, 2018, the I-5 southbound on-ramp from Alberta St will be intermittently closed Sunday through Saturday nights between the hours of 9 PM & 5 AM.

I-5 SB MP 303.98 to MP 303.16 (Portland)

Effective March 7, 2019, this section of I-5 southbound will be restricted to 15 feet 05 inches in height Sunday through Thursday nights between the hours of 10 PM and 5:00 AM; and Friday and Saturday nights between the hours of 10 PM & 1/2 hour before sunrise.

I-5 NB on-ramp from Alberta St (Portland)

Effective July 27, 2018, the I-5 northbound on-ramp from Alberta St will be intermittently closed Sunday through Saturday nights between the hours of 9 PM & 5 AM.

I-5 NB & SB Exit 304 (Rosa Parks - Portland)

Effective August 13, 2018, the I-5 northbound and southbound on and off ramps to Rosa Parks Way will be intermittently closed through Saturday nights between the hours of 9 PM & 5 AM.

I-5 NB & SB on/off ramps to US30 Bypass (Portland)

Effective July 17, 2018, the I-5 northbound and southbound on/off ramps to/from US30 Bypass will be intermittently closed Sunday through Saturday nights between the hours of 9 PM & 5 AM.

I-5 NB & SB MP 306.50 to MP 307.50 (Victory Blvd/Hwy 091 Portland)

Effective August 3, 2018, the I-5 northbound and southbound on/off ramps to/from Victory Blvd/Hwy 091 will be intermittently closed Sunday through Saturday nights between the hours of 9 PM & 5 AM.

I-5 NB & SB Exit 307 (Marine Dr/OR99E - Portland)

Effective **March 4, 2019** , the I-5 northbound and southbound on/off ramps to/from Marine Dr/OR99E will be intermittently closed Sunday through Saturday nights between the hours of 9 PM & 5 AM.

I-82 MP 0.00 NB & SB (Columbia River Bridge - Umatilla)

Effective August 7, 2017, this section of I-82 will be restricted to 14 feet 00 in. in width. Load wider than 14 feet 00 in. in width may be accommodated on a case-by-case basis. Contact Washington DOT at 360-704-6340 for additional information.

I-82 NB & SB MP 0.50 to MP 3.00 (Umatilla)

Effective **March 25, 2019** , this section of I-82 northbound and southbound will be restricted to 18 feet 00 inches in width at all hours.

I-82 NB & SB MP 10.00 to MP 10.50 (Umatilla)

Effective **March 25, 2019** , this section of I-82 northbound and southbound will be restricted to 14 feet 00 inches in width at all hours. Mobile homes with eaves are allowed provided the base width does not exceed 14 feet 00 inches in width.

I-82 NB & SB MP 10.00 to MP 10.50 (Umatilla)

Effective September 1, 2019 this section of I-82 northbound and southbound will be restricted to 18 feet 00 inches in width at all hours.

I-82 SB MP 10.41 (Umatilla)

Effective **March 25, 2019** , this section of I-82 southbound will be restricted to 17 feet 09 inches in height at all hours.

I-82 SB MP 10.41 (Umatilla)

Effective September 1, 2019 this section of I-82 southbound will be restricted to 17 feet 09 inches in height at all hours.

I-84 WB to I-5 NB (Portland)

Effective October 16, 2018, the I-84 westbound off-ramp to I-5 northbound will be closed Monday through Thursday nights between the hours of 10 PM & 5 AM. Starting Friday night at 10 PM this ramp will be closed at all hours until Monday morning at 5 AM.

I-84 WB to I-5 NB (Portland)

Effective April 2, 2019, the I-84 westbound ramp to I-5 northbound will be closed Tuesday through Friday nights between 9 PM & 5 AM.

I-84 WB to I-5 SB (Portland)

Effective November 26, 2018, the I-84 westbound off-ramp to I-5 southbound will be closed Monday through Thursday nights between the hours of 10 PM & 5 AM. Starting Friday night at 10 PM, this ramp will be closed at all hours until Monday morning at 5 AM.

I-84 WB to I-5 SB (Portland)

Effective March 31, 2019, the I-84 westbound ramp to I-5 southbound will be restricted to 14 feet 00 inches in width Sunday through Friday between the hours of 9 AM to 5 PM.

I-84 EB MP 17.56 (Troutdale)

Effective March 12, 2019, this section of I-84 eastbound will be restricted to 18 feet 03 inches in height Monday through Thursday between the hours of 7 AM to 6 PM, and Friday 7 AM to 3 PM.

I-84 WB MP 17.60 to MP 17.09 (Troutdale)

Effective April 15, 2019, this section of I-84 westbound will be closed between the hours of 10 PM & 5 AM. The estimated completion date for this project is April 16, 2019.

I-84 EB & WB MP 17.12 to MP 17.60 (Troutdale)

Effective January 28, 2019, this section of I-84 eastbound and westbound will be restricted to 14 feet 00 inches in width Sunday through Thursday nights between the hours of 10 PM and 5:30 AM and Friday and Saturday nights between the hours of 10 PM and 1/2 hour before sunrise. Loads wider than 14 feet 00 inches in width may be accommodated on a case by case basis. Contact the Over-Dimension Permit Unit for information.

I-84 EB & WB MP 17.12 to MP 17.60 (Troutdale)

Effective January 28, 2019, this section of I-84 eastbound will be restricted to 18 feet 03 inches in height and 18 feet 02 inches in height westbound Sunday through Thursday nights between the hours of 10 PM and 5:30 AM and Friday and Saturday nights between the hours of 10 PM and 1/2 hour before sunrise.

I-84 EB MP 21.9 (Corbett) -- NEW --

Effective April 19, 2019, this section of I-84 eastbound will be restricted to 14 feet 00 inches in width between the hours of 9 PM & 6 AM. The estimated completion date for this project is April 20, 2019. Mobile homes with eaves are allowed provided the base width does not exceed 14 feet 00 inches in width.

I-84 EB Exit 22 off-ramp to Corbett Rd (Corbett) -- NEW --

Effective April 19, 2019, the I-84 eastbound exit 22 off-ramp to Corbett Rd will be closed between the hours of 9 PM & 6 AM. The estimated completion date for this project is April 20, 2019.

I-84 EB MP 27.8 (Corbett) -- NEW --

Effective April 26, 2019, this section of I-84 eastbound will be restricted to 16 feet 00 inches in width between the hours of 9 PM & 6 AM. The estimated completion date for this project is April 27, 2019.

I-84 EB Exit 28 off-ramp to Historic Columbia River Hwy (Corbett) -- NEW --

Effective April 26, 2019, the I-84 eastbound exit 28 off-ramp to Historic Columbia River Hwy will be closed between the hours of 9 PM & 6 AM. The estimated completion date for this project is April 27, 2019.

I-84 EB & WB Exit 85 to City Center (The Dalles)

Effective March 14, 2019, the I-84 eastbound and westbound Exit 85 off-ramps to City Center will be intermittently restricted to 12 feet 00 inches in width Monday through Thursday between the hours of 7 AM & 7 PM. Ramps will not be restricted at the same time. Loads wider than 12 feet 00 inches in width may be accommodated on case-by-case basis. Contact the Over-Dimension Permit Unit for information.

I-84 EB & WB Exit 87 to US197 (The Dalles)

Effective March 25, 2019, the I-84 **eastbound and westbound** Exit 87 off-ramps to US197 will be intermittently restricted to 12 feet 00 inches in width Monday through Thursday between the hours of 7 AM & 7 PM. **Ramps will not be restricted at the same time. Loads wider than 12 feet 00 inches in width may be accommodated on case-by-case basis. Contact the Over-Dimension Permit Unit for information.**

I-84 EB & WB MP 64.22 to MP 87.01

Effective March 11, 2019, this section of I-84 eastbound and westbound will be restricted to 16 feet 05 inches in height Monday through Thursday between the hours of 7 AM & 7 PM. Loads higher than 16 feet 05 inches in height may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information.

I-84 EB & WB MP 64.00 to MP 100.00

Effective January 16, 2019 this section of I-84 eastbound and westbound will be restricted to 16 feet 00 inches in width between the hours of 7 PM & 10 AM. Loads wider than 16 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information.

I-84 EB & WB MP 64 to MP 100

Effective March 11, 2019, this section of I-84 eastbound and westbound will be restricted to 17 feet 00 inches in width Monday through Thursday between the hours of 7 AM & 7 PM. Loads wider than 17 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information.

I-84 WB MP 104.56 (Biggs Junction)

Effective February 25, 2019, this section of I-84 westbound crossing under US97 at Exit 104, will be restricted to 17 feet 10 inches in height Monday through Friday between the hours of 5 AM & 10 PM.

I-84 WB Exit 104 off-ramp to US97 (Biggs)

Effective January 16, 2019, the westbound I-84 off-ramp to US97 (Exit 104) will be restricted to 16 feet 00 inches in width at all hours.

I-84 EB Exit 104 on-ramp from US97 (Biggs)

Effective January 16, 2019, the eastbound I-84 on-ramp from US97 (Exit 104) will be restricted to 16 feet 00 inches in width at all hours.

I-84 EB & WB MP 104.20 to MP 105.30 (Biggs)

Effective January 16, 2019, this section of I-84 eastbound and westbound will be restricted to 16 feet 00 inches in width at all hours.

I-84 WB Exit 109 on-ramp from John Day Dam (Rufus)

Effective January 16, 2019, the I-84 westbound on-ramp from John Day Dam (Exit 109) will be restricted to 16 feet 00 inches in width at all hours.

I-84 EB Exit 109 off-ramp to John Day Dam (Rufus)

Effective January 16, 2019, the I-84 eastbound off-ramp to John Day Dam (Exit 109) will be restricted to 16 feet 00 inches in width at all hours.

I-84 EB & WB MP 109.25 to MP 110.50 (Rufus)

Effective January 16, 2019, this section of I-84 eastbound and westbound will be restricted to 16 feet 00 inches in width at all hours.

I-84 EB & WB MP 100.00 to MP 112.00 (Biggs Junction)

Effective February 25, 2019, this section of I-84 eastbound and westbound will be restricted to 20 feet 00 inches in width Monday through Friday between the hours of 5 AM & 10 PM. Loads wider than 20 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information.

I-84 EB MP 123.31 (Arlington) -- NEW --

Effective April 12, 2019, this section of I-84 eastbound will be restricted to 17 feet 00 inches in height Sunday through Saturday nights between the hours of 10 PM & 5 AM. The estimated completion date for this project is April 24, 2019.

I-84 EB & WB MP 123.31 (Arlington) -- NEW --

Effective April 24, 2019, this section of I-84 eastbound and westbound will be restricted to 16 feet 07 inches in height at all hours. The estimated completion date for this project is May 23, 2019.

I-84 EB MP 125.50 to MP 137.78 (Arlington) -- NEW --

Effective April 12, 2019, this section of I-84 eastbound will be restricted to 12 feet 00 inches in width Sunday through Saturday nights between the hours of 10 PM & 5 AM. The estimated completion date for this project is April 24, 2019.

I-84 EB & WB MP 125.50 to MP 137.78 (Arlington) -- NEW --

Effective April 24, 2019, this section of I-84 eastbound and westbound will be restricted to 15 feet 06 inches in width at all hours. The estimated completion date for this project is May 23, 2019.

I-84 WB Exit 129 on- and off-ramps to Blalock Canyon (Arlington) -- NEW --

Effective April 24, 2019, the I-84 westbound exit 129 on- and off-ramps to/from Blalock Canyon will be closed at all hours. The estimated completion date for this project is May 23, 2019.

I-84 WB MP 147.36 (Arlington)

Effective March 15, 2019, this section of I-84 westbound crossing under Exit 147 is restricted to 15 feet 10 inches in height Monday through Friday between the hours of 5 AM & 10 PM.

I-84 EB & WB MP 131 to MP 149 (Arlington)

Effective March 15, 2019 this section of I-84 eastbound and westbound will be restricted to 20 feet 00 inches in width Monday through Friday between the hours of 5 AM & 10 PM. Loads wider than 20 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information.

I-84 EB & WB MP 100.00 to MP 152.00

Effective January 16, 2019 this section of I-84 eastbound and westbound will be restricted to 16 feet 00 inches in width at all hours. Loads wider than 16 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information.

I-84 WB MP 159.30 (Boardman)

Effective March 18, 2019, this section of I-84 westbound crossing under Exit 159 is restricted to 16 feet 01 inch in height Monday through Friday between the hours of 5 AM & 10 PM.

I-84 EB & WB MP 154 to MP 174 (Boardman)

Effective March 18, 2019 this section of I-84 eastbound and westbound will be restricted to 20 feet 00 inches in width Monday through Friday between the hours of 5 AM & 10 PM. Loads wider than 20 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information.

I-84 EB MP 207.47 (Pendleton)

Effective April 12, 2019, this section of I-84 eastbound will be restricted to 18 feet 01 inches in height between the hours of 5 AM & 10 PM.

I-84 EB & WB MP 205 to MP 211 (Pendleton)

Effective April 12, 2019, this section of I-84 eastbound and westbound will be restricted to 19 feet 00 inches in width between the hours of 5 AM & 10 PM.

I-84 EB & WB MP 214 to MP 259.97 (Pendleton)

Effective April 1, 2019 , this section of I-84 eastbound and westbound will be restricted to 19 feet 00 inches in width at all hours. The estimated completion date for this project is October 31, 2019.

I-84 EB & WB MP 214 to MP 259.97 (Pendleton)

Effective April 1, 2019 , this section of I-84 eastbound and westbound will be restricted to 15 feet 11 inches in height at all hours. The estimated completion date for this project is October 31, 2019.

I-84 EB & WB MP 270.39 to MP 272.71 (La Grande) -- NEW --

Effective April 8, 2019, this section of I-84 eastbound and westbound will be restricted to 16 feet 00 inches in width at all hours. The estimated completion date for this project is July 15, 2019.

I-84 WB MP 377.9 (Ontario) -- NEW --

Effective April 15, 2019, this section of I-84 westbound will be restricted to 18 feet 6 inches in height at all hours. The estimated completion date for this project is September 30, 2019.

I-84 EB & WB MP 377.75 to MP 378.25 (Ontario) -- NEW --

Effective April 15, 2019, this section of I-84 eastbound and westbound will be restricted to 12 feet 00 inches in width at all hours. The estimated completion date for this project is September 30, 2019.

I-105 EB on-ramp from W 6th Ave (Eugene)

Effective March 18, 2019, the I-105 eastbound on-ramp from West 6th Avenue will be closed at all hours.

I-105 EB MP 0.00 to MP 1.00 (Eugene)

Effective March 4, 2019, this section of I-105 eastbound will be restricted to 17 feet 00 inches in width at all hours.

I-105 EB MP 0.00 to MP 1.00 (Eugene)

Effective March 4, 2019, this section of I-105 eastbound will be restricted to 17 feet 09 inches in height at all hours.

I-105 EB & WB MP 0.00 to MP 1.00 (Eugene)

Effective December 16, 2018 at 10 PM, this section of I-105 eastbound and westbound will be restricted to 16 feet 00 inches in width at all hours.

I-105 EB & WB MP 0.00 to MP 1.00 (Eugene)

Effective December 16, 2018 at 10 PM, this section of I-105 eastbound and westbound will be restricted to 18 feet 08 inches in height at all hours.

I-205 NB on-ramp from OR212/OR224 (Estacada)

Effective February 11, 2019, the I-205 northbound on-ramp from OR212/OR224 will be intermittently closed Sunday through Thursday nights between the hours of 9 PM & 5 AM; Friday nights between 10 PM & 7 AM; and Saturday nights between 10 PM & 8 AM.

I-205 NB on-ramp from OR224/Sunrise Expressway (Milwaukie)

Effective February 11, 2019, the I-205 northbound on-ramp from OR224/Sunrise Expressway will be intermittently closed Sunday through Thursday nights between the hours of 9 PM & 5 AM; Friday nights between 10 PM & 7 AM; and Saturday nights between 10 PM & 8 AM.

I-205 NB Exit 14 to Sunnybrook Blvd (Milwaukie)

Effective February 11, 2019, the I-205 northbound Exit 14 to Sunnybrook Blvd will be intermittently closed Sunday through Thursday nights between the hours of 9 PM & 5 AM; Friday nights between 10 PM & 7 AM; and Saturday nights between 10 PM & 8 AM.

I-205 NB & SB MP 13.45 to MP 14.17 (Clackamas)

Effective February 11, 2019, this section of I-205 northbound and southbound will be restricted to 14 feet 00 inches in width Sunday through Thursday nights between the hours of 10 PM & 5 AM; Friday nights between the hours of 11 PM & 7 AM; and Saturday nights between the hours of 11 PM & 8 AM. Loads over 14 feet 00 inches in width may be accommodated on a case-by-base basis. Contact the Over-Dimension Permit Unit for information.

I-205 NB MP 13.39 to MP 14.1 (Clackamas)

Effective February 11, 2019, this section of I-205 northbound crossing under SE 82nd Dr will be restricted to 18 feet 06 inches in height and 18 feet 10 inches in height crossing under Sunnybrook Blvd Sunday through Thursday nights between the hours of 10 PM & 5 AM; Friday nights between the hours of 11 PM & 7 AM; and Saturday nights between the hours of 11 PM & 8 AM.

I-205 SB MP 14.17 to MP 13.45 (Clackamas)

Effective February 11, 2019, this section of I-205 southbound crossing under SE 82nd Dr will be restricted to 17 feet 00 inches in height Sunday through Thursday nights between the hours of 10 PM & 5 AM; Friday nights between the hours of 11 PM & 7 AM; and Saturday nights between the hours of 11 PM & 8 AM.

I-205 NB & SB MP 15.97 to MP 25.70 (Portland)

Effective April 15, 2018, this section of I-205 northbound and southbound will be restricted to 14 feet 00 inches in width Sunday through Thursday nights between the hours of 10 PM & 5 AM; Friday and Saturday nights between the hours of 11 PM to 1/2 hour before sunrise. Loads wider than 14 feet 00 inches in width may be accommodated on a case by case basis. Contact the Over-Dimension Permit Unit for information.

I-205 NB & SB MP 15.97 to MP 25.70 (Portland)

Effective April 15, 2018, this section of I-205 northbound and southbound will be restricted to 19 feet 00 inches in width from 1/2 hour before sunrise to 1/2 hour after sunset. Loads wider than 19 feet 00 inches in width may be accommodated on a case by case basis. Contact the Over-Dimension Permit Unit for information.

I-205 NB & SB MP 15.97 to MP 25.70 (Portland)

Effective April 15, 2018, this section of I-205 southbound will be restricted to 16 feet 5 inches in height and 16 feet 7 inches in height northbound. Loads higher may be accommodated on a case by case basis. Contact the Over-Dimension Permit Unit for information.

I-205 NB on-ramp from Division St (Portland)

Effective March 11, 2019, the I-205 northbound on-ramp from Division St will be intermittently closed at all hours.

I-205 NB on-ramp from I-84 EB (Portland)

Effective June 18, 2018, the I-205 northbound on-ramp from I-84 eastbound will be intermittently closed Sunday through Thursday nights between the hours of 9 PM & 5 AM.

I-205 NB on-ramp from I-84 WB (Portland)

Effective June 19, 2018, the I-205 northbound on-ramp from I-84 westbound will be intermittently closed Sunday through Thursday nights between the hours of 9 PM & 5 AM.

I-205 NB Exit 23A to US30 Bypass EB (Portland)

Effective June 19, 2018, I-205 northbound Exit 23A ramp to US30 Bypass eastbound will be intermittently closed Sunday through Thursday nights between the hours of 9 PM & 5 AM.

I-205 NB Exit 23B to US30 Bypass WB (Portland)

Effective June 20, 2018, the I-205 northbound Exit 23B ramp to US30 Bypass westbound will be intermittently closed Sunday through Thursday nights between the hours of 9 PM & 5 AM.

I-205 NB Exit 23B to US30 Bypass WB (Portland)

Effective March 15, 2019, the I-205 northbound Exit 23B ramp to US30 Bypass westbound will be closed between the hours of 9 PM & 5 AM.

I-205 NB & SB MP 16.30 to MP 25.60 (Portland)

Effective February 18th, 2019, this section of I-205 northbound and southbound will be restricted to 16 feet 00 inches in width Sunday through Thursday nights between the hours of 9 PM & 5 AM; Friday nights between 10 PM & 7 AM; and Saturday nights between 10 PM & 8 AM. Loads wider than 16 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information.

I-205 NB & SB MP 16.30 to MP 25.60 (Portland)

Effective February 18, 2019, this section of I-205 northbound will be restricted to 16 feet 10 inches in height and 16 feet 05 inches southbound Sunday through Thursday nights between the hours of 9 PM & 5 AM; Friday nights between 10 PM & 7 AM; and Saturday nights between 10 PM & 8 AM. Loads higher than 16 feet 10 inches northbound or higher than 16 feet 05 inches southbound may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information.

I-405 NB on-ramp from Broadway/6th Ave (Portland)

Effective April 8, 2019, the I-405 northbound on-ramp from Broadway/6th Ave will be intermittently closed Sunday through Thursday nights between the hours of 9 PM & 5 AM, Friday nights between the hours of 9 PM & 7 AM, and Saturday nights between the hours of 9 PM & 8 AM.

I-405 NB Exit 1D to US26 WB (Portland)

Effective April 8, 2019, the I-405 northbound exit 1D off-ramp to US26 westbound will be intermittently closed Sunday through Thursday nights between the hours of 9 PM & 5 AM, Friday nights between the hours of 9 PM & 7 AM, and Saturday nights between the hours of 9 PM & 8 AM.

I-405 NB & SB MP 2.00 to MP 4.20 (Portland)

Effective March 7, 2019, this section of I-405 northbound and southbound will be restricted to 13 feet 00 inches in width Sunday through Thursday nights between the hours of 10 PM and 5:00 AM; and Friday and Saturday nights between the hours of 10 PM & 1/2 hour before sunrise.

I-405 NB on-ramp from Couch St (Portland)

Effective March 25, 2019, the I-405 northbound on-ramp from Couch St will be intermittently closed Sunday through Thursday nights between the hours of 9 PM & 5 AM, Friday nights between the hours of 9 PM & 7 AM, and Saturday nights between the hours of 9 PM & 8 AM.

I-405 NB on-ramp from Couch St (Portland) -- NEW --

Effective May 1, 2019, the I-405 northbound on-ramp from Couch St will be closed at all hours Friday nights at 9 PM through Monday mornings at 10 AM. The estimated completion date for this project is May 15, 2019.

I-405 NB & SB MP 2.12 to MP 2.45 (Portland)

Effective March 7, 2019, this section of I-405 northbound will be restricted to 15 feet 08 inches in height and 15 feet 11 inches in height southbound Sunday through Thursday nights between the hours of 10 PM and 5:00 AM; and Friday and Saturday nights between the hours of 10 PM & 1/2 hour before sunrise.

I-405 NB on-ramp from NW Glisan St (Portland)

Effective March 27, 2019, the I-405 northbound on-ramp from NW Glisan St will be intermittently closed Sunday through Thursday nights between the hours of 9 PM & 5 AM, Friday nights between the hours of 9 PM & 7 AM, and Saturday nights between the hours of 9 PM & 8 AM.

I-405 SB Exit 2B off-ramp to Glisan St (Portland)

Effective March 25, 2019, the I-405 southbound exit 2B off-ramp to Glisan St will be intermittently closed Sunday through Thursday nights between the hours of 9 PM & 5 AM, Friday nights between the hours of 9 PM & 7 AM, and Saturday nights between the hours of 9 PM & 8 AM.

I-405 SB Exit 2B off-ramp to Glisan St (Portland) -- NEW --

Effective May 1, 2019, the I-405 southbound Exit 2B off-ramp to Glisan St will be closed at all hours Friday nights at 9 PM through Monday mornings at 10 AM. The estimated completion date for this project is May 15, 2019.

I-405 NB MP 2.74 (Portland)

Effective April 14, 2019, this section of I-405 northbound will be restricted to 20 feet 07 inches in height Sunday between the hours of 6 AM & 12 PM for one day only.

I-405 NB Exit 3 off-ramp to US30 WB (Portland)

Effective April 8, 2019, the I-405 northbound exit 3 off-ramp to US30 westbound will be intermittently closed Sunday through Thursday nights between the hours of 9 PM & 5 AM, Friday nights between the hours of 9 PM & 7 AM, and Saturday nights between the hours of 9 PM & 8 AM.

I-405 SB on-ramp from Cook St/Kerby Ave (Portland) -- UPDATE --

Effective **May 1, 2019**, the I-405 southbound on-ramp from Cook St/Kerby Ave will be intermittently closed starting Friday night at 9 PM at all hours until Monday morning at 10 AM. The estimated completion date for this project is May 15, 2019.

I-405 NB MP 3.50 to MP 4 (Portland)

Effective March 24, 2019, this section of I-405 northbound will be restricted to 15 feet 00 inches in width between the hours of 9 PM & 5 AM. Loads wider than 15 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information.

I-405 NB to I-5 SB (Portland)

Effective March 27, 2019, the I-405 northbound off-ramp to I-5 southbound will be closed between the hours of 10 PM & 5 AM.

I-405 NB to I-5 SB (Portland)

Effective April 02, 2019, the I-405 northbound off-ramp to I-5 southbound will be closed Sunday through Thursday nights between the hours of 8 PM & 5 AM, Friday nights between the hours of 8 PM & 7 AM, and Saturday nights between the hours of 8 PM and 8 AM.

I-405 NB off-ramp to Cook St/Kerby Ave (Portland) -- UPDATE --

Effective **May 1, 2019**, the I-405 northbound off-ramp to Cook St/Kerby Ave will be intermittently closed starting Friday night at 9 PM at all hours until Monday morning at 10 AM. The estimated completion date for this project is May 15, 2019.

I-405 NB off-ramp to Cook St/Kerby Ave (Portland)

Effective April 2, 2019, the I-405 northbound off-ramp to Cook St/Kerby Ave will be intermittently closed Sunday through Thursday nights between the hours of 8 PM & 6 AM, Friday nights between the hours of 8 PM & 8 AM, and Saturday nights between the hours of 9 PM & 9 AM.

I-405 SB on-ramp from Cook St/Kerby Ave (Portland)

Effective April 2, 2019, the I-405 southbound on-ramp from Cook St/Kerby Ave will be intermittently closed Sunday through Thursday nights between the hours of 8 PM & 6 AM, Friday nights between the hours of 8 PM & 8 AM, and Saturday nights between the hours of 9 PM & 9 AM.

I-405 NB MP 3.60 to MP 4 (Portland)

Effective March 24, 2019, this section of I-405 northbound will be restricted to 13 feet 00 inches in width between the hours of 9 PM & 5 AM. Loads wider than 13 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information.

I-405 NB MP 4.14 to MP 3.20 (Portland)

Effective March 7, 2019, this section of I-405 northbound will be restricted to 16 feet 03 inches in height Sunday through Thursday nights between the hours of 10 PM and 5:00 AM; and Friday and Saturday nights between the hours of 10 PM & 1/2 hour before sunrise.

I-405 SB MP 4.20 to MP 3.07 (Portland)

Effective March 7, 2019, this section of I-405 southbound will be restricted to 18 feet 01 inches in height Sunday through Thursday nights between the hours of 10 PM and 5:00 AM; and Friday and Saturday nights between the hours of 10 PM & 1/2 hour before sunrise.

I-405 SB MP 4.20 to MP 3.60 (Portland)

Effective March 24, 2019, this section of I-405 southbound will be restricted to 15 feet 00 inches in width between the hours of 9 PM & 5 AM. Loads wider than 15 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information.

I-405 NB MP 2.80 to MP 4.21 (Portland)

Effective March 24, 2019, this section of I-405 northbound will be closed between the hours of 10 PM & 5 AM.

U.S. Routes

US20 MP 99.94 EB & WB (Sisters)

Effective November 28, 2017, this section of US20 is restricted to 14 feet 00 inches in width and/or 154 feet overall length. Mobile homes with eaves are allowed provided the base width does not exceed 14 feet 00 inches in width. Loads wider than 14 feet and/or 154 feet overall length may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information.

US26 EB (Ross Island Bridge) off-ramp to OR99E SB (Portland) -- NEW --

Effective May 3, 2019, the off-ramp from US26 eastbound to OR99E southbound will be closed between the hours of 10 PM & 5 AM. The estimated completion date for this project is May 5, 2019.

US26 WB MP 32.47 to MP 30.43 (Cherryville) (Hood to Coast)

Effective August 23, 2019 this section of US26 will be restricted to 12 feet 00 inches in width between the hours of 6 AM & 7:45 PM.

US26 WB MP 32.68 to MP 34.97 (Government Camp) -- NEW --

Effective June 29, 2019, this section of US26 westbound will be restricted to 12 feet 00 inches in width between the hours of 4 AM & 1 PM for one day only. The estimated completion date for this project is June 29, 2019.

US30 EB off-ramp to I-405 SB (Portland)

Effective July 19, 2019, the off-ramp from US30 eastbound to I-405 southbound will be closed Friday through Thursday between the hours of 8 PM & 5 AM.

US30 EB off-ramp to I-405 SB (Portland)

Effective March 11, 2019, the off-ramp from US30 eastbound to I-405 southbound will be intermittently closed Sunday through Thursday nights between the hours of 9 PM & 5 AM; and Friday and Saturday nights between the hours of 9 PM & 1/2 hour before sunrise.

US30 EB off-ramp to I-405 NB (Portland)

Effective March 11, 2019, the off-ramp from US30 eastbound to I-405 northbound will be intermittently closed Sunday through Thursday nights between the hours of 8 PM & 5 AM; and Friday and Saturday nights between the hours of 8 PM & 1/2 hour before sunrise.

US30 EB & WB MP 1.65 to MP 2.10 (La Grande) -- NEW --

Effective April 27, 2019, US30 EB & WB will be closed for one morning only from 8 AM to 10 AM for the La Grande Little League Opening Day Parade. The estimated completion date for this project is April 27, 2019.

US30 WB MP 12.5 to MP 12.7 (Burlington) (Hood to Coast)

Effective August 23, 2019 this section of US30 will be restricted to 14 feet 00 inches in width between the hours of 4:30 AM & 5:00 AM.

US97 NB & SB MP 0.28 to MP 0.52 (Biggs Junction)

Effective January 1, 2019, this section of US97 northbound and southbound will be restricted to 18 feet 00 inches in width.

US97 NB & SB MP 56.72 to MP 74.90 (Shaniko)

Effective March 26, 2019 this section of US97 northbound and southbound will be restricted to 13 feet 00 inches in width Sunday through Thursday nights from 1/2 hour before sunrise to 1/2 hour after sunset. Loads wider than 13 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information.

US97 NB & SB MP 56.72 to MP 74.90 (Shaniko)

Effective April 8, 2019 this section of US97 northbound and southbound will be restricted to 13 feet 00 inches in width Sunday through Thursday nights between the hours of 7 PM & 7 AM. Loads wider than 13 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information.

US97 NB & SB MP 74.09 to MP 75.18 (Madras)

Effective October 22, 2018, this section of US97 northbound and southbound will be restricted to 17 feet 00 inches in width.

US101 NB & SB MP 4.53 to MP 5.33 (New Young's Bay Bridge - Astoria)

Effective February 15, 2019, this section of US101 northbound and southbound will be restricted to 13 feet 00 inches in width Sunday through Thursday nights between the hours of 9 PM & 5:30 AM. Loads wider than 13 feet 00 inches in width may be accommodated on a case by case basis. Contact the OD Permit Unit for more information.

US101 NB & SB MP 233.48 to MP 233.49 (North Bend) -- NEW --

Effective April 15, 2019, this section of US101 northbound and southbound will be restricted to 11 feet 00 inches in width Sunday through Thursday nights between the hours of 7 PM & 7 AM. Loads wider than 11 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information. The estimated completion date for this project is October 1, 2021.

US101 NB & SB MP 233.48 to MP 233.49 (North Bend) -- NEW --

Effective April 15, 2019, this section of US101 northbound and southbound will be restricted to 16 feet 00 inches in height Sunday through Thursday nights between the hours of 7 PM & 7 AM. Loads higher than 16 feet 00 inches in height may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information. The estimated completion date for this project is October 1, 2021.

US101 MP 347.78 NB & SB (north of Brookings)

Effective July 31, 2017, this section of US101 will be restricted to 16 feet 00 in. in width.

OR Routes

OR18 EB & WB MP 50 to MP 52.6 (Dayton)

Effective March 11, 2019, this section of OR18 eastbound and westbound will be restricted to 14 feet 00 inches in width Mondays between the hours of 12 midnight & 5 AM; and Monday through Thursday nights between the hours of 7 PM & 5 AM. Loads wider than 14 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information.

OR22 EB & WB MP 47.25 to MP 48 (Detroit)

Effective **April 1, 2019** , this section of OR22 eastbound and westbound will be restricted to 8 feet 06 inches width at all hours.

OR22 EB & WB MP 49.84 (Detroit)

Effective August 6, 2019, this section of OR22 eastbound and westbound will be restricted to 16 feet 00 inches in width between the hours of 9 AM & 2 PM for one day only. Loads wider than 16 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the OD Permit Unit for information.

OR47 NB & SB MP 69.72 to MP 69.87 (Vernonia)

Effective April 1, 2019, this section of OR47 northbound and southbound will be restricted to 14 feet 00 inches in width Monday through Friday between the hours of 9 AM & 6 PM. Loads wider than 14 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the OD Permit Unit for information.

OR47 NB & SB MP 69.72 to MP 69.87 (Vernonia)

Effective April 8, 2019, this section of OR47 northbound and southbound will be restricted to 9 feet 00 inches in width Monday between the hours of 9 AM & 6 PM for one day only. Loads wider than 9 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the OD Permit Unit for information.

OR47 MP 88.05 NB & SB (Forest Grove)

Effective September 27, 2016, this section of OR47 is restricted to 14 feet 00 inches in width and 135 feet overall length. Mobile homes with eaves are allowed provided the base width does not exceed 14 feet 00 in. in width. Loads wider than 14 feet or 135 feet overall length may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information.

OR99W SB Exit to OR217 NB (Tigard)

Effective April 10, 2019, the OR99W southbound off-ramp to OR217 northbound will be closed Monday through Wednesday nights between the hours of 9 PM & 5 AM.

OR99E NB & SB MP 24.67 (Aurora)

Effective August 5, 2019, this section of OR99E northbound and southbound will be restricted to 14 feet 00 inches in width between the hours of 9 AM & 3 PM for one day only.

OR99E NB & SB MP 24.67 (Aurora)

Effective August 5, 2019, this section of OR99E northbound and southbound will be restricted to 15 feet 03 inches in height between the hours of 9 AM & 3 PM for one day only.

OR99W SB MP 34.96 (McMinnville)

Effective April 4, 2019, this section of OR99W southbound will be restricted to 8 feet 06 inches in width Thursday night between the hours of 8 PM & 1 AM.

OR99W NB & SB MP 62.03 to MP 63.90 (Monmouth)

Effective August 1, 2018, this section of OR99W northbound and southbound will be restricted to 14 feet 00 inches in width Sunday through Thursday nights between the hours of 7 PM & 6 AM. Loads wider than 14 feet 00 inches in width may be accommodated on a case by case basis. Contact the OD Permit Unit for information.

OR126 EB & WB MP 15.84 (Prineville)

Effective June 21, 2018, this section of OR126 eastbound and westbound will be restricted to 14 feet 00 inches in width and 135 feet 00 inches in overall length. Mobile homes with eaves are allowed provided the base width does not exceed 14 feet 00 inches in width. Loads wider than 14 feet or 135 feet in overall length may be accommodated on a case by case basis. Contact the OD Permit Unit for information.

OR126 EB & WB MP 31.56 to MP 32.36 (Walton)

Effective February 6, 2019, this section of OR126 eastbound and westbound will be restricted to 14 feet 00 inches in width Sunday through Thursday nights between the hours of 7 PM & 11 AM. Mobile homes with eaves are allowed provided the base width does not exceed 14 feet 00 inches in width. Loads wider than 14 feet may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information.

OR217 NB Exit 5 to Greenburg Rd (Tigard)

Effective April 8, 2019, the OR217 northbound off-ramp to Greenburg Rd will be restricted to 12 feet 00 inches in width Monday through Wednesday nights between the hours of 9 PM & 5 AM.

OR219 NB & SB MP 23.66 (Newberg) -- NEW --

Effective April 7, 2019, this section of OR219 northbound and southbound will be restricted to 16 feet 00 inches in width between the hours of 8 AM & 3:30 PM for one day only. Loads wider than 16 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the OD Permit Unit for information. The estimated completion date for this project is April 7, 2019.

OR221 SB MP 20.78 (Salem)

Effective **March 21, 2019**, this section of OR221 southbound will be restricted to 10 feet 00 inches in width between the hours of 9 PM & 4 AM.

Lifted Restrictions

I-5 SB Exit 300B (Portland)

Effective March 16, 2019, the I-5 southbound Exit 300B off-ramp will be closed between the hours of 10 PM & 5 AM.

I-5 NB MP 305.28 (Portland)

Effective March 15, 2019, this section of I-5 northbound crossing under sign bridge will be restricted to 19 feet 09 inches in height between the hours of 10 PM & 5 AM.

I-84 WB MP 56 to MP 52 (Hood River)

Effective **February 28, 2019**, this section of I-84 westbound will be restricted to 14 feet 00 inches in width **between the hours of 7 AM & 5:30 PM**. Loads over 14 feet 00 inches in width may be accommodated on a case-by-case basis. Contact the Over-Dimension Permit Unit for information.

I-405 NB Exit 1A to Natio Pkwy/Harbor Dr (Portland)

Effective on March 17, 2019, the I-405 northbound Exit 1A to Natio Pkwy/Harbor Dr will be closed between the hours of 7 AM & 12 PM (Noon) for one day only.

US26 WB (Ross Island Bridge) ramp to OR99W SB

Effective March 17, 2019 the US26 westbound off-ramp to OR99W/Naito Pkwy will be closed between the hours of 7 AM & 12 PM (Noon) for one day only.

OR99W/Hwy #091 NB & SB MP 1.27 to MP 3.19 (Portland)

Effective on March 17, 2019, this section of OR99W/Hwy #091 northbound and southbound will be closed between the hours of 7 AM & 12 PM (Noon) for one day only.

BRIDGE RESTRICTIONS

Interstate Routes

I-5 MP 104.85 Chadwick Ln crossing over I-5 (near Riddle)

Chadwick Ln crossing over I-5 is restricted to the following weights: 20,000 single axle, 34,000 lbs. tandem axle - 80,000 lbs. GVW. Weight Table 1.

I-5 MP 151.81 Wilson Rd crossing over I-5 (Yoncalla)

Wilson Rd crossing over I-5 is restricted to the following weights: 20,000 lbs. single axle, 34,000 lbs. tandem axle, 105,500 lbs. GVW., Weight Table 2 for divisible loads; 21,500 lbs. single axle, 43,000 lbs. tandem axle, 98,000 lbs. GVW., Weight Table 3 for non-divisible loads.

I-84 MP 256.42 Upper Perry Interchange crossing over I-84 (Perry)

Upper Perry Interchange crossing over I-84 is restricted to the following weights: 20,000 lbs. single axle, 34,000 lbs. tandem axle, 105,500 lbs. GVW, Weight Table 2 for divisible loads; 21,500 lbs. single axle, 43,000 lbs. tandem axle - 98,000 lbs. GVW., Weight Table 3 for non-divisible loads.

I-84 MP 280.53 McCause Rd crossing over I-84 (west of Baker City)

Effective March 5, 2018, McCause Rd crossing over I-84 is restricted to 20,000 lbs. single axle, 34,000 lbs. tandem axle - 105,500 lbs. GVW, Weight Table 2 for divisible loads; 21,500 lbs. single axle, 43,000 lbs. tandem axle - 98,000 lbs. GVW, Weight Table 3 for non-divisible loads. Non-divisible loads exceeding these weights may cross the bridge if they stop traffic/straddle the centerline and are the only vehicle on the bridge when crossing. Certified flaggers are required to stop traffic.

I-84 MP 291.65 Charles Green Ln crossing over I-84 (west of Baker City)

Effective March 5, 2018, Charles Green Ln crossing over I-84 is restricted to 20,000 lbs. single axle, 34,000 lbs. tandem axle - 105,500 lbs. GVW, Weight Table 2 for divisible loads; 21,500 lbs. single axle, 43,000 lbs. tandem axle - 98,000 lbs. GVW, Weight Table 3 for non-divisible loads. Non-divisible loads exceeding these weights may cross the bridge if they stop traffic/straddle the centerline and are the only vehicle on the bridge when crossing. Certified flaggers are required to stop traffic.

I-84 MP 295.67 Culley Ln crossing over I-84 (west of Baker City)

Effective March 5, 2018, Culley Ln crossing over I-84 is restricted to 20,000 lbs. single axle, 34,000 lbs. tandem axle - 105,500 lbs. GVW, Weight Table 2 for divisible loads; 21,500 lbs. single axle, 43,000 lbs. tandem axle - 98,000 lbs. GVW, Weight Table 3 for non-divisible loads. Non-divisible loads exceeding these weights may cross the bridge if they stop traffic/straddle the centerline and are the only vehicle on the bridge when crossing. Certified flaggers are required to stop traffic.

U.S. Routes

US26 MP 8.22 (Little Humbug Creek Bridge - Necanicum Jct)

Effective January 4, 2019, US26 crossing Little Humbug Creek Bridge at MP 8.22 is restricted to the following weights: 29 tons for SU5 vehicles (5 axle single-unit trucks); 30 tons for SU6 vehicles (6 axle single-unit trucks); 31 tons for SU7 (7 axle single-unit trucks).

US26 MP 115.58 (North Unit Canal Bridge - Madras)

Effective February 5, 2019, US26 crossing North Unit Canal Bridge at MP 115.58 is restricted to the following weights: 30 tons for SU5 vehicles (5 axle single-unit trucks); 33 tons for SU6 vehicles (6 axle single-unit trucks); 36 tons for SU7 (7 axle single-unit trucks).

US30 (Historic Columbia River Hwy) MP 0.03 (Sandy River Bridge - Troutdale)

Effective May 3, 2017, US30 (Historic Columbia River Highway) crossing the Sandy River Bridge is restricted to the following weights: 21 tons for Type 3 Vehicles (3-axle single-unit trucks); 19 tons for SU4 Vehicles (4-axle single-unit trucks); 21 tons for SU5, SU6 & SU7 Vehicles (5 to 7 axle single-unit trucks); 26 tons for Type 3S2 (truck tractor/semitrailer) and Type 3-3 (truck and trailer) Vehicles.

US30 (Huntington Hwy) MP 0.46 (Burnt River Bridge - Lime)

Effective June 16, 2011, the Burnt River Bridge near Lime just off I-84 is restricted to 20,000 lbs. single axle, 34,000 lbs. tandem axle - 105,500 lbs. GVW., Weight Table 2 for divisible loads; 21,500 lbs. single axle, 43,000 lbs. tandem axle - 98,000 lbs. GVW., Weight Table 3 for non-divisible loads.

US30 (Historic Columbia River Hwy) MP 13.14 (Shepperds Dell Bridge)

US30 (Historic Columbia River Hwy) crossing Youngs Creek (Shepperds Dell) Bridge is restricted to 20,000 lbs. single axle, 34,000 lbs. tandem axle, Weight Table 1.

US30 (Historic Columbia River Hwy) MP 17.68 (West Multnomah Falls Bridge)

US30 (Historic Columbia River Hwy) crossing West Multnomah Falls Bridge is restricted to 28,000 lbs. for solo vehicles, 44,000 lbs. for 3-2 combinations, and 56,000 lbs. for 3-3 combinations.

US30 (Historic Columbia River Hwy) MP 20.39 (Horsetail Creek Bridge)

US30 (Historic Columbia River Hwy) crossing Horsetail Creek Bridge is restricted to 20,000 lbs. single axle, 34,000 lbs. tandem axle, Weight Table 1.

US30 MP 30.42 (Bridge of the Gods - Cascade Locks)

Effective December 24, 2013, the Bridge of the Gods at US30 MP 30.42 is restricted to 80,000 lbs. GVW, Weight Table 1. This bridge belongs to the Port of Cascade Locks.

US30 OR/WA Border at Rainier (Lewis & Clark Bridge)

The Columbia River (Lewis & Clark) Bridge between Rainier, OR and Longview, WA is restricted to 21,500 lbs. per axle, no gross weight restriction. Contact the State of Washington at (360) 704-6340 for current information regarding size restrictions for this bridge.

US101 Business MP 4.78 (Lewis & Clark River Bridge - Astoria)

US101 Business crossing Lewis & Clark River Bridge is restricted to 20,000 lbs. single axle, 34,000 lbs. tandem axle, 80,000 lbs. GVW, Weight Table 1.

US101 Business MP 6.89 (Old Youngs Bay Bridge - Astoria)

Effective November 10, 2009, US101 Business crossing the Old Youngs Bay Bridge is restricted to 20,000 lbs. single axle, 34,000 lbs. tandem axle, 105,500 lbs. GVW, Weight Table 2.

US101 MP 79.61 (Beaver Creek Bridge - Beaver)

Effective January 4, 2019, US101 crossing Beaver Creek Bridge at MP 76.61 is restricted to the following weights: 28 tons for SU5 vehicles (5 axle single-unit trucks); 29 tons for SU6 vehicles (6 axle single-unit trucks); 30 tons for SU7 (7 axle single-unit trucks).

US101 MP 141.67 (Yaquina Bay Bridge - Newport)

Effective March 1, 2013, the Yaquina Bay Bridge in Newport is restricted to 20,000 lbs. single axle, 34,000 lbs. tandem axle - 105,500 lbs. GVW, Weight Table 2 for divisible loads; 21,500 lbs. single axle, 43,000 lbs. tandem axle - 98,000 lbs. GVW, Weight Table 3 for non-divisible loads. Non-divisible loads exceeding these weights (up to Weight Table 5) may cross the bridge if they stop traffic/straddle the centerline and are the only vehicle on the bridge when crossing. Certified flaggers are required to stop both northbound and southbound traffic. The rolling stop method is not allowed.

US101 MP 190.98 (Siuslaw River Bridge - Florence)

Effective March 17, 2003, the Siuslaw River Bridge is restricted to 20,000 lbs. single axle, 34,000 lbs. tandem axle, 105,500 lbs. GVW., Weight Table 2 for divisible loads; 21,500 lbs. single axle, 43,000 lbs. tandem axle - 98,000 lbs. GVW. Weight Table 3 for non-divisible loads.

US101 MP 311.40 (Reinhart Creek Bridge - south of Port Orford)

Effective March 1, 2017, US101 crossing the Reinhart Creek Bridge is restricted to 20,000 lbs. single axle, 34,000 lbs. tandem axle - 105,500 lbs. GVW, Weight Table 2 for divisible loads; 21,500 lbs. single axle, 43,000 lbs. tandem axle - 98,000 lbs. GVW, Weight Table 3 for non-divisible loads. Non-divisible loads exceeding these weights may cross the bridge if they stop oncoming traffic and straddle the centerline. Certified flaggers are required to stop oncoming traffic. **Effective May 5, 2017, during construction, on-site certified flaggers may be provided to the carrier at no cost on a case-by-case basis during construction hours. Contact the Over-Dimension Permit Unit for information.**

US101 MP 326.47 (Connector Road Bridge - Gold Beach)

Effective January 14, 2019, US101 crossing Connector Road Bridge at MP 326.47 is restricted to the following weights: 28 tons for SU5 vehicles (5 axle single-unit trucks); 29 tons for SU6 vehicles (6 axle single-unit trucks); 32 tons for SU7 vehicles (7 axle single-unit trucks).

OR Routes

OR18 MP 51.57 (Yamhill River Bridge - Dayton)

OR18 crossing Yamhill River Bridge is restricted to 20,000 lbs. single axle, 34,000 lbs. tandem axle, 105,500 lbs. GVW., Weight Table 2 for divisible loads; 21,500 lbs. single axle, 43,000 lbs. tandem axle, 98,000 lbs. GVW., Weight Table 3 for non-divisible loads.

OR22 MP 1.47 (Cedar Creek Bridge - west of Dolph)

Effective January 4, 2019, OR22 crossing Cedar Creek Bridge at MP 1.47 is restricted to the following weights: 29 tons for SU5 and SU6 vehicles (5 and 6 axle single-unit trucks); 31 tons for SU7 (7 axle single-unit trucks).

OR22 MP 5.81 (Alder Creek Bridge - west of Dolph)

Effective January 4, 2019, OR22 crossing Alder Creek Bridge at MP 5.81 is restricted to the following weights: 29 tons for SU5 and SU6 vehicles (5 and 6 axle single-unit trucks); 31 tons for SU7 (7 axle single-unit trucks).

OR22 MP 7.19 (Buck Creek Bridge - west of Dolph)

Effective January 4, 2019, OR22 crossing Buck Creek Bridge at MP 7.19 is restricted to the following weights: 29 tons for SU5 and SU6 vehicles (5 and 6 axle single-unit trucks); 34 tons for SU7 (7 axle single-unit trucks).

OR22 MP 7.32 (Alder Creek Bridge - west of Dolph)

Effective January 4, 2019, OR22 crossing Alder Creek Bridge at MP 7.32 is restricted to the following weights: 30 tons for SU5 vehicles (5 axle single-unit trucks); 33 tons for SU6 vehicles (6 axle single-unit trucks); 36 tons for SU7 (7 axle single-unit trucks).

OR22 MP 10.49 (Louie Creek Bridge - Dolph)

OR22 crossing Louie Creek Bridge is restricted to 21,500 lbs. single axle, 43,000 lbs. tandem axle, Weight

Table 3 only.

OR22 MP 10.66 (Louie Creek Bridge - Dolph)

OR22 crossing Louie Creek Bridge is restricted to 21,500 lbs. single axle, 43,000 lbs. tandem axle, Weight Table 3 only.

Santiam River Bridge - Mill City (not on OR22 mainline)

1st St crossing Santiam River Bridge in Mill City is restricted to 20,000 lbs. single axle, 34,000 lbs. tandem axle, 105,500 lbs. GVW., Weight Table 2. This restriction is NOT on the OR22 mainline.

OR27 MP 1.90 (Irrigation Ditch - Prineville)

OR27 crossing Irrigation Ditch at MP 1.90 is restricted to 21,500 lbs. single axle, 43,000 lbs. tandem axle, 60,000 lbs. tri-axle, Weight Table 4.

OR27 MP 2.88 (Irrigation Ditch - Prineville)

OR27 crossing Irrigation Ditch at MP 2.88 is restricted to 21,500 lbs. single axle, 43,000 lbs. tandem axle, 60,000 lbs. tri-axle, Weight Table 4.

OR27 MP 4.62 (Irrigation Ditch - Prineville)

OR27 crossing Irrigation Ditch at MP 4.62 is restricted to 21,500 lbs. single axle, 43,000 lbs. tandem axle, 60,000 lbs. tri-axle, Weight Table 4.

OR27 MP 27.23 (Bear Creek Bridge - south of Prineville)

OR27 crossing Bear Creek Bridge is restricted to 20,000 lbs. single axle, 34,000 lbs. tandem axle, 105,500 lbs GVW, Weight Table 2.

Old OR34 EB MP 0.13 (Willamette River / Van Buren St Bridge - Corvallis)

Old OR34 eastbound crossing Willamette River (Van Buren St) Bridge is restricted to 20,000 lbs. single axle, 34,000 lbs. tandem axle, 80,000 lbs. GVW., Weight Table 1.

OR35 crossing Columbia River (White Salmon) Bridge - Hood River

OR35 crossing the Columbia River (White Salmon) Bridge is restricted to 20,000 lbs. single axle, 34,000 lbs. tandem axle, 80,000 lbs. GVW, Weight Table 1. Bridge belongs to Port of Hood River.

OR43 MP 11.43 (Willamette River Arch Bridge - Oregon City)

OR43 crossing the Willamette River Arch Bridge is restricted to 20,000 lbs. single axle, 34,000 lbs. tandem axle, 80,000 lbs. GVW, Weight Table 1.

OR53 MP 5.98 (Jack Horner Creek Bridge)

OR53 crossing Jack Horner Creek Bridge is restricted to 20,000 lbs. single axle, 40,000 lbs tandem axle, Weight Table 3.

OR86 MP 40.64 (Eagle Creek Bridge - Richland)

Effective October 20, 2016, all single-trip permit holders over continuous trip permit weights must stop all traffic, straddle centerline, and be the only vehicle on bridge when crossing.

OR104 Spur MP 4.62 (Skipanon River Bridge - Warrenton)

Effective April 4, 2011, OR104 Spur crossing the Skipanon River Bridge is restricted to 38,000 lbs. for solo trucks, 56,000 lbs. for 3-2 axle truck combinations, 64,000 lbs. for 3-3 axle (or more) truck combinations.

OR120 (Swift Hwy / Portland Rd) MP 0.38 (Columbia Slough Bridge - Portland)

Effective February 12, 2019, OR120 (Swift Hwy / Portland Rd) crossing Columbia Slough Bridge is restricted to the following weights: 18 tons Type 3, 18 tons SU4, SU5, SU6, & SU7, 28 tons Type 3S2, 35 tons Type 3-3.

OR130 (Little Nestucca Hwy) MP 3.23 (Panther Creek Bridge)

OR130 (Little Nestucca Hwy) crossing Panther Creek Bridge is restricted to 20,000 lbs. single axle, 34,000 lbs. tandem axle, 105,500 lbs. GVW., Weight Table 2.

OR130 (Little Nestucca Hwy) MP 3.60 (Squaw Creek Bridge)

OR130 (Little Nestucca Hwy) crossing Squaw Creek Bridge is restricted to 20,000 lbs. single axle, 34,000 lbs. tandem axle, 105,500 lbs. GVW., Weight Table 2.

OR130 (Little Nestucca Hwy) MP 3.82 (Austin Creek Bridge)

OR130 (Little Nestucca Hwy) crossing Austin Creek Bridge is restricted to 20,000 lbs. single axle, 34,000 lbs. tandem axle, 105,500 lbs. GVW., Weight Table 2.

OR130 (Little Nestucca Hwy) MP 4.15 (Little Nestucca River Bridge)

OR130 (Little Nestucca Hwy) crossing Little Nestucca River Bridge is restricted to 20,000 lbs. single axle, 34,000 lbs. tandem axle, 105,500 lbs. GVW., Weight Table 2.

OR130 (Little Nestucca Hwy) MP 4.76 (Bear Creek Bridge)

OR130 (Little Nestucca Hwy) crossing Bear Creek Bridge is restricted to 20,000 lbs. single axle, 34,000 lbs. tandem axle, 105,500 lbs. GVW., Weight Table 2.

OR164 (Jefferson Hwy) MP 6.24 (Santiam River Bridge - Jefferson)

OR164 crossing the Santiam River Bridge is restricted to 20,000 lbs. single axle, 34,000 lbs. tandem axle, 105,500 lbs. GVW. Weight Table 2 for divisible loads; 21,500 lbs. single axle, 43,000 lbs. tandem axle, 98,000 lbs. GVW., Weight Table 3 for non-divisible loads.

OR219 MP 23.46 (Willamette River Bridge - south of Newberg)

OR219 crossing Willamette River Bridge is restricted to 20,000 lbs. single axle, 34,000 lbs. tandem axle, 105,500 lbs. GVW., Weight Table 2 for divisible loads; 21,500 lbs. single axle, 43,000 lbs. tandem axle, 98,000 lbs. GVW., Weight Table 3 for non-divisible loads.

OR223 MP 10.11 (Little Luckiamute River Bridge - south of Dallas)

Effective November 29, 2018, OR223 crossing Little Luckiamute River Bridge at MP 10.11 is restricted to the following weights: 28 tons for SU5 and SU6 vehicles (5 and 6 axle single-unit trucks); 29 tons for SU7 (7 axle

single-unit trucks).

OR234 MP 0.04 (Rogue River Bridge - west of Gold Hill)

OR234 crossing Rogue River Bridge west of Gold Hill is restricted to 20,000 lbs. single axle, 34,000 lbs. tandem axle, 105,500 lbs. GVW, Weight Table 2 for divisible Loads; 21,500 lbs. single axle, 43,000 lbs. tandem axle, 98,000 lbs. GVW, Weight Table 3 for non-divisible loads.

OR241 MP 0.51 (Isthmus Slough)

MP 0.51 Isthmus Slough (1/2 mile from US101) is restricted to 20,000 lbs. single axle, 34,000 lbs. tandem axle - 80,000 lbs. GVW., Weight Table 1

OR339 (Freewater Hwy) MP 2.76 (West Crockett Branch Bridge - Milton-Freewater)

OR339 (Freewater Hwy) crossing West Crockett Branch Bridge is restricted to 21,500 lbs. single axle, 43,000 lbs. tandem axle, 60,000 lbs. tri-axle, Weight Table 4.

OR339 (Freewater Hwy) MP 3.16 (East Fork Little Walla Walla River Bridge - Milton-Freewater)

OR339 (Freewater Hwy) crossing East Fork Little Walla Walla River Bridge is restricted to 21,500 lbs. single axle, 43,000 lbs. tandem axle, 60,000 lbs. tri-axle, Weight Table 4.

OR339 (Freewater Hwy) MP 3.31 (West Fork Little Walla Walla River Bridge - Milton-Freewater)

OR339 (Freewater Hwy) crossing West Fork Little Walla Walla River Bridge is restricted to 21,500 lbs. single axle, 43,000 lbs. tandem axle, 60,000 lbs. tri-axle, Weight Table 4.

Other Jurisdictions

Old OR99 (DC388) Old Winchester Bridge (Roseburg)

Old Winchester Bridge on DC388 (Old 99) at MP12.21 is restricted to [20,000 lbs. single axle, 34,000 lbs. tandem axle, 105,500 lbs. GVW.- Weight Table 2 Divisible Loads](#); [21,500 lbs. single axle, 43,000 lbs. tandem axle - 98,000 lbs. GVW.- Weight Table 3 Non- Divisible Loads](#).